

UDK 528.9:004.6:004.738.5
Pregledni znanstveni članak

Today's Common Errors for Display Toponyms on Web Maps and Solutions

Robert ŽUPAN, Stanislav FRANGEŠ – Zagreb¹

ABSTRACT. Primarily we dealt with the problem of toponyms placement on web maps and it can be noticed that even today on most visited sites with web maps toponyms placement is not in accordance with the cartographic principles, cartographic visualization conditions or cartographic generalization rules. There are good and bad examples of toponyms placement on web maps and the good are generally those who adhere to the cartographic principles for toponym label placement used for printed maps but are also implemented on the web maps. A simple method for decision of visible or invisible label is proposed when label is shown in a complex map environment with all other cartographic elements and different layers as it is usual on web maps. The perfect solution can be approached but we have to wait for more complex systems that apply artificial intelligence on which for now we think in theoretical form, that would use different ways of learning by examples and by own mistakes, much like humans do.

Keywords: toponyms, placement, web maps, cartography.

1. Introduction

Geographic names or toponyms are individual names of different geographic objects. Geographic names are the heritage of material and spiritual culture of a people, and the set of all toponyms makes heritage of all mankind.

Toponyms are important map content and GIS content are one of the most important elements of special database. From cartographical aspect extremely important to know the toponyms that names, but also interpret individual state (territoryonyms), regions (regionyms), relief forms (oronyms), world seas and waters (mareonyms), land water (hydronyms), inhabitat places and their parts (domicilonyms or oikonyms), roads (hodonyms), islands (nesonyms) etc.

¹ doc. dr. sc. Robert Župan, Faculty of Geodesy, University of Zagreb, Kačićeva 26, HR-10000 Zagreb, Croatia, e-mail: rzupan@geof.hr,
prof. dr. sc. Stanislav Frangeš, Faculty of Geodesy, University of Zagreb, Kačićeva 26, HR-10000 Zagreb, Croatia, e-mail: sfranges@geof.hr.

Nowadays web maps are very popular and map servers allow the user to combine many layers. Some layers have text associated. It is unfeasible to pre-compute all label arrangements, and in other words we need fast ways to generate good quality maps for web map servers. The scientists in previous works (Wolff and Strijk 1996) mostly dealt with the problem of toponyms placement assuming that the text is horizontal and that it belongs in most cases besides point object (e.g. centroid settlements) or explains it. Map labeling is the problem of placing a set of labels, each in the vicinity of the object that it labels, while satisfying certain conditions where text labels must be placed on maps while avoiding overlaps with cartographic symbols and other labels. For example, trying to partly solve the problems of narrow specialization of individual cases of placement of toponyms on the map, as in Hirsch (1982), Yamamoto et al. (2005), Christensen et al. (1995), although the authors of this study believe that the map should always be seen as a whole and not as individual layers from which the map is made. The problem is usually simplified to several possible types of label displacement with the basic requirement of avoiding toponym overlap (Klau 2002).

This paper brings different methods that are more or less successfully solving label placement problem, but when we look at some examples of today's most popular web maps, then one realize that the problem remains, and that even generalization of the displayed content is not correct if one is not reconcile with the fact that the provider gives us the type of data he provides, and which is also quite different when viewed to close range map scale. Web maps must be legible, toponyms must not overlap and toponyms must be clearly associated with the features they annotate. The remaining problem for offered solutions so far is time consuming aspects for map production or visualization on web.

2. Basic rules for label placement on web maps

A basic requirement in map labeling on web maps or any other kind of maps is that labels are not allowed to overlap (Fig. 1). That is relatively easy to achieve, but as a consequence, it may not be possible to label all objects on a map. Another cartographic assumption is: *Every toponym represents only one object on the map* (e.g. point). Cartographers have always try to simplify names locations, e.g. in only 4 possible positions (Fig. 2).



Fig. 1. *Overlap – significant error for toponym placement should be avoided (i.e. each label optimum among alternatives).*



Fig. 2. *Potential label positions and their cartographic preference (best = 1; worse = 4).*

If this idea expands with the combination with some other possible positions than there is usually two models, one is called *fixed-position models* and *slider models* (Van Kreveld et al. 1999), Fig. 3. In fixed-position models, each label has a pre-determined finite set of anchor points on its boundary (e.g., the four corners), and the label must be placed so that one of its anchor points coincides with the site of the feature to be labeled. In slider models (Fig. 3), the anchor points form anchor segments on the boundary of the label (e.g., its bottom edge).




Fig. 3. *Slider models and possible positions.*

Possible solutions are multiplying (Fig. 4) with $2n$ combinations and because of that interactive speeds for web map servers are non-trivial.




Fig. 4. *The combinatorial explosion of possible solutions (Yamamoto et al. 2005).*

3. Previous research

There are various previous studies about resolving label placement, and other map situations with toponyms, like in Alvim and Taillard (2009) for different label placement task. First, the object to be labeled may have several different dimensions:

- Dimension 0, labeling point features (such as cities and mountain peaks)
- Dimension 1, labeling line (segment) features (such as rivers and roads) and
- Dimension 2, labeling area features (such as countries and oceans).

Been et al. (2006) focus on rules about label size invariance property where each label on screen has a fixed size that is invariant under zooming. There are three rules which are common for web maps. Labels should not vanish when zooming in, and not appear when zooming out. The distance a map feature and position of its label should vary monotonically and labels must not vanish or appear during panning except through sliding in/out of view. Display of any label is a function of state (x,y,s) so not dependent on how the view was obtained. There is also a definition of priority labels also with no conflict with other labels of the same level of priority (Poon et al. 2003).

Good dynamic labeling, regardless of the features being labeled, leads to combinatorial optimization problems that are generally NP-hard (NP-complete decision version), like in Kato and Imai (1988), Marks and Shieber (1991), Formann and Wagner (1991). Exact algorithms are able to solve problems with just a few hundred points to label (Cromley 1986, Klau 2002, Strijk et al. 2000 and Zoraster 1990 and 1991). Therefore, heuristic algorithms must be designed for dealing with larger problems or for getting approximate solutions with low computational effort. Wolff and Strijk (1996) bring complete bibliography on map label placement.

4. Common errors of toponym placement on popular web maps

On the web there are lots of local and global web maps that are using different technologies for dynamic visualization. We will focus on most popular and global web map servers like *Google Maps*, *Google Earth*, *Ask Maps*, *Navteq* and *OpenstreetMap*.




Fig. 5. *Google Earth* and common errors of label placement (left figure – shows overlaps and the right figure shows duplicate toponym).

There is no answer from *Google* about model of label placement they are using, but it can be observed that label overlap is common (Fig. 5-left) or that there are cases of duplicate toponyms (Fig. 5-right). There are some more observations about *Google Earth*, shown on Fig. 6 where legibility is very questionable because of overlaps with all layers turned on.

It's important to have a purpose and focused intent of the web map. Must be carefully considered which data layers are truly needed for the map. There is a ten-




Fig. 6. *Left – Google Earth with many overlaps with all layers turned on. Right – Google Maps (URL 1) with different label generalization degree between Slovenia and Croatia.*

endency to overload as many geographic layers as possible into a single web map. Only interesting and relevant geographic information should be provided and don't make it an "All-in-one Web Map".

At *Ask Maps*, cartographic web service which use maps from Nokia and Microsoft (identically as Bing Maps) has one visible error of outstretching toponyms along relief forms (oronym) and region (regionym) that is visible on Fig. 7 from Ask Maps (URL 1). "Velebit Mountains" is not Croatian word and it would be correct to stretch oronym along the mountain. Although other toponyms are in Croatian language. Since there is no possibility to select any additional layers there seem to




Fig. 7. *Ask Maps web map servis with map from Nokia and Microsoft and their misrepresentation and toponym visualization, URL 2.*

be plenty of space on the map that is not filled with place names, with consideration not to exaggerate the graphics density for the current map scale. In other words there is still plenty of space on the map for other toponyms. Regionym “Balkan Peninsula” is not there where it is shown on Fig. 7. It is much wider area and it should be shown only in smaller scale when map shows all the area of *Balkan Peninsula* on the map. In addition there is the obvious and most frequent mistakes of toponyms, when the name is misspelled. Instead of “Ličko Leše” should be “Ličko Lešće.”

Navteq map has two basic errors that are immediately apparent (Fig. 8). One is the lack of characteristic letters of local language when displaying toponyms, and the other is showing places and their names, to which does not lead any roads. They should be displayed in the same map scale as the roads leading to them.




Fig. 8. *Navteq map* with no characteristic letters for map toponyms of individual countries (e.g. for Croatia there is no characters like š, đ, č, ć, ž), URL 3.

There is also an interesting example for *OpenstreetMap* (URL 4) where anyone can see (Fig. 9) that in small scale there is an area which have no name – in the upper right part of the map with red hatch lines and other one in the lower middle part with name “Nacionalni park Sjeverni Velebit”. There is a plenty of space for placing toponym in the first area, but when zooming the name still appears. Solution is the same as mentioned for “Balkan Peninsula”. Name also reveals that it is a military polygon (Fig. 10). In web map services like *Openstreetmap* (and many more similar like this one that are on web nowadays) where anyone can set geospatial information on the map, still remains question about secrecy of military locations and their objects. Can anything anymore on Earth surface be a secret?




Fig. 9. *Big areas in Openstreetmap and some toponyms are shown on the map but some are not until zooming in.*



Fig. 10. *Large area toponyms appear only after zooming in particular part of this area.*

4.1. Another visualization problem of toponyms

Why persistently visualize toponyms on web maps with so small letters, which are barely visible, while the map has plenty of space for larger toponym to display. If on the map are shown only few toponyms in a certain scale, why is persistently displayed with so small letters that they are almost barely visible with the mini-

follow curvature, but it can be solved with the same condition with one difference and that is with a rectangle for each letter of the toponym (whether there is a rectangle inside of the map frame or not). Also need to take into account the priority of each group toponyms in relation to all other objects on the map.

Finally should be mentioned that the presented solution and even the solutions in the previous studies might not be good for the visualization of the longest toponym in the world on web map. It is “Krung Thep Maha Nakhon Amon Rattanakosin Mahinthara Ayutthaya Mahadilok Phop Noppharat Ratchathani Burirom Udom Ratchaniwet Mahasathan Amon Phiman Awatan Sathit Sakkathattiya Witsanu Kamprasit” or in local version “กรุงเทพมหานคร อมรรัตนโกสินทร์ มหินทรายุธยาหมหาดิลก ภพ นพรัตนราชธานีบรมมยุฎมราชนเวศน์ มหาสถาน อมรพิมาน อวตารสถิต สักกะทัตติยะ วิษณุกรรมประสิทธิ์”. This represents full name of Bangkok in Thailand. Map visualization of this toponym should be affected by toponym priority or should be presented in short version – *Krung Thep*.

6. Conclusion

Till now there was a lot of progress of the toponyms placement on web maps, but the problem is complicated in the moment when one needs to take into account the map as an entirety with all the layers, visual variables and importance of certain objects on web maps with multi-zooming possibilities. The problem is not entirely solved by various mathematical models that have so far suggested scientists with all the improvements, so maybe cartographers should change the way of thinking and try to find solutions within the artificial intelligence and its various techniques, particularly at a time when artificial intelligence is developed to the point where a computer with artificial intelligence has the ability to learn from his own mistakes and from the previous examples. Also it should be borne in mind that this is a method for approaching ideal placements but ideal toponym placement is not a feasible and errors may appear within label placement of toponyms but also with errors of cartographic visualization.

References

- Alvim, A. C. F., Taillard, É. D. (2009): POPMUSIC for the point feature label placement problem, *European Journal of Operational Research*, 192, pp. 396–413, also available at:
<http://www.sciencedirect.com/science/article/pii/S0377221707010041>,
(10.06.2012.).
- Been, K., Daiches, E., Yap, C. (2006): Dynamic map labeling, *IEEE Trans. Visualization & Computer Graphics*, 12 (5), pp. 773–780, also available at:
<http://mrl.nyu.edu/~elif/dynamiclabeling.pdf>,
(10.06.2012.).
- Christensen, J., Marks, J., Shieber, S. (1995): An Empirical Study of Algorithms for Point-Feature Label Placement, *ACM Transactions on Graphics*, 14 (3), pp. 203–232.
- Cromley, R. G. (1986): A spatial allocation analysis of the point annotation problem, in: *Proceedings of the 2nd International Symposium on Theory of Computing*, pp. 151–158.
- Formann, M., Wagner, F. (1991): A packing problem with applications to lettering of maps, in: *Proceedings of the 7th Annual ACM symposium on Computational Geometry (SoCG 1991)*, pp. 281–288.
- Hirsch, S. A. (1982): An Algorithm for Automatic name Placement around Point Data, *American Cartographer*, 9 (1), pp. 5–17.
- Kato, T., Imai, H. (1988): The NP-completeness of the character placement problem of 2 or 3 degrees of freedom, in: *Record of Joint Conference of Electrical and Electronic Engineers*, 1138, Kyushu, Japan.
- Klau, G. W. (2002): A Combinatorial Approach to Orthogonal Placement Problems, Ph.D. Thesis, Saarbrueck University, Shaker Verlag, Aachen, Germany.
- Marks, J., Shieber, S. (1991): The Computational Complexity of Cartographic Label Placement, Technical Report [TR-05-91], Center for Research in Computing Technology, Harvard University, USA.
- Poon, S-H., Shin, C-S., Strijk, T., Uno, T., Wolff, A. (2003): Labeling points with weights, *Algorithmica*, 38 (2), pp. 341–362.
- Strijk, T. W., Verweij, A. M., Aardal, K. I. (2000) Algorithms for Maximum Independent Set Applied to Map Labelling, Technical report UU-CS-2000-22, Institute of Information and Computing Sciences, Utrecht University.
- Van Kreveld, M., Strijk, T., Wolff, A. (1999): Point labeling with sliding labels, *Computational Geometry: Theory and Applications*, 13, pp. 21–47.
- Wolff, A., Strijk, T. W. (1996): The Map Labeling Bibliography, available from:
<http://i11www.iti.uni-karlsruhe.de/map-labeling/bibliography/>,
(10.06.2012.).
- Yamamoto, M., Camara, G., Lorena, L. A. N. (2005): Fast point-feature label placement for real time screen maps. *GEOINFO 2005 – VII Brazilian Symposium on GeoInformatics – Campos do Jordão – São Paulo, Brazil*, also available at:
http://www.lac.inpe.br/~lorena/missae/sbc_Missae.pdf, or
http://www.dpi.inpe.br/gilberto/papers/falp_geoinfo2005.pdf.

Zoraster, S. (1990): The solution of large 0–1 integer programming problems encountered in automated cartography, *Operations Research*, 38 (5), pp. 752–759.

Zoraster, S. (1991): Expert systems and the map label placement problem, *Cartographica*, 28 (1), 1–9.

URL 1: Google Maps, <http://maps.google.com/>, (10.06.2012.).

URL 2: Ask Maps, <http://www.ask.com/maps>, (10.06.2012.).

URL 3: Navteq, <http://mapreporter.navteq.com/home>, (10.06.2012.).

URL 4: Openstreetmap, <http://www.openstreetmap.org/>, (10.06.2012.).

URL 5: Via Michelin, <http://www.viamichelin.com/>, (10.06.2012.).

URL 6: ArcGIS Online, <http://www.arcgis.com/home/index.html>, (10.06.2012.).

URL 7: Mapquest, <http://www.mapquest.com/>, (10.06.2012.).

Današnje uobičajene pogreške pri prikazivanju toponima na web-kartama i moguća rješenja

SAŽETAK. Prvenstveno smo se bavili problemom smještaja toponima na web-kartama, jer se može primijetiti da i danas na najposjećenijim web-stranicama s web-kartama smještaj toponima nije u skladu s kartografskim načelima, kartografskom vizualizacijom niti kartografskom generalizacijom. Postoje dobri i loši primjeri smještaja toponima na web-kartama, a dobri su uglavnom oni koji se drže kartografskih načela koja su primjenjivana i na tiskanim kartama, te to implementiraju u prikazu na web-kartama. Predložena je jednostavna metoda za odlučivanje o prikazivanju ili neprikazivanju nekog toponima u svom mogućem složenom okruženju pri prikazivanju sa svim ostalim kartografskim elementima i slojevima kako je to i uobičajeno na web-kartama. Možemo se približiti savršenom rješenju smještaja toponima, ali ipak će trebati pričekati složenije sustave koji primjenjuju umjetnu inteligenciju o kojima za sada možemo razmišljati u teorijskom obliku, a koji bi upotrebljavali razne načine učenja na primjerima i na vlastitim pogreškama, slično kao i ljudi.

Ključne riječi: toponimi, smještaj, web-karte, kartografija.

Primljeno: 2012-06-29

Prihvaćeno: 2012-09-07