

Food Technology and Biotechnology

Vol. 53

Contents, Author and Subject Index

**ZAGREB
CROATIA
2015**

CONTENTS

ORIGINAL SCIENTIFIC PAPERS

Nataša Bauer, Rosemary Vuković, Saša Likić and Sibila Jelaska Potential of Different <i>Coleus blumei</i> Tissues for Rosmarinic Acid Production (1)	3
Bhakti Bajpai, Monika Chaudhary and Jyoti Saxena Production and Characterization of α -Amylase from an Extremely Halophilic Archaeon, <i>Haloferax</i> sp. HA10 (1)	11
Marcin Bryła, Krystyna Szymczyk, Renata Jędrzejczak and Marek Roszko Application of Liquid Chromatography/Ion Trap Mass Spectrometry Technique to Determine Ergot Alkaloids in Grain Products (1)	18
Seongho Jang, Dongyun Lee, Il Sang Jang, Hyeon-Son Choi and Hyung Joo Suh The Culture of <i>Pediococcus pentosaceus</i> T1 Inhibits <i>Listeria</i> Proliferation in Salmon Fillets and Controls Maturation of Kimchi (1)	29
Marijana Sakač, Mladenka Pestorić, Aleksandra Mišan, Nataša Nedeljković, Dubravka Jambrec, Pavle Jovanov, Vojislav Banjac, Aleksandra Torbica, Miroslav Hadnadev and Anamarija Mandić Antioxidant Capacity, Mineral Content and Sensory Properties of Gluten-Free Rice and Buckwheat Cookies (1)	38
José Armando Ulloa, Silvia Jazmin Ibarra-Zavala, Silvia Patricia Ramírez-Salas, Petra Rosas-Ulloa, José Carmen Ramírez-Ramírez and Blanca Estela Ulloa-Rangel Chemical, Physicochemical, Nutritional, Microbiological, Sensory and Rehydration Characteristics of Instant Whole Beans (<i>Phaseolus vulgaris</i>). (1)	48
Nihar R. Sahoo, Lalit M. Bal, Uma S. Pal and Dipika Sahoo Impact of Pretreatment and Drying Methods on Quality Attributes of Onion Shreds (1)	57
Bertolt Kranz, Milena Koch, Matthias Schapfl and Lutz Fischer Investigation of the Germination of Barley and Wheat Grains with a Design of Experiments for the Production of Hydrolases (2)	127
Sornchai Sinsuwan, Anuvat Jangchud, Sureelak Rodtong, Sittirak Roytrakul and Jirawat Yongsawatdigul Statistical Optimization of the Production of NaCl-Tolerant Proteases by Moderate Halophile, <i>Virgibacillus</i> sp. SK37 (2)	136
Kameshnee Naidoo, Ajit Kumar, Vikas Sharma, Kugen Permaul and Suren Singh Purification and Characterization of an Endoinulase from <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> KM 24 Mutant (2)	146
Milica Gačić, Nina Bilandžić, Đurđica Ivanec Šipušić, Marinko Petrović, Blaženka Kos, Nada Vahčić and Jagoda Šušković Degradation of Oxytetracycline, Streptomycin, Sulphathiazole and Chloramphenicol Residues in Different Types of Honey (2)	154
Elena Bartkiene, Grazina Juodeikiene, Daiva Zadeike, Pranas Viskelis and Dalia Urbonaviciene The Use of Tomato Powder Fermented with <i>Pediococcus pentosaceus</i> and <i>Lactobacillus sakei</i> for the Ready-to-Cook Minced Meat Quality Improvement (2)	163
Mandica-Tamara Tolić, Irena Landeka Jurčević, Ines Panjkota Krbavčić, Ksenija Marković and Nada Vahčić Phenolic Content, Antioxidant Capacity and Quality of Chokeberry (<i>Aronia melanocarpa</i>) Products. . . (2)	171
Xue-Bo Zhang and Xian-Feng Du Effects of Exogenous Enzymatic Treatment During Processing on the Sensory Quality of Summer Tieguanyin Oolong Tea from the Chinese Anxi County (2)	180
Maria Julia Ledur Alles, Isabel Cristina Tessaro and Caciano Pelayo Zapata Noreña Concentration and Purification of Yacon (<i>Smallanthus sonchifolius</i>) Root Fructooligosaccharides Using Membrane Technology (2)	190

- Jasmina Filipič, Barbara Kraigher, Brigita Tepuš, Vanja Kokol and Ines Mandić-Mulec**
Effect of Low-Density Static Magnetic Field on the Oxidation of Ammonium by *Nitrosomonas europaea* and by Activated Sludge in Municipal Wastewater (2) 201
- Bahar Aliakbarian, Alessandro A. Casazza and Patrizia Perego**
Kinetic and Isotherm Modelling of the Adsorption of Phenolic Compounds from Olive Mill Wastewater onto Activated Carbon (2) 207
- Maja Repajić, Danijela Bursać Kovačević, Predrag Putnik, Verica Dragović-Uzelac, Josipa Kušt, Zrinka Čošić and Branka Levaj**
Influence of Cultivar and Industrial Processing on Polyphenols in Concentrated Sour Cherry (*Prunus cerasus* L.) Juice (2) 215
- Shanna Sichert, Iasson E. P. Tozakidis, Mark Teese and Joachim Jose**
Maximized Autotransporter-Mediated Expression (MATE) for Surface Display and Secretion of Recombinant Proteins in *Escherichia coli* (3) 251
- Christina Trümper, Katrin Paffenholz, Inga Smit, Philip Kössler, Petr Karlovsky, Hans Peter Braun and Elke Pawelzik**
Identification of Differently Regulated Proteins after *Fusarium graminearum* Infection of Emmer (*Triticum dicoccum*) at Several Grain Ripening Stages (3) 261
- Cintya Soria-Hernández, Sergio Serna-Saldívar and Cristina Chuck-Hernández**
Physicochemical and Functional Properties of Vegetable and Cereal Proteins as Potential Sources of Novel Food Ingredients (3) 269
- Lee-Fen Hong, Lai-Hoong Cheng, Chong Yew Lee and Kok Khiang Peh**
Characterisation of Physicochemical Properties of Propionylated Corn Starch and Its Application as Stabiliser (3) 278
- Małgorzata Kasprończ-Potocka, Anita Zaworska, Andrzej Frankiewicz, Włodzimierz Nowak, Piotr Gulewicz, Zenon Zduńczyk and Jerzy Juśkiewicz**
The Nutritional Value and Physiological Properties of Diets with Raw and *Candida utilis*-Fermented Lupin Seeds in Rats (3) 286
- Sebastjan Filip and Rajko Vidrih**
Amino Acid Composition of Protein-Enriched Dried Pasta: Is It Suitable for a Low-Carbohydrate Diet? . (3) 298
- Carlos Pereira, Marta Henriques, David Gomes, Andrea Gomez-Zavaglia and Graciela de Antoni**
Novel Functional Whey-Based Drinks with Great Potential in the Dairy Industry. (3) 307
- Filiz Yangılar**
Effects of Green Banana Flour on the Physical, Chemical and Sensory Properties of Ice Cream. (3) 315
- Umar Garba, Sawinder Kaur, Sushma Gurumayum and Prasad Rasane**
Effect of Hot Water Blanching Time and Drying Temperature on the Thin Layer Drying Kinetics of and Anthocyanin Degradation in Black Carrot (*Daucus carota* L.) Shreds (3) 324
- Juraj Bergman, Petar T. Mitrikeski and Krunoslav Brčić-Kostić**
Dominant Epistasis Between Two Quantitative Trait Loci Governing Sporulation Efficiency in Yeast *Saccharomyces cerevisiae*. (4) 367
- Dai Long Vu, Simona Žabčiková, Libor Červenka, Bensu Ertek and Yusuf Dilgin**
Sensitive Voltammetric Determination of Natural Flavonoid Quercetin on a Disposable Graphite Lead . (4) 379
- Ana Paula da Silva dos Passos, Grasielle Scaramal Madrona, Vanessa Aparecida Marcolino, Mauro Luciano Baesso and Graciette Matioli**
The Use of Thermal Analysis and Photoacoustic Spectroscopy in the Evaluation of Maltodextrin Microencapsulation of Anthocyanins from Juçara Palm Fruit (*Euterpe edulis* Mart.) and Their Application in Food (4) 385
- Luana Fernandes, José Alberto C. Pereira, Isabel López-Cortés, Domingo M. Salazar and Elsa C. D. Ramalhosa**
Physicochemical Changes and Antioxidant Activity of Juice, Skin, Pellicle and Seed of Pomegranate (cv. Mollar de Elche) at Different Stages of Ripening. (4) 397
- Igor Lukić, Nikolina Jedrejčić, Karin Kovačević Ganić, Mario Staver and Đordano Peršurić**
Phenolic and Aroma Composition of White Wines Produced by Prolonged Maceration and Maturation in Wooden Barrels (4) 407

Monika Skowyra, Urszula Janiewicz, Anna Marietta Salejda, Grażyna Krasnowska and María Pilar Almajano		
Effect of Tara (<i>Caesalpinia spinosa</i>) Pod Powder on the Oxidation and Colour Stability of Pork Meat Batter During Chilled Storage	(4)	419
Ana Flavia Azevedo Carvalho, Pedro de Oliva Neto, Paula Zaghetto de Almeida, Juliana Bueno da Silva, Bruna Escaramboni and Glaucia Maria Pastore		
Screening of Xylanolytic <i>Aspergillus fumigatus</i> for Prebiotic Xylooligosaccharide Production Using Bagasse	(4)	428
Roya Afshari, Hedayat Hosseini, Ramin Khaksar, Mohammad Amin Mohammadifar, Zohre Amiri, Rozita Komeili and Amin Mousavi Khaneghah		
Investigation of the Effects of Inulin and β -Glucan on the Physical and Sensory Properties of Low-Fat Beef Burgers Containing Vegetable Oils: Optimisation of the Formulation Using D-Optimal Mixture Design	(4)	436
Ana E. de la Horra, María Eugenia Steffolani, Gabriela N. Barrera, Pablo D. Ribotta and Alberto E. León		
Yeast-Leavened Laminated Salty Baked Goods: Flour and Dough Properties and Their Relationship with Product Technological Quality	(4)	446
Renata Josipović, Zvonimira Medverec Knežević, Jadranka Frece, Ksenija Markov, Snježana Kazazić and Jasna Mrvčić		
Improved Properties and Microbiological Safety of Novel Cottage Cheese Containing Spices	(4)	454

PRELIMINARY COMMUNICATIONS

Robert Duliński, Emilia Katarzyna Cielecka, Małgorzata Pierzchalska and Krzysztof Żyła		
Phytases Improve <i>Myo</i> -Inositol Bioaccessibility in Rye Bread: A Study Using an <i>In Vitro</i> Method of Digestion and a CaCo-2 Cell Culture Model	(1)	66
Elisabeta I. Geana, Oana R. Dinca, Roxana E. Ionete, Victoria Artem and Violeta C. Niculescu		
Monitoring <i>trans</i> -Resveratrol in Grape Berry Skins During Ripening and in Corresponding Wines by HPLC.	(1)	73
Maryam Asnaashari, Seyed Mohammad Bagher Hashemi, Hamed Mahdavian Mehr and Seyed Hossein Asadi Yousefabad		
Kolkhoung (<i>Pistacia khinjuk</i>) Hull Oil and Kernel Oil as Antioxidative Vegetable Oils with High Oxidative Stability and Nutritional Value.	(1)	81
Ágnes Belák and Anna Maráz		
Antagonistic Effect of <i>Pseudomonas</i> sp. CMI-1 on Foodborne Pathogenic <i>Listeria monocytogenes</i>	(2)	223
Amir M. Hamidi-Oskouei, Christian James and Stephen James		
The Efficiency of UVC Radiation in the Inactivation of <i>Listeria monocytogenes</i> on Beef-Agar Food Models.	(2)	231
Nemanja Mirkovic, Zorica Radulovic, Gordana Uzelac, Jelena Lozo, Dragojlo Obradovic, Ljubisa Topisirovic and Milan Kojic		
Isolation and Characterisation of Bacteriocin and Aggregation-Promoting Factor Production in <i>Lactococcus lactis</i> ssp. <i>lactis</i> BGBM50 Strain	(2)	237
Shuli Zhang, Yingdong Wang, Nan Zhang, Zhe Sun, Yan Shi, Xingnan Cao and Haikuan Wang		
Purification and Characterisation of a Fibrinolytic Enzyme from <i>Rhizopus microsporus</i> var. <i>tuberosus</i>	(2)	243
Gopal Ramakrishnan Gopi, Nehru Ganesh, Suppuram Pandiaraj, Balasubramaniyam Sowmiya, Raman Gulab Brajesh and Subramanian Ramalingam		
A Study on Enhanced Expression of 3-Hydroxypropionic Acid Pathway Genes and Impact on Its Production in <i>Lactobacillus reuteri</i>	(3)	331
Boris Majić, Ivana Šola, Saša Likić, Iva Juranović Cindrić and Gordana Rusak		
Characterisation of <i>Sorbus domestica</i> L. Bark, Fruits and Seeds: Nutrient Composition and Antioxidant Activity	(4)	463
George Botsaris, Antia Orphanides, Evgenia Yiannakou, Vassilis Gekas and Vlasios Goulas		
Antioxidant and Antimicrobial Effects of <i>Pistacia lentiscus</i> L. Extracts in Pork Sausages.	(4)	472

- Gia Loi Tu, Thi Hoang Nga Bui, Thi Thu Tra Tran, Nu Minh Nguyet Ton and Van Viet Man Le**
Comparison of Enzymatic and Ultrasonic Extraction of Albumin from Defatted Pumpkin
(*Cucurbita pepo*) Seed Powder(4) 479

SCIENTIFIC NOTES

- Chau Minh Le, Claire Donnay-Moreno, Sandrine Bruzac, Régis Baron, Huong Thi My Nguyen and Jean Pascal Bergé**
Proteolysis of Sardine (*Sardina pilchardus*) and Anchovy (*Stolephorus commersonii*) by Commercial Enzymes in Saline Solutions(1) 87
- Tripti Singhania, Harsh Sinha, Paulomi Das and Amit Kumar Mukherjee**
Efficient Degumming of Rice Bran Oil by Immobilized PLA₁ from *Thermomyces lanuginosus*.(1) 91
- Hoang Phong Nguyen, Hoang Du Le and Van Viet Man Le**
Effect of Ethanol Stress on Fermentation Performance of *Saccharomyces cerevisiae* Cells Immobilized on *Nyssa fruticans* Leaf Sheath Pieces(1) 96
- Valéria Dal Prá, Carolina Bolssoni Dolwitsch, Fernanda Oliveira Lima, Camilo Amaro de Carvalho, Carine Viana, Paulo Cícero do Nascimento and Marcelo Barcellos da Rosa**
Ultrasound-Assisted Extraction and Biological Activities of Extracts of *Brassica oleracea* var. *capitata* . . .(1) 102
- Aistė Kabašinskienė, Algirdas Liutkevičius, Dalia Sekmokienė, Gintarė Zaborskienė and Jūratė Šlapkauskaitė**
Evaluation of the Physicochemical Parameters of Functional Whey Beverages.(1) 110
- Karol Alfaro, Paulina Bustos, Ciara O’Sullivan and Pablo Conejeros**
Facile and Cost-Effective Detection of Saxitoxin Exploiting Aptamer Structural Switching.(3) 337
- Aline Maria Cenci, Mariane Lobo Ugalde, Juliana Steffens, Eunice Valduga, Rogério Luis Cansian and Geciane Toniazzo**
Control of *Penicillium* sp. on the Surface of Italian Salami Using Essential Oils.(3) 342
- Carolina Pena Serna and José Francisco Lopes Filho**
Biodegradable Zein-Based Blend Films: Structural, Mechanical and Barrier Properties(3) 348
- Lilla Szalóki-Dorkó, György Végvári, Márta Ladányi, Gitta Ficzek and Mónika Stéger-Máté**
Degradation of Anthocyanin Content in Sour Cherry Juice During Heat Treatment.(3) 354
- Mariel Farfán, Alfredo Álvarez, Alan Gárate and Pedro Bouchon**
Comparison of Chemical and Enzymatic Interesterification of Fully Hydrogenated Soybean Oil and Walnut Oil to Produce a Fat Base with Adequate Nutritional and Physical Characteristics(3) 361
- Aryou Emamifar and Mehri Mohammadzadeh**
Preparation and Application of LDPE/ZnO Nanocomposites for Extending Shelf Life of Fresh Strawberries.(4) 488
- Marko Obranović, Dubravka Škevin, Klara Kraljić, Milan Pospišil, Sandra Nederal, Monika Blekić and Predrag Putnik**
Influence of Climate, Variety and Production Process on Tocopherols, Plastochromanol-8 and Pigments in Flaxseed Oil(4) 496

APPENDICES

- Vladimir Mrša**
Editor’s Letter.(1) 1
- Kata Galić**
Book Review: Poly(lactic acid) Science and Technology: Processing, Properties, Additives and Applications(1) 117
- Obituary: Dr. Sc. Marija Alačević, *professor emeritus* (1929–2015)(1) 119
- Jasna Franekić, Zdenka Matijašević and Jasenka Pigac**
In memoriam: Marija Alačević, *professor emeritus* (1929–2015)(2) 243

AUTHOR INDEX

Afshari, Roya	(4)	436	Emamifar, Aryou	(4)	488
Alfaro, Karol	(3)	337	Ertek, Bensu	(4)	379
Aliakbarian, Bahar	(2)	207	Escaramboni, Bruna.	(4)	428
Almajano, María Pilar	(4)	419	Farfán, Mariel	(3)	361
Álvarez, Alfredo	(3)	361	Fernandes, Luana	(4)	397
Amiri, Zohre	(4)	436	Ficzek, Gitta	(3)	354
Antoni, Graciela de	(3)	307	Filip, Sebastjan	(3)	298
Artem, Victoria	(1)	73	Filipič, Jasmina	(2)	201
Asadi Yousefabad, Seyed Hossein.	(1)	81	Fischer, Lutz	(2)	127
Asnaashari, Maryam	(1)	81	Franekić, Jasna	(2)	249
Baesso, Mauro Luciano	(4)	385	Frankiewicz, Andrzej	(3)	286
Bajpai, Bhakti	(1)	11	Frece, Jadranka	(4)	454
Bal, Lalit M.	(1)	57	Gačić, Milica	(2)	154
Banjac, Vojislav	(1)	38	Galić, Kata	(1)	117
Baron, Régis	(1)	87	Ganesh, Nehru.	(3)	331
Barrera, Gabriela N.	(4)	446	Gárate, Alan	(3)	361
Bartkiene, Elena	(2)	163	Garba, Umar	(3)	324
Bauer, Nataša	(1)	3	Geana, Elisabeta I.	(1)	73
Belák, Ágnes	(2)	223	Gekas, Vassilis	(4)	472
Bergé, Jean Pascal	(1)	87	Gomes, David	(3)	307
Bergman, Juraj	(4)	367	Gomez-Zavaglia, Andrea.	(3)	307
Bilandžić, Nina	(2)	154	Gopi, Gopal Ramakrishnan	(3)	331
Blekić, Monika	(4)	496	Goulas, Vlasios	(4)	472
Botsaris, George	(4)	472	Gulewicz, Piotr	(3)	286
Bouchon, Pedro	(3)	361	Gurumayum, Sushma	(3)	324
Brajesh, Raman Gulab	(3)	331	Hadnađev, Miroslav	(1)	38
Braun, Hans Peter	(3)	261	Hamidi-Oskouei, Amir M.	(2)	231
Brčić-Kostić, Krunoslav.	(4)	367	Hashemi, Seyed Mohammad Bagher	(1)	81
Bruzac, Sandrine	(1)	87	Henriques, Marta	(3)	307
Bryła, Marcin.	(1)	18	Hong, Lee-Fen	(3)	278
Bueno da Silva, Juliana	(4)	428	Horra, Ana E. de la	(4)	446
Bui, Thi Hoang Nga	(4)	479	Hosseini, Hedayat.	(4)	436
Bursać Kovačević, Danijela.	(2)	215	Ibarra-Zavala, Silvia Jazmin	(1)	48
Bustos, Paulina	(3)	337	Ionete, Roxana E.	(1)	73
Cansian, Rogério Luis.	(3)	342	Ivanec Šipušić, Đurđica.	(2)	154
Cao, Xingnan	(2)	243	Jambrec, Dubravka	(1)	38
Carvalho, Ana Flavia Azevedo.	(4)	428	James, Christian	(2)	231
Carvalho, Camilo Amaro de	(1)	102	James, Stephen.	(2)	231
Casazza, Alessandro A.	(2)	207	Jang, Il Sang	(1)	29
Cenci, Aline Maria	(3)	342	Jang, Seongho	(1)	29
Chaudhary, Monika	(1)	11	Jangchud, Anuvat	(2)	136
Cheng, Lai-Hoeng.	(3)	278	Janiewicz, Urszula.	(4)	419
Choi, Hyeon-Son	(1)	29	Jedrejčić, Nikolina	(4)	407
Chuck-Hernández, Cristina	(3)	269	Jeđrzejczak, Renata	(1)	18
Cielecka, Emilia Katarzyna.	(1)	66	Jelaska, Sibila	(1)	3
Conejeros, Pablo	(3)	337	Jose, Joachim	(3)	251
Červenka, Libor	(4)	379	Josipović, Renata	(4)	454
Čošić, Zrinka	(2)	215	Jovanov, Pavle	(1)	38
Das, Paulomi	(1)	91	Juodeikiene, Grazina	(2)	163
Dilgin, Yusuf	(4)	379	Juranović Cindrić, Iva.	(4)	463
Dinca, Oana R.	(1)	73	Juškiewicz, Jerzy	(3)	286
Dolwitsch, Carolina Bolssoni	(1)	102	Kabašinskienė, Aistė	(1)	110
Donnay-Moreno, Claire	(1)	87	Karlovsy, Petr.	(3)	261
Dragović-Uzelac, Verica	(2)	215	Kasprowicz-Potocka, Małgorzata	(3)	286
Du, Xian-Feng	(2)	180	Kaur, Sawinder	(3)	324
Duliński, Robert	(1)	66			

Kazazić, Snježana	(4)	454	Niculescu, Violeta C.	(1)	73
Khaksar, Ramin	(4)	436	Nowak, Włodzimierz	(3)	286
Koch, Milena	(2)	127	Obradovic, Dragojlo	(2)	237
Kojic, Milan	(2)	237	Obranović, Marko	(4)	496
Kokol, Vanja	(2)	201	Oliva Neto, Pedro de	(4)	428
Komeili, Rozita	(4)	436	Orphanides, Antia	(4)	472
Kos, Blaženka	(2)	154	O'Sullivan, Ciara	(3)	337
Kössler, Philip	(3)	261	Paffenholz, Katrin	(3)	261
Kovačević Ganić, Karin	(4)	407	Pal, Uma S.	(1)	57
Kraigher, Barbara	(2)	201	Pandiaraj, Suppuram	(3)	331
Kraljić, Klara	(4)	496	Panjkota Krbavčić, Ines	(2)	171
Kranz, Bertolt	(2)	127	Pastore, Glauca Maria	(4)	428
Krasnowska, Grażyna	(4)	419	Pawelzik, Elke	(3)	261
Kumar, Ajit	(2)	146	Peh, Kok Khiang	(3)	278
Kušt, Josipa	(2)	215	Pena Serna, Carolina	(3)	348
Ladányi, Márta	(3)	354	Perego, Patrizia	(2)	207
Landeka Jurčević, Irena	(2)	171	Pereira, Carlos	(3)	307
Le, Chau Minh	(1)	87	Pereira, José Alberto C.	(4)	397
Le, Hoang Du	(1)	96	Permaul, Kugen	(2)	146
Le, Van Viet Man	(1, 4)	96, 479	Peršurić, Đordano	(4)	407
Ledur Alles, Maria Julia	(2)	190	Pestorić, Mladenka	(1)	38
Lee, Chong Yew	(3)	278	Petrović, Marinko	(2)	154
Lee, Dongyun	(1)	29	Pierzchalska, Małgorzata	(1)	66
León, Alberto E.	(4)	446	Pigac, Jasenka	(2)	249
Levaj, Branka	(2)	215	Pospíšil, Milan	(4)	496
Likić, Saša	(1, 4)	3, 463	Prá, Valéria Dal	(1)	102
Lima, Fernanda Oliveira	(1)	102	Putnik, Predrag	(2, 4)	215, 496
Liutkevičius, Algirdas	(1)	110	Radulovic, Zorica	(2)	237
Lobo Ugalde, Mariane	(3)	342	Ramalhosa, Elsa C. D.	(4)	397
Lopes Filho, José Francisco	(3)	348	Ramalingam, Subramanian	(3)	331
Lopéz-Cortés, Isabel	(4)	397	Ramírez-Ramírez, José Carmen	(1)	48
Lozo, Jelena	(2)	237	Ramírez-Salas, Silvia Patricia	(1)	48
Lukić, Igor	(4)	407	Rasane, Prasad	(3)	324
Mahdavian Mehr, Hamed	(1)	81	Repajić, Maja	(2)	215
Majić, Boris	(4)	463	Ribotta, Pablo D.	(4)	446
Mandić, Anamarija	(1)	38	Rodtong, Surelak	(2)	136
Mandić-Mulec, Ines	(2)	201	Rosa, Marcelo Barcellos da	(1)	102
Maráz, Anna	(2)	223	Rosas-Ulloa, Petra	(1)	48
Marcolino, Vanessa Aparecida	(4)	385	Roszko, Marek	(1)	18
Markov, Ksenija	(4)	454	Roytrakul, Sittirak	(2)	136
Marković, Ksenija	(1)	171	Rusak, Gordana	(4)	463
Matijašević, Zdenka	(2)	249	Sahoo, Dipika	(1)	57
Matioli, Graciette	(4)	385	Sahoo, Nihar R.	(1)	57
Medverec Knežević, Zvonimira	(4)	454	Sakač, Marijana	(1)	38
Mirkovic, Nemanja	(2)	237	Salazar, Domingo M.	(4)	397
Mišan, Aleksandra	(1)	38	Salejda, Anna Marietta	(4)	419
Mitrikeski, Petar T.	(4)	367	Saxena, Jyoti	(1)	11
Mohammadifar, Mohammad Amin	(4)	436	Scaramal Madrona, Grasiela	(4)	385
Mohammadizadeh, Mehri	(4)	488	Schapfl, Matthias	(2)	127
Mousavi Khaneghah, Amin	(4)	436	Sekmokienė, Dalia	(1)	110
Mrša, Vladimir	(1)	1	Serna-Saldívar, Sergio	(3)	269
Mrvčić, Jasna	(4)	454	Sharma, Vikas	(2)	146
Mukherjee, Amit Kumar	(1)	91	Shi, Yan	(2)	243
Naidoo, Kameshnee	(2)	146	Sichwart, Shanna	(3)	251
Nascimento, Paulo Cícero do	(1)	102	Silva dos Passos, Ana Paula da	(4)	385
Nedeljković, Nataša	(1)	38	Singh, Suren	(2)	146
Nederal, Sandra	(4)	496	Singhania, Tripti	(1)	91
Nguyen, Hoang Phong	(1)	96	Sinha, Harsh	(1)	91
Nguyen, Huong Thi My	(1)	87	Sinsuwan, Sornchai	(2)	136

Skowyra, Monika	(4)	419	Urbonaviciene, Dalia	(2)	163
Smit, Inga	(3)	261	Uzelac, Gordana	(2)	237
Soria-Hernández, Cintya	(3)	269	Vahčić, Nada	(2)	154, 171
Sowmiya, Balasubramaniam	(3)	331	Valduga, Eunice	(3)	342
Staver, Mario	(4)	407	Végvári, György	(3)	354
Steffens, Juliana	(3)	342	Viana, Carine	(1)	102
Steffolani, María Eugenia	(4)	446	Vidrih, Rajko	(3)	298
Stéger-Máté, Mónika	(3)	354	Viskelis, Pranas	(2)	163
Suh, Hyung Joo	(1)	29	Vu, Dai Long	(4)	379
Sun, Zhe	(2)	243	Vuković, Rosemary	(1)	3
Szalóki-Dorkó, Lilla	(3)	354	Wang, Haikuan	(2)	243
Szymczyk, Krystyna	(1)	18	Wang, Yingdong	(2)	243
Škevin, Dubravka	(4)	496	Yangilar, Filiz	(3)	315
Šlapkauskaitė, Jūratė	(1)	110	Yiannakou, Evgenia	(4)	472
Šola, Ivana	(4)	463	Yongsawatdigul, Jirawat	(2)	136
Šušković, Jagoda	(2)	154	Zaborskienė, Gintarė	(1)	110
Teese, Mark	(3)	251	Zadeike, Daiva	(2)	163
Tepuš, Brigita	(2)	201	Zaghetto de Almeida, Paula	(4)	428
Tessaro, Isabel Cristina	(2)	190	Zapata Noreña, Caciano Pelayo	(2)	190
Tolić, Mandica-Tamara	(2)	171	Zaworska, Anita	(3)	286
Ton, Nu Minh Nguyet	(4)	479	Zduńczyk, Zenon	(3)	286
Toniazzo, Geciane	(3)	342	Zhang, Nan	(2)	243
Topisirovic, Ljubisa	(2)	237	Zhang, Shuli	(2)	243
Torbica, Aleksandra	(1)	38	Zhang, Xue-Bo	(2)	180
Tozakidis, Iasson E. P.	(3)	251	Żyła, Krzysztof	(1)	66
Tran, Thi Thu Tra	(4)	479	Žabčiková, Simona	(4)	379
Trümper, Christina	(3)	261			
Tu, Gia Loi	(4)	479			
Ulloa, José Armando	(1)	48			
Ulloa-Rangel, Blanca Estela	(1)	48			

SUBJECT INDEX

A

- abscisic acid
stimulation of rosmarinic acid production by, using *Coleus blumei* tissues, 3
- activated carbon
kinetics of the adsorption of phenolic compounds from olive mill wastewater onto, 207
- activation energy
effect of hot water blanching time and drying temperature on, of black carrot shreds, 324
- aggregation-promoting factor
production of, in *Lactococcus lactis* ssp. *lactis* BGBM50 isolated from semi-hard cheese, 237
- albumin
comparison of efficiency of ultrasound- and enzyme-assisted extraction of, from defatted pumpkin (*Cucurbita pepo*) seed powder, 479
- ammonia-oxidising bacteria
use of, for the removal of ammonium from municipal wastewater, stimulated by static magnetic field, 201
- α -amylase
production of, by halophilic archaeon *Haloferax* sp. HA10 isolated from solar saltern, 11
- anchovy
fish sauce production from, by proteases in saline solutions, 87
- antagonistic bacteria
effect of, *Pseudomonas* sp. CMI-1 isolated from raw food of animal origin on *Listeria monocytogenes*, 223
- anthocyanins
total content of, in different chokeberry products, 171
content of, in processed concentrated sour cherry juice originating from two different cultivars, Marasca and Oblačinska, 215
effect of hot water blanching time and drying temperature on the content of, in black carrot shreds, 324
evaluation of maltodextrin microencapsulation of, from juçara palm (*Euterpe edulis* Mart.) fruit and its application in food, 385
- antibacterial activity
of *Pediococcus pentosaceus* T1 isolated from kimchi, against *Listeria monocytogenes* in salmon fillets, 29
- antibiotic degradation
in different types of honey stored in dark at 25 °C during 6 months, 154
- antibiotic residues
degradation kinetics of, in different types of honey stored in dark at 25 °C during 6 months, 154
- antilisterial activity
of *Pediococcus pentosaceus* T1 isolated from kimchi, used for extending the shelf life of salmon fillets, 29
- antimicrobial packaging
preparation and application of LDPE/ZnO nanocomposite as, for extending the shelf life of fresh strawberries, 488
- antioxidant activity
of gluten-free cookies made with buckwheat and rice flour, 38
- of *trans*-resveratrol in red grape varieties during ripening and production of wines, 73
of processed concentrated sour cherry juice originating from Marasca and Oblačinska cultivars, 215
of skin, pellicle, seed and juice of Mollar de Elche cultivar of pomegranate during different degrees of ripening, 397
of bark, fruit exocarp, mesocarp and seeds of service tree (*Sorbus domestica* L.), 463
of spices added during production of novel cottage cheese, 454
- aptamers
detection of saxitoxin produced by shellfish in red tide by binding to, adapted as a label-free fluorescent sensor, 337
- archaea
Haloferax sp. HA10 from solar saltern for extracellular amylase production under harsh conditions, 11
- autotransporter
maximized expression of target proteins mediated through, for secretion of recombinant proteins in *Escherichia coli*, 251

B

- bacteriocin lactococcin G
isolation and characterisation of, from *Lactococcus lactis* ssp. *lactis* BGBM50 isolated from semi-hard cheese, 237
- bagasse
as a substrate for the production of prebiotic xylooligosaccharides by *Aspergillus fumigatus*, 428
- beverages
influence of flaxseed oil on physicochemical parameters of functional whey, 110
- biodegradable material
structural, mechanical and barrier properties of, used for the production of zein-based blend films, 348
- biological activity
of extracts of *Brassica oleracea* var. *capitata* obtained by ultrasound-assisted extraction, 102
- biological wastewater treatment
with *Nitrosomonas europaea*, stimulated by static magnetic field to remove ammonium, 201
- bioreactor
for rosmarinic acid production by *in vitro* cultured callus, tumour, normal and hairy roots of *Coleus blumei* in the presence of plant growth regulators, 3
- biotransformation
of glycerol in the resting cells of *Lactobacillus reuteri* wild-type and CRE mutant, affected by substrate and glycolytic end products, 331
- black carrot
the effect of hot water blanching time and air temperature on the thin layer drying kinetics and anthocyanin degradation in, 324
- blanching
effect of, on the thin layer drying kinetics and anthocyanin degradation in black carrot, 324

- blend film
structural and functional properties of, made from zein and oleic acid with the addition of xanthan gum, 348
- body mass
regulation of, by low-carbohydrate diet with protein-enriched pasta, 298
- Brassica oleracea* var. *capitata*
evaluation of antioxidant and antimicrobial activities of the extracts of, obtained by ultrasound-assisted extraction, 102
- buckwheat flour
properties of, used for the production of gluten-free cookies, 38
- budding yeast
Saccharomyces cerevisiae, as a model for investigation of dominant epistasis between two quantitative trait loci governing sporulation efficiency, 367

C

- Caco-2 cells
used for determination of bioaccessibility of *myo*-inositol in rye bread prepared from enzymatically modified dough, 66
- Caesalpinia spinosa* (tara)
effect of pod powder of, on the oxidation and colour stability of pork meat batter during chilled storage, 419
- callus
of *Coleus blumei* used for rosmarinic acid production *in vitro* in the presence of plant growth regulators, 3
- Candida utilis*
nutritional value and physiological properties of rat diets with lupins fermented with, 286
- canola and olive oil blend
application of D-optimal mixture design for optimal addition of inulin, β -glucan and breadcrumbs to low-fat beef burgers containing, 436
- carotenoids
increase of the content of, in tomato powder fermented by *Pediococcus pentosaceus* KTU05-9 and *Lactobacillus sakei* KTU05-6, 163
influence of climate, variety and production process on the content of, in flaxseed oil, 496
- catabolite inhibition
by the end products of glycolysis, affecting the production of 3-hydroxypropionic acid in *Lactobacillus reuteri*, 331
- catabolite repression
element, in the upstream of 3-hydroxypropionic acid pathway, affecting the production of 3-hydroxypropionic acid production in *Lactobacillus reuteri*, 331
- cereal grain
production of hydrolases from, as an alternative to microbial enzymes used in food processing, 127
- cereal proteins
physicochemical and functional properties of, as an alternative to animal-based counterparts, 269
- cereals
determination of ergot alkaloids in, by liquid chromatography/ion trap mass spectrometry, 18
- characterisation
of a fibrinolytic enzyme produced by *Rhizopus microsporus* var. *tuberosus*, 243
- cheese
development of novel cottage, containing different spices for the improvement of sensory properties, biological value and shelf life, 454
- chemical composition
of kolkhoung (*Pistacia khinjuk*) hull oil and kernel oil, 81
- chemical interesterification
comparison of nutritional and physical characteristics of fat base produced from fully hydrogenated soybean oil and walnut oil by enzymatic and, 361
- chloramphenicol
degradation kinetics of, in different types of honey stored in dark at 25 °C during 6 months, 154
- chlorophyll
influence of climate, variety and production process on content of, in flaxseed oil, 496
- chokeberry products
comparison of the quality, phenolic content and antioxidant capacity of different, 171
- climate
influence of, on the presence of bioactive compounds in flaxseed oil, 496
- cold pressing
influence of, on tocopherol, carotenoid and chlorophyll content in flaxseed oil, 496
- Coleus blumei*
tissues of, for rosmarinic acid production *in vitro* in the presence of plant growth regulators, 3
- colour
increase of the intensity of, in ready-to-cook minced meat after the addition of fermented tomato pulp powder, 163
- colour changes
of sour cherry juices during heat treatment at different temperatures as a consequence of degradation of cyanidin-3-glucosyl-rutinoside and cyanidin-3-rutinoside, 354
- conditioning
influence of seed, on the quality of flaxseed oil, 496
- cooked pork batter
effect of *Caesalpinia spinosa* pod powder on the oxidation and colour stability of, during chilled storage, 419
- Cucurbita pepo*
albumin extraction from, defatted seed powder, using ultrasound- and enzyme-assisted extractions, 479

D

- defence proteins
identification of, in emmer (*Triticum dicoccum*) grain after the infection with *Fusarium graminearum*, 261

- degree of substitution
influence of, on physicochemical properties of propionylated corn starch used as a stabiliser, 278
- degumming
of rice bran oil by phospholipase A₁ from *Thermomyces lanuginosus*, immobilized in calcium alginate, 91
- design of experiments
used for the investigation of the effect of imbibition and germination temperature on hydrolases from barley and wheat, 127
- 2,4-dichlorophenoxyacetic acid
use of, as growth stimulator and inducer of rosmarinic acid production in *Coleus blumei* tissues, 3
- dietary fibre
from green banana pulp and peel flour, used for the improvement of physical, chemical and sensory properties of ice cream, 315
- digestive tract
influence of *Candida utilis*-fermented lupin seeds on, of rats, 286
- D-optimal mixture design
application of, for optimal addition of inulin, β -glucan and breadcrumbs to low-fat beef burgers containing pre-emulsified canola and olive oil blend, 436
- DPPH
determination of antioxidant capacity of different chokeberry products using, method, 171
- drying rate
effect of hot water blanching time and air temperature on, of black carrot shreds, 324

E

- effective diffusivity
effect of hot water blanching time and drying temperature on, in black carrot shreds, 324
- EhaA
autotransporter from *Escherichia coli*, for recombinant passenger mCherry secretion through maximized autotransporter-mediated expression (MATE), 251
- emerging technology
the use of shortwave ultraviolet light (UVC) as, for the inactivation of *Listeria monocytogenes* in beef-agar food models, 231
- emmer
identification of proteins expressed in, during grain development after infection with *Fusarium graminearum*, 261
- endo-inulinases
purification and characterization of, produced by *Xanthomonas campestris* pv. *phaseoli* KM 24 mutant, 146
- enzymatic interesterification
nutritional and physical characteristics of fat base produced from fully hydrogenated soybean oil and walnut oil by chemical and, 361
- enzymatically modified bread
with decreased phytic acid content and improved *myo*-inositol bioaccessibility using 6-phytase A and phytase B, 66

- ergot alkaloids
determination of, by liquid chromatography/ion trap mass spectrometry in rye-based food products, 18
- essential oil
evaluation of the *in vitro* effects of, of rosemary, salvia, oregano and clove, against contaminating fungi on Italian salami, 342
- ethanol stress
effect of, on the growth of the immobilized yeast *Saccharomyces cerevisiae*, 96
- exogenous enzymatic treatment
of summer tieguanyin oolong tea for attenuation of bitter taste and aroma improvement, 180
- exoinulinases
activity of, in the crude enzyme extract, produced by *Xanthomonas campestris* pv. *phaseoli* KM 24 mutant, 146
- extraction
comparison of ultrasound- and enzyme-assisted, of albumin from defatted pumpkin (*Cucurbita pepo*) seed powder, 479

F

- fatty acids
influence of ethanol stress on the composition of, in cell membrane of *Saccharomyces cerevisiae* immobilized on *Nyssa fructicans* leaf sheath, 96
- ω -3 fatty acids
mass fraction of, in functional whey beverages enriched with flaxseed oil, 110
- fermentation
influence of, of lupin seeds with *Candida utilis* on nutritional value and physiological properties of rat diet, 286
- fibrinolytic enzyme
purification and characterisation of, from *Rhizopus microsporus* var. *tuberosus*, 243
- fish sauce
production of, by proteolysis of sardine and anchovy in saline solution, 87
optimization of the production of, using proteases from moderate halophile *Virgibacillus* sp. SK37, 136
- flavonoids
determination of, in bark, fruit exocarp, mesocarp and seeds of service tree (*Sorbus domestica* L.), 463
- flaxseed oil
influence of the addition of, on physicochemical parameters of functional whey beverages, 110
the influence of genotype, environmental conditions and processing methods on the bioactive compounds in, 496
- fluorescent *Pseudomonas* sp.
production of siderophores in, as an inhibitory compound against *Listeria monocytogenes*, 223
- food analysis
of macro- and microelements, total phenolics, flavonoids and tannins in service tree (*Sorbus domestica* L.), 463

- food model
beef-agar media as, used for the detection of the efficiency of shortwave ultraviolet light (UVC) in the inactivation of *Listeria monocytogenes*, 231
- food spoilage bacteria
prevention of the growth of, on cottage cheese containing different spices, 454
- FRAP
determination of antioxidant capacity of different chokeberry products using, method, 171
- fresh pepper
development of novel cottage cheese containing, for the improvement of sensory properties, biological value and shelf life, 454
- fructooligosaccharides
production of, by endoinulinase from *Xanthomonas campestris* pv. *phaseoli* KM 24 mutant, 146
concentration and purification of, from the yacon roots using membrane technology, 190
- fruit constituents
influence of the degree of ripeness of Mollar de Elche cultivar of pomegranate on physicochemical changes and antioxidant activity of different, 397
- fruit juices
determination of quercetin in, by voltammetry on disposable graphite lead, 379
- functional properties
of plant and cereal proteins used as substitution for animal-based counterparts, 269
of albumin isolated from defatted pumpkin seed powder by ultrasound- and enzyme-assisted extraction, 479
- Fusarium* head blight
identification of differently regulated proteins in emmer (*Triticum dicoccum*) after the infection with, at several grain ripening stages, 261

G

- α -galactosidase
attenuation of bitter taste and improvement of aroma of summer tieguanyin oolong tea using, 180
- galactosidase
activity of, in barley and wheat grains depending on the imbibition and germination temperature, 127
- germination
influence of the temperature of, on the production of hydrolases in barley and wheat, 127
- β -glucan
application of D-optimal mixture design for optimal addition of, to low-fat beef burgers containing pre-emulsified canola and olive oil blend, 436
- glucosidase
activity of, in barley and wheat grains depending on the imbibition and germination temperature, 127
- gluten-free cookies
antioxidant capacity, mineral content and sensory properties of, made with buckwheat and rice flour, 38
- grain development
identification of proteins expressed during, in emmer (*Triticum dicoccum*) infected with *Fusarium graminearum*, 261

- grape
content of *trans*-resveratrol in, during ripening, 73
- green banana
use of, flour, as a source of dietary fibre, to improve physical, chemical and sensory properties of ice cream, 315

H

- hairy root
of *Coleus blumei* used for rosmarinic acid production *in vitro*, induced by *Agrobacterium rhizogenes* A4, 3
- half-life of anthocyanins
during heat treatment of sour cherry juices at different temperatures, 354
- Haloferax* sp.
halophilic archaeon from solar saltern for extracellular amylase production, 11
- halophiles
Haloferax sp. HA10 from solar saltern for extracellular amylase production under harsh conditions, 11
- heat degradation
of anthocyanins in sour cherry juices at different temperatures, 354
- heat pump drying
as the best method of drying onion shreds, after pretreatment with salt and potassium metabisulphite, 57
- high-protein food
preparation of plant protein-enriched pasta as, for use in low-carbohydrate diet, 298
- high resolution melting
used for measuring the fluorescence of saxitoxin-binding aptamer, 337
- honey
degradation kinetics of antibiotic residues in, during prolonged storage in dark at 25 °C during 6 months, 154
- hot air drying
impact of pretreatment with salt and potassium metabisulphite on quality attributes of onion shreds during, 57
- HPLC
determination of *trans*-resveratrol in grape berries during ripening and in wines using, 73
used for determination of anthocyanin degradation during heat treatment of sour cherry juices, 354
- hull oil
chemical composition, antioxidant activity and oxidative stability of, of kolkhoung (*Pistacia khinjuk*), 81
- hydrogenated soybean oil
comparison of nutritional and physical characteristics of fat base produced from, by chemical and enzymatic interesterification, 361
- hydrolase
used for the extraction of albumin from defatted pumpkin seed powder, 479
- hydrolase production
influence of temperature during different treatment steps on, in barley and wheat grains, 127

- hydrolysis
of sardine and anchovy by proteases in saline solutions used for fish sauce production, 87
- hydrolysis of extracts
influence of ultrasound on, of *Brassica oleracea* var. *capitata*, 102
- 3-hydroxypropionic acid
enhancement of expression of the genes involved in the production of, in *Lactobacillus reuteri*, 331

I

- ice cream
influence of the addition of green banana pulp and peel flour as a source of dietary fibre on physical, chemical and sensory properties of, 315
- immobilization
of phospholipase A₁ from *Thermomyces lanuginosus*, in calcium alginate used for degumming of rice bran oil, 91
- immobilized yeast
ethanol tolerance of, *Saccharomyces cerevisiae* on *Nypa fruticans* leaf sheath, 96
- instant whole beans
evaluation of chemical, physicochemical, nutritional, microbiological, sensory and rehydration properties of, 48
- inulin
production of fructooligosaccharides from, using endoinulinase from *Xanthomonas campestris* pv. *phaseoli* KM 24 mutant, 146
application of D-optimal mixture design for optimal addition of, to low-fat beef burgers containing pre-emulsified canola and olive oil blend, 436
- inulinases
purification and characterization of extracellular, produced by *Xanthomonas campestris* pv. *phaseoli* KM 24 mutant, 146
- Italian salami
evaluation of the *in vitro* effects of rosemary, salvia, oregano and clove essential oils, on contaminating fungi on, 342

J

- juçara palm
evaluation of maltodextrin microencapsulation of anthocyanins from, and its application in food, 385
- juice
influence of heat treatment on anthocyanin degradation in sour cherry, 354
- juice concentrate processing
of sour cherry cultivars Marasca and Oblačinska with higher polyphenolic content and antioxidant activity, 215

K

- kefir
grains, used as inoculum for the production of novel, functional fermented whey-based drinks, 307

- kernel oil
chemical composition, antioxidant activity and oxidative stability of, of kolkhoung (*Pistacia khinjuk*), 81
- kimchi
as a source of *Pediococcus pentosaceus* T1, used as antilisterial agent in salmon fillets, 29
- kinetics
of sorption capacity of activated carbon during adsorption of phenolic compounds from olive mill wastewater, 207
- kolkhoung (*Pistacia khinjuk*)
fruits of, used for the production of hull and kernel oil, 81

L

- laccase
spraying the leaves with, to improve the quality and aroma of summer tieguanyin oolong tea, 180
- Lactobacillus reuteri*
enhanced production of 3-hydroxypropionic acid in, by catabolite repression, 331
- laminated baked product
the effect of flour characteristics and dough properties on, 446
- laminated dough
the effect of flour characteristics on the properties of baked products made from, 446
- lignocellulosic materials
as substrate for prebiotic xylooligosaccharide production by *Aspergillus fumigatus*, 428
- lipid oxidation
prevention of, in pork sausages treated with *Pistacia lentiscus* L. fruit and leaf extracts, 472
prevention of, in pork meat batter treated with *Caesalpinia spinosa* pod powder during chilled storage, 419
- liquid chromatography/ion trap mass spectrometry
application of, for detection of ergot alkaloids and their isomers in rye-based food products, 18
- Listeria monocytogenes*
antagonistic effect of *Pseudomonas* sp. CMI-1 isolated from raw food of animal origin on, 223
the efficiency of UVC radiation in the inactivation of, on beef-agar food models, 231
- low-carbohydrate diet
regulation of body mass by consumption of protein-enriched pasta in, 298
- low-fat beef burgers
application of D-optimal mixture design for optimal addition of inulin, β -glucan and breadcrumbs to, containing pre-emulsified canola and olive oil blend, 436
- lupin
nutritional value and physiological properties of rat diet with, fermented with *Candida utilis*, 286
- lyophilisation
of maltodextrin-microencapsulated anthocyanins from juçara palm (*Euterpe edulis* Mart.) fruit for application in food, 385

M

- macroelements
determination of, in bark, fruit exocarp, mesocarp and seeds of service tree (*Sorbus domestica* L.), 463
- Marasca cv.
influence of processing on total polyphenols, anthocyanins, hydroxycinnamic acids and antioxidant activity of, concentrated juice, 215
- mastic tree (*Pistacia lentiscus*)
as a source of antioxidant compounds used for fat preservation in pork sausages, 472
- maximized autotransporter-mediated expression (MATE)
for surface display and secretion of recombinant proteins in *Escherichia coli*, 251
- mCherry
surface display of, red fluorescent protein, by maximized autotransporter-mediated expression (MATE), 251
- microbial deactivation
of *Listeria monocytogenes* by UVC radiation in beef-agar food models, 231
- microelements
determination of, in bark, fruit exocarp, mesocarp and seeds of service tree (*Sorbus domestica* L.), 463
- microencapsulation
of anthocyanins from juçara palm fruit, for stabilisation of natural food colourant, 385
- microstructure
influence of xantan gum on, of zein-based blend films made from biodegradable material, 348
- microwave-assisted convective drying
impact of pretreatment with salt and potassium metabisulphite on quality attributes of onion shreds during, 57
- minced pork meat
improvement of the quality of, after the addition of tomato pulp powder fermented by *Pediococcus pentosaceus* KTU05-9 and *Lactobacillus sakei* KTU05-6, 163
- minerals
content of, in gluten-free cookies made with buckwheat and rice flour, 38
- modelling
of the adsorption kinetics of phenolic compounds from olive mill wastewater onto activated carbon, 207
- moderate halophile
optimization of the production of proteases in the saline environment by, *Virgibacillus* sp. SK37, 136
- Mollar de Elche cultivar
influence of the degree of ripeness on physicochemical changes and antioxidant activity of skin, pellicle, seed and juice of, of pomegranate, 397
- myo-inositol
improvement of bioaccessibility of, in rye bread using phytases, 66

N

- nanocomposite
preparation and application of LDPE/ZnO, used for the extension of the shelf life of fresh strawberries, 488

- nanofiltration
concentration and purification of fructooligosaccharides from the yacon root extract using, 190
- 1-naphtalenacetic acid
use of, as a growth stimulator and inducer of rosmarinic acid production by *Coleus blumei* tissues *in vitro*, 3
- natural antioxidants
prevention of lipid oxidation in pork sausages by, from mastic tree (*Pistacia lentiscus*) fruit and leaf extracts, 472
from tara (*Caesalpinia spinosa*), used for the oxidation and colour stability of pork meat batter during chilled storage, 419
- natural colourant
improvement of the stability of, by microencapsulation of anthocyanins with maltodextrin, for application in food, 385
- nitrification
of ammonium from municipal wastewater by *Nitrosomonas europaea*, stimulated by static magnetic field, 201
- nonthermal decontamination
of beef-agar food models by shortwave ultraviolet light (UVC) inactivation of *Listeria monocytogenes*, 231
- Nypa fruticans*
effect of ethanol stress on fermentation performance of *Saccharomyces cerevisiae* immobilized on leaf sheath of, 96

O

- obesity
prevention of, by consumption of nutritionally balanced, protein-enriched pasta, 298
- Oblačinska cv.
influence of processing on total polyphenols, anthocyanins, hydroxycinnamic acids and antioxidant activity of, concentrated juice, 215
- oil-in-water emulsion
stability of, prepared from starch propionates, 278
- olive wastewater treatment
by activated carbon used as an adsorbent of phenolic compound residues, 207
- OmpT
cleavage mediated by, for recombinant passenger mCherry secretion through maximized autotransporter-mediated expression (MATE) in *Escherichia coli*, 251
- onion
influence of pretreatment with salt and potassium metabisulphite on the quality of, shreds after drying, 57
- oxidation
of fatty acids in functional whey beverages enriched with flaxseed oil, 110
- oxidative stability
of kolkhoung (*Pistacia khinjuk*) hull and kernel oil, 81
- oxytetracycline
degradation kinetics of, in different types of honey stored in dark at 25 °C during 6 months, 154

P

- paralytic shellfish poison
detection of, from red tide, by fluorescence dyeing of saxitoxin-binding aptamers, 337
- pasta
preparation of, with high content of plant protein and nutritional value, used in low-carbohydrate diet, 298
- pea flour
physicochemical and functional properties of proteins from, as an alternative to animal-based counterparts, 269
- Pediococcus pentosaceus* T1
antilisterial effect of, in salmon fillets, 29
used as a starter to control overmaturation of kimchi, 29
- pencil graphite electrode
used for sensitive determination of quercetin in fruit juices, 379
- Penicillium* sp.
evaluation of the antifungal effects of rosemary, salvia, oregano and clove essential oils *in vitro* against, in Italian salami, 342
- permeability
evaluation of the influence of xantan gum on, of zein-based blend films made from biodegradable material, 348
- phenolic compounds
extraction of, from mastic tree (*Pistacia lentiscus*) fruit and leaf by different solvents, for use in pork sausages, 472
- phenolics
determination of, in bark, fruit exocarp, mesocarp and seeds of service tree (*Sorbus domestica* L.), 463
- phenols
content of, in different chokeberry products, 171
content of, in Malvazija Istarska white wines produced by prolonged fermentation and maceration, and maturation in wooden barrels, 407
addition of spices rich in, for the improvement of sensory properties, biological value and shelf life of cottage cheese, 454
- phenotype simulation
investigation of sporulation efficiency in different variations of budding yeast *Saccharomyces cerevisiae*, 367
- phospholipids
hydrolysis of, by immobilized phospholipase A₁ from *Thermomyces lanuginosus* for degumming of rice bran oil, 91
- phospholipase A₁
from *Thermomyces lanuginosus*, immobilized in calcium alginate for degumming of rice bran oil, 91
- physicochemical parameters
used for the assessment of plant and cereal proteins, as an alternative to animal-based counterparts, 269
- physicochemical properties
of propionylated corn starch used as a stabiliser, 278
of skin, pellicle, seed and juice of Mollar de Elche cultivar of pomegranate during different degrees of ripening, 397
- phytic acid
enzymatic degradation of, in dough by 6-phytase A and phytase B, 66
- plant extracts
prevention of lipid oxidation by, from mastic tree (*Pistacia lentiscus*) fruit and leaf extracts, 472
- plant protein extract
preparation of, with high protein content and high nutritional value for low-carbohydrate diet, 298
- plant proteomics
used for the identification of proteins expressed in emmer (*Triticum dicoccum*) grain after infection with *Fusarium graminearum*, 261
- plasmid curing
for the detection of new genes for bacteriocin synthesis in *Lactococcus lactis* ssp. *lactis* BGBM50, 237
- plastochromanol-8
influence of climate, variety and production process on the content of, in flaxseed oil, 496
- polyphenol adsorption
onto activated carbon, from olive mill wastewater as a function of adsorbent quantity and temperature, 207
- polyphenolic content
in processed concentrated sour cherry juice originating from two different cultivars, Marasca and Oblačinska, 215
- pretreatment
impact of, with salt and potassium metabisulphite on the quality of dried onion shreds, 57
- probiotic
used as inoculum for the production of novel, functional fermented whey-based drinks, 307
- prolonged maceration
phenolic and aroma composition of Malvazija istarska white wine produced by, 407
- proteases
hydrolysis by, used for fish sauce production from sardine and anchovy, 87
optimization of the production of, in the saline environment by halophile *Virgibacillus* sp. SK37, 136
- protein quality
of instant whole beans (*Phaseolus vulgaris*), 48
- Prunus cerasus* (sour cherry)
degradation of anthocyanins in juice from, during heat treatment at different temperatures, 354
- purification
of yacon root fructooligosaccharides, using membrane technology, 190
of a fibrinolytic enzyme produced by *Rhizopus microsporus* var. *tuberosus*, 243

Q

- quality
of chokeberry juices, powders, fruit tea, capsules and dried fruits, 171
- quercetin
determination of, in fruit juices by voltammetry on disposable graphite lead, 379

QTL (quantitative trait loci) analysis
of phenotypic variation in budding yeast *Saccharomyces cerevisiae*, 367

R

rats
nutritional value and physiological properties of *Candida utilis*-fermented lupin seeds in, 286

ready-to-eat beef
inactivation of *Listeria monocytogenes* in, by UVC radiation, 231

red tide
detection of saxitoxin (STX) produced by shellfish from, by differentiating fluorescence from STX-binding aptamers, 337

rehydration
characteristics of instant whole beans, 48

response surface methodology
used for optimizing the production of proteases in the saline environment by moderate halophile *Virgibacillus* sp. SK37, 136

reverse osmosis
production of ultrafiltration permeate from whey concentrated by, 307

Rhizopus microsporus var. *tuberosus*
purification and characterisation of a fibrinolytic enzyme produced by, 243

rice bran oil
degumming of, by immobilized phospholipase A₁ from *Thermomyces lanuginosus*, 91

rice flour
properties of, used for the production of gluten-free cookies, 38

ripening stages
influence of, on physicochemical changes and antioxidant activity of skin, pellicle, seed and juice of Mollar de Elche cultivar of pomegranate, 397

root
of *Coleus blumei* for rosmarinic acid production *in vitro*, 3

rosmarinic acid
production of, by *Coleus blumei* tissues in the presence of growth stimulators, 3

rye
determination of ergot alkaloids in, by liquid chromatography/ion trap mass spectrometry, 18

S

Saccharomyces cerevisiae
ethanol tolerance of, immobilized on *Nypa fruticans* leaf sheath, 96

salmon fillets
extending the shelf life of, by *Pediococcus pentosaceus* T1 isolated from kimchi, 29

salt
influence of, on protease activity during fish sauce production, 87

sardine
fish sauce production from, by proteases in saline solutions, 87

saxitoxin
detection of, from shellfish in red tide, by binding to fluorescently dyed aptamer, 337

secretion
of recombinant proteins in *Escherichia coli* by maximized autotransporter-mediated expression (MATE), 251

sensory properties
of gluten-free cookies made with buckwheat and rice flour, 38

sensory quality
of instant whole beans (*Phaseolus vulgaris*), 48
improvement of, of summer tieguanyin oolong tea by treatment with exogenous laccase and α -galactosidase, 180

sequencing batch reactors
removal of ammonium nitrogen from municipal wastewater in, using *Nitrosomonas europaea* and static magnetic field, 201

service tree (*Sorbus domestica* L.)
determination of nutrient composition and antioxidant activity of, by measuring the levels of macro- and microelements, total phenolics, flavonoids and tannins, 463

shortwave ultraviolet light (UVC)
the efficiency of, in the inactivation of *Listeria monocytogenes* on beef-agar food models, 231

siderophore
of fluorescent *Pseudomonas* sp. as inhibitory compound against *Listeria monocytogenes*, 223

solar saltern
as a habitat for halophilic archaeon *Haloferax* sp. HA10 for extracellular amylase production, 11

solid fat content
as a measure of total interesterification of fully hydrogenated soybean oil and walnut oil blends, 361

solid-state fermentation
of tomato pulp powder by *Pediococcus pentosaceus* KTU05-9 and *Lactobacillus sakei* KTU05-6, used for the improvement of minced meat quality, 163

sour cherry
influence of cultivar and industrial processing on polyphenols, anthocyanins, hydroxycinnamic acids and antioxidant activity of, in concentrated juices, 215

soya and maize concentrates
physicochemical and functional properties of proteins from, as an alternative to animal-based counterparts, 269

soybean oil
comparison of nutritional and physical characteristics of fat base produced from, by chemical and enzymatic interesterification, 361

spices
development of novel cottage cheese containing different, for the improvement of sensory properties, biological value and shelf life, 454

- sporulation inheritance
 investigation of, in the budding yeast *Saccharomyces cerevisiae*, 367
- stabiliser
 physicochemical characteristics of propionylated corn starch used as, 278
- starch propionate
 synthesis and physicochemical properties of, for application as a stabiliser, 278
- static magnetic field
 effect of, on the oxidation and removal of ammonium by *Nitrosomonas europaea* from municipal wastewater, 201
- strawberry
 prevention of microbial degradation of, by application of LDPE/ZnO nanocomposite packaging material, 488
- streptomycin
 degradation kinetics of, in different types of honey stored in dark at 25 °C during 6 months, 154
- stress relaxation
 used for the determination of the properties of laminated salty baked products made from wheat flour, 446
- sulphathiazole
 degradation kinetics of, in different types of honey stored in dark at 25 °C during 6 months, 154
- summer tieguanyin oolong tea
 attenuation of bitter taste and improvement of aroma of, by exogenous enzymatic treatment, 180
- surface analysis
 of beef-agar media and LSA plates by white light interferometer, 231
- surface display
 of recombinant proteins in *Escherichia coli* using maximized autotransporter-mediated expression (MATE), 251

T

- tannins
 determination of, in bark, fruit exocarp, mesocarp and seeds of service tree (*Sorbus domestica* L.), 463
- tensile properties
 evaluation of the influence of xantan gum on, of zein-based blend films made from biodegradable material, 348
- Thermomyces lanuginosus*
 isolation and immobilization of phospholypase A₁ from, for degumming of rice bran oil, 91
- thin layer model
 effect of blanching time and air temperature on drying kinetics in, of black carrot shreds, 324
- tocopherols
 influence of climate, variety and production process on content of, in flaxseed oil, 496
- tomato pulp powder
 use of, for the improvement of the quality of ready-to-cook minced meat by *Pediococcus pentosaceus* KTU05-9 and *Lactobacillus sakei* KTU05-6, 163

- total viable count
 used for the assessment of antimicrobial activity of mastic tree (*Pistacia lentiscus*) fruit and leaf extracts added to pork sausages, 472
- trans*-resveratrol
 content of, in grape berry skins during ripening and in wines, determined by HPLC, 73
- triacylglycerol
 influence of structure and composition of, on physical, chemical and nutritional properties of natural lipids, 361
- tumour
 tissues of *Coleus blumei* for rosmarinic acid production *in vitro*, induced by *Agrobacterium tumefaciens* A281 and B6S3, 3
- two-locus epistasis
 effect of various types of, on sporulation efficiency in budding yeast *Saccharomyces cerevisiae*, 367

U

- ultrafiltration
 concentration and purification of fructooligosaccharides from the yacon root extract using, 190
- ultrafiltration permeate
 use of, in the production of novel functional fermented whey-based drinks, 307
- ultrasound
 used for the extraction of albumin from defatted pumpkin seed powder, 479
- ultrasound-assisted extraction
 antioxidant and antimicrobial activities of *Brassica oleracea* var. *capitata* extracts obtained by, 102

V

- variety
 influence of, on bioactive compounds in flaxseed oil, 496
- vegetable proteins
 physicochemical and functional properties of, as an alternative to animal-based counterparts, 269
- Virgibacillus* sp. SK37
 optimization of the production of proteases by, in the saline environment, 136
- voltammetry
 determination of quercetin in fruit juices by, on disposable graphite lead, 379

W

- walnut oil
 comparison of nutritional and physical characteristics of fat base produced from, by chemical and enzymatic interesterification, 361
- wheat flour quality parameters
 influence of, on the characteristics of laminated salty baked products, 446

whey
physicochemical parameters of functional, beverages with flaxseed oil, 110

whey protein concentrate
use of, in the production of novel, functional fermented drinks, 307

white light interferometer
used for measurement of surface roughness of beef-agar media and *Listeria* selective agar, 231

white wine
phenolic and aroma composition of Malvazija istarska, produced by prolonged fermentation and maceration, and maturation in wooden barrels, 407

wine
content of *trans*-resveratrol determined by HPLC, 73

wine aroma
of Malvazija istarska produced by prolonged fermentation and maceration, and maturation in wooden barrels, 407

wine maturation
effect of prolonged, in wooden barrels on phenolic and aroma composition of Malvazija istarska white wines, 407

X

Xanthomonas campestris pv. *phaseoli* KM 24 mutant
purification and characterization of extracellular endoinulinase from, by gel filtration chromatography, 146

xylanases
from *Aspergillus fumigatus* used for the production of prebiotic xylooligosaccharides from bagasse, 428

xylooligosaccharides
production of prebiotic, using bagasse as a substrate for *Aspergillus fumigatus* growth, 428

Y

yacon (*Smallanthus sonchifolius*)
concentration and purification of fructooligosaccharides from the roots of, using membrane technology, 190

Z

ZnO nanoparticles
antimicrobial properties of, used for the production of nanocomposite films for strawberry packaging, 488