

SUBJECT INDEX

- Acetylcholine
- binding to cholinergic receptor, 396—397, 402, 409—412, 426—427, 430, 441—444, 463, 477
 - reaction with acetylcholinesterase, 237—241, 301, 312, 338, 345—347, 372, 375—378, 384—386, 500, 501, 504
- Acetylcholine receptor, *see* Cholinergic receptor
- Acetylcholinesterase
- from various species, comparison, 201—207, 345—351
 - ligand binding site models, 229, 245, 261, 273, 303, 316, 499—504
 - molecular properties and structure, 163—176, 187—198, 201—207, 216—217
 - molecular weight, 165, 170—172, 187—192, 205, 216, 230—231, 252
 - reaction kinetics, 181—187, 235—247, 326—330, 335—341, 384—386
 - solubilization, 184—185, 202, 208—209, 212—213, 215, 252—253
 - soluble and membrane bound, comparison, 181—187, 213—219, 221—222, 379, 393
- Acetyl- β -methylcholine
- binding to cholinergic receptor, 465—473
 - reaction with acetylcholinesterase, 375—376, 378
- Acetylthiocholine
- reaction with cholinesterases, 323—325
- Activation energy, *see* Thermodynamic quantities
- Active site, *see* Ligand binding site
- Aging
- of phosphorylated cholinesterases, mechanism, 225—227
- Alkyl pyridinium compounds, *see* Pyridinium compounds
- Allosteric site, *see* Ligand binding site
- Ammonium compounds
- binding to cholinergic receptor, 410, 453, 461—464
 - reaction with cholinesterases, 227—230, 225—260, 268, 272, 289, 295, 312—315, 346—347, 357, 358, 363—368, 504
- Anionic site, *see* Ligand binding site
- Atropine
- binding to cholinergic receptor, 397, 410, 413, 463, 468, 470—471, 477
 - reaction with cholinesterases, 272, 290—292, 295, 504
- Bis-(3-aminopyridinium)-1,10-decane (DAP)
- fluorescent probe for binding sites in acetylcholinesterase, 268
- Butyrylcholinesterase, *see* Cholinesterase
- Butyrylthiocholine
- binding to cholinergic receptor, 410
 - reaction with cholinesterase, 279, 281
- Carbamates
- binding to cholinergic receptor, 410—413, 434, 436, 441—443
 - reaction with acetylcholinesterase, 336, 338, 340—341, 348—349, 499, 501
- Catalytic site, *see* Ligand binding site
- p*-Chloromercuribenzoic acid (PCMB)
- effect on cholinergic receptor, 411—413, 472—473
- Cholinergic receptor
- chemical composition, 401, 403, 429—431, 435
 - from *Torpedo* species, comparison, 400—402, 411, 417, 426—427, 430
 - immunological properties, 403—404, 431—433, 489—494
 - localization, 398—399, 475—486
 - molecular properties and structure, 401—402, 414—415, 417—422, 427—431, 433—437, 462, 470—473, 478
 - molecular weight, 396—397, 400, 402, 421, 427—428, 436, 453—455, 462, 489
 - purification, 396—397, 403—404, 430, 449—445, 459—462
- Cholinesterase
- ligand binding site models, 316, 499—505
 - reaction kinetics, 278—284, 289—295, 313—315, 323—325
- Coumarin derivatives
- inhibition of cholinesterases by, 323—325, 502
- Curare
- binding to cholinergic receptor, 410, 413, 434
- Decamethonium, *see* Ammonium compounds

VI

- (+)-Dexetimide
 - binding to cholinergic receptor, 463
- Diisopropylfluorophosphate (DFP)
 - reaction with acetylcholinesterase, 173—174, 190, 240, 303—304
- Dimethylaminoethylacetate
 - reaction with acetylcholinesterase, 385—387
- Edrophonium
 - reaction with acetylcholinesterase, 260—261, 363—368
- Enthalpy, *see* Thermodynamic quantities
- Entropy, *see* Thermodynamic quantities
- Esteratic site, *see* Ligand binding site
- Histrionicotoxin
 - binding to cholinergic receptor, 439—443
 - effect on CNS, 444—445
- Immunological properties
 - of acetylcholinesterase, 175, 185—187
 - of cholinergic receptors, 403, 431—433, 489—494
- Indophenylacetate
 - reaction with acetylcholinesterase, 303—304, 502
- Inhibition of cholinesterases
 - by carbamylation, 340, 341, 348—349
 - by phosphorylation, 240, 300, 304, 348—349
 - by sulphonylation, 300—301, 304, 346, 357—358
 - reversible, of acetylcholinesterase, 227—230, 315, 323—325, 336, 338, 346—347, 372, 375—379, 386—387, 502
 - reversible, of cholinesterase, 289—295, 315
- Kinetics
 - of cholinesterase reactions, models and equations, 235—249, 267, 271, 279, 282—283, 326—330, 335—341, 384—385
- Lachesine
 - binding to cholinergic receptor, 468—469
- Lanthanide ions
 - binding to cholinergic receptor, 431
 - reaction with cholinesterase, 293—295, 505
- Ligand binding site
 - of acetylcholinesterase, 229, 245, 261, 273, 303, 316, 328, 366, 389, 499—505
 - of cholinesterase, 316, 499—505
- Membrane
 - attachment of acetylcholinesterase to, 194—198
 - solubilization of acetylcholinesterase from, 184—185, 202, 208—209, 212—213, 215, 252—253
 - solubilization of cholinergic receptor from, 296—297, 422, 449—455
- Methanesulphonylfluoride (MSF)
 - reaction with acetylcholinesterase, 300—301, 304, 346, 357—358, 499, 501
- N*-Methylacridinium (*N*-MAC)
 - fluorescent probe for binding sites in acetylcholinesterase, 268—270, 272
- Models
 - for kinetics of cholinesterase reactions, 236, 243, 248, 267, 271, 283, 328, 336, 339, 340, 385
 - for ligand binding sites in cholinesterases, 229, 245, 261, 273, 303, 316, 499—505
- Molecular forms
 - of acetylcholinesterase, 163—176, 187—198, 204—205, 216—217
- Molecular weight
 - of acetylcholinesterase, 165, 170—172, 187—192, 205, 216, 230—231, 252
 - of cholinergic receptor, 396—397, 400—402, 421, 427—428, 436, 453, 455, 462, 489
- Neurotoxins
 - in characterization of cholinergic receptors, 398—399, 402, 404, 410, 413, 417—418, 430, 439—444, 453—454, 477
- Nicotine
 - binding to cholinergic receptor, 410, 463
- Organophosphorus compounds
 - reaction with cholinesterases, 173—174, 190, 227—230, 239—241, 300, 303—304, 323—325, 348—349, 499, 501, 502
- Quaternary ammonium compounds, *see* Ammonium compounds
- pH
 - effect on cholinesterase reactions, 227—230, 236—244, 278
- Phenyl esters
 - reaction with cholinesterases, 227—230, 239—241, 300, 303, 323—325, 348—349, 502
- Pilocarpine
 - binding to cholinergic receptor, 463, 477

- Poly(ethylene oxide) derivatives
 — use in purification of cholinergic receptors by affinity partitioning, 449—455
- Propidium
 — reaction with acetylcholinesterase, 258—261, 504
- Pyridinium compounds
 — binding to cholinergic receptor, 469—471
 — reaction with acetylcholinesterase, 372—379, 384—389
- 3-Quinuclidinyl benzylate (QNB)
 — localization of cholinergic receptors by, 476—486
- Spermin, Spermidin
 — effect on acetylcholinesterase, 393
- Spontaneous reactivation
 — of carbamylated acetylcholinesterase, 341
 — of phosphorylated cholinesterases, 226—228
- Substrate inhibition
 — of cholinesterases, 167, 214—215, 227—230, 326—330, 372, 375, 376, 379, 499—505
- Subunits, *see* Molecular forms
- Temperature
 — effect on acetylcholinesterase, 167—171, 218, 219, 340—341
 — effect on cholinergic receptors, 410, 412, 419, 426—427
- Thermodynamic quantities
 — for reactions of cholinesterases, 171, 219, 257, 341, 358
- d*-Tubocurarine
 — reaction with cholinesterases, 294, 268—270, 272—273, 367—368, 504

Redakcija zaključena 7. srpnja 1975.

CROATICA CHEMICA ACTA izlazi godišnje u četiri broja. Pretplata godišnje 300 NDin (ili US \$ 24), za članove 60 NDin (ili US \$ 6), a za studente-članove 10 NDin. Za izdavača odgovara odgovorni urednik. Glavni i odgovorni urednik Prof. Dr Božo Težak, Zagreb, II. Cvjetno naselje 24. Uprava: 41001 Zagreb, Marulićev trg 19/II. (Pošt. pret. 163). Žiro račun Hrvatsko kemijsko društvo, Zagreb, broj 30102-678-4153

Tisak »Vjesnik« — Zagreb