

Kata Mlinarić-Majerski – List of Publications

SCIENTIFIC ARTICLES

IN CURRENT CONTENTS INDEXED JOURNALS

- [1] Z. Majerski, K. Mlinarić: Lewis Acid catalyzed conversion of homoadamantane into 2-methyladamantane, *J. C. S. Chem. Commun.* **1972**, 1030b–1031. <https://doi.org/10.1039/C3972001030B>
- [2] K. Mlinarić-Majerski, Z. Majerski: Unusual rearrangement of the 4-homoadamantyl cation. One-step preparation of 2,6-trimethylenebicyclo-[2.2.2]-octane, *Tetrahedron Lett.* **1973**, 4915–4918. [https://doi.org/10.1016/S0040-4039\(01\)87371-8](https://doi.org/10.1016/S0040-4039(01)87371-8)
- [3] K. Mlinarić-Majerski, Z. Majerski, E. Pretsch: The 4-homoadamantyl cation. II. Mechanistic studies on Lewis acid catalyzed conversion of homoadamantane to 2-methyladamantane by carbon-13 labeling techniques. Convenient synthesis of 4-homoadamantanone-5-¹³C and homoadamantane 4-¹³C, *J. Org. Chem.* **1975**, *40*, 3772–3776. <https://doi.org/10.1021/jo00913a033>
- [4] N. Takaishi, Y. Inamoto, Y. Fujikura, K. Aigami, B. Goričnik, K. Mlinarić-Majerski, Z. Majerski, E. Osawa, P. v. R. Schleyer: Trifluoromethanesulfonic acid catalyzed rearrangement of homoadamantane, *Chem. Lett.* **1976**, 763–768. <https://doi.org/10.1246/cl.1976.763>
- [5] K. Mlinarić-Majerski, Z. Majerski, E. Pretsch: The 4-homoadamantyl Cation. III. Sulfuric acid catalyzed rearrangement of 4-homoadamantanol-5-¹³C, *J. Org. Chem.* **1976**, *41*, 686–690. <https://doi.org/10.1021/jo00866a021>
- [6] Z. Majerski, K. Mlinarić-Majerski, Z. Meić: Carbon-13 chemical shifts of inverted carbon atoms, *Tetrahedron Lett.* **1980**, *21*, 4117–4118. [https://doi.org/10.1016/0040-4039\(80\)88082-8](https://doi.org/10.1016/0040-4039(80)88082-8)
- [7] K. Mlinarić-Majerski, Z. Majerski: 2,4-Methano-2,4-dihydroadamantane. A [3.1.1]propellane, *J. Am. Chem. Soc.* **1980**, *102*, 1418–4119. <https://doi.org/10.1021/ja00524a033>
- [8] K. Mlinarić-Majerski, Z. Majerski: The bond between inverted carbon atoms. Synthesis and chemistry of 2,4-methano-2,4-dihydroadamantane: A highly reactive [3.1.1]propellane, *J. Am. Chem. Soc.* **1983**, *105*, 7389–7395. <https://doi.org/10.1021/ja00363a029>
- [9] Z. Majerski, Z. Hameršak, K. Mlinarić-Majerski: Intramolecular C–H insertion vs. olefin cycloaddition in 4-methylene-2-adamantylidene and 8-methylene-2-noradamantylidene, *J. C. S. Chem. Commun.* **1985**, 1830–1831. <https://doi.org/10.1039/C39850001830>
- [10] P. G. Gassman, K. Mlinarić-Majerski: Synthesis and photoinduced electron transfer promoted isomerization of 7,7-dimethyl trans bicyclo[4.1.0]hept-3-ene, *J. Org. Chem.* **1986**, *51*, 2397–2398. <https://doi.org/10.1021/jo00362a050>
- [11] Z. Majerski, K. Mlinarić-Majerski: A silver ion catalyzed [3.1.1]propellane rearrangement. 2,4-Methano-2,4-dihydroadamantane retro-carbene ring opening, *J. Org. Chem.* **1986**, *51*, 3219–3221. <https://doi.org/10.1021/jo00366a033>
- [12] M. Eckert-Maksić, K. Mlinarić-Majerski, Z. Majerski: Electronic structure of 2,4-methano-2,4-dihydroadamantane: A [3.1.1]propellane. Photoelectron and semiempirical studies, *J. Org. Chem.* **1987**, *52*, 2098–2100. <https://doi.org/10.1021/jo00386a039>
- [13] P. G. Gassman, K. Mlinarić-Majerski: Molecules with twist bent bonds. A comparison of the thermal and transition metal complex promoted rearrangements of derivatives of trans bicyclo[4.1.0]hept-3-ene, *Tetrahedron Lett.* **1988**, *29*, 4803–4806. [https://doi.org/10.1016/S0040-4039\(00\)80613-9](https://doi.org/10.1016/S0040-4039(00)80613-9)
- [14] P. G. Gassman, S. M. Bonser, K. Mlinarić-Majerski: Molecules with twist bent bonds. The synthesis, properties, and reactions of trans bicyclo[4.1.0]hept-3-ene and certain methylated derivatives, *J. Am. Chem. Soc.* **1989**, *111*, 2652–2662. <https://doi.org/10.1021/ja00189a046>

- [15] K. Mlinarić-Majerski, Z. Majerski, B. Rakvin, Z. Vekšli: Free radical reaction of a [3.1.1]propellane: 2,4-Methano-2,4-didehydro-adamantane, *J. Org. Chem.* **1989**, *54*, 545–548. <https://doi.org/10.1021/jo00264a008>
- [16] M. Šindler-Kulyk, Z. Majerski, D. Pavlović, K. Mlinarić-Majerski: Synthesis of 2,8-didehydro-9-noradamantanone, *Tetrahedron Lett.* **1989**, *30*, 3577–3578. [https://doi.org/10.1016/S0040-4039\(00\)99445-0](https://doi.org/10.1016/S0040-4039(00)99445-0)
- [17] D. Srzić, V. Vinković, K. Mlinarić-Majerski: Mass spectral study of 2-adamantanone, *Rapid Comm. Mass Spectr.* **1990**, *4*, 500–502. <https://doi.org/10.1002/rcm.1290041205>
- [18] Z. Majerski, V. Kostov, M. Hibšer, K. Mlinarić-Majerski: 2,3-Methano-2,4-didehydro-11-homoadamantanone: A [4.1.1]propellanone, *Tetrahedron Lett.* **1990**, *31*, 915–916. [https://doi.org/10.1016/S0040-4039\(00\)94662-8](https://doi.org/10.1016/S0040-4039(00)94662-8)
- [19] K. Mlinarić-Majerski, D. Šafar-Cvitaš, Z. Majerski: 2,4-Dimethylmethano-2,4-didehydroadamantane and its reactivity in relation to the unsubstituted analogue, *Tetrahedron Lett.* **1991**, *32*, 1655–1658. [https://doi.org/10.1016/S0040-4039\(00\)74297-3](https://doi.org/10.1016/S0040-4039(00)74297-3)
- [20] V. Vinković, K. Mlinarić-Majerski, Ž. Marinić: Evidence for remote hyperconjugation through the long range deuterium isotope effects on carbon-13 chemical shifts, *Tetrahedron Lett.* **1992**, *33*, 7441–7444. [https://doi.org/10.1016/S0040-4039\(00\)60210-1](https://doi.org/10.1016/S0040-4039(00)60210-1)
- [21] D. Škare, K. Mlinarić-Majerski, V. Švob, D. Milivojević: Mass spectral studies of some protoadamantanoid ketones, *Rapid Comm. Mass Spectr.* **1992**, *6*, 571–572. <https://doi.org/10.1002/rcm.1290060907>
- [22] K. Mlinarić-Majerski, V. Vinković, Z. Meić, G. P. Gassman, L. J. Chyall: Long range deuterium isotope effects in ¹³C NMR spectra of adamantane and 2-adamantanone, *J. Mol. Structure* **1992**, *267*, 389–394. [https://doi.org/10.1016/0022-2860\(92\)87061-Y](https://doi.org/10.1016/0022-2860(92)87061-Y)
- [23] K. Mlinarić-Majerski, M. Kaselj, D. Škare: Preparation of novel 2-aminoadamantyl- and 4-amino-protoadamantyl-carbonitriles, *Org. Prep. Proced. Int.* **1992**, *24*, 501–507. <https://doi.org/10.1080/00304949209356715>
- [24] V. Šunjić, D. Šepac, B. Kojić-Prodić, R. Kiralj, K. Mlinarić-Majerski, V. Vinković: Chiroptical, structural and catalytic properties of S-alpha-methyl-[1-1(substituted phenyl)-2-(2'-pyrido)-1-ethylidene]benzylamines and their Rh(I) and Cu(I) complexes, *Tetrahedron: Asymmetry* **1993**, *4*, 575–590. [https://doi.org/10.1016/S0957-4166\(00\)86098-X](https://doi.org/10.1016/S0957-4166(00)86098-X)
- [25] K. Mlinarić-Majerski, V. Vinković, L. J. Chyall, P. G. Gassman: Deuterium isotope effects on nuclear shielding. Cross-ring effects in rigid cyclic molecules, *J. Mag. Res. Chem.* **1993**, *31*, 903–905. <https://doi.org/10.1002/mrc.1260311005>
- [26] K. Mlinarić-Majerski, D. Pavlović, J. Veljković, M. Šindler-Kulyk: Photochemical behaviour of 4-methylene-2-adamantanone, an exocyclic β,γ-unsaturated ketone, *Croat. Chem. Acta* **1993**, *66*, 385–392. <https://hrcak.srce.hr/137071>
- [27] K. Mlinarić-Majerski, D. Pavlović, K. Šindler-Kulyk: Synthesis and photochemistry of 4-methylene-2-protoadamantanone, *J. Org. Chem.* **1993**, *58*, 252–254. <https://doi.org/10.1021/jo00053a047>
- [28] A. Ferle Vidović, M. Kaštelan, D. Petrović, L. Šuman, M. Kaselj, D. Škare, K. Mlinarić-Majerski: Synthesis and biological activity of phencyclidine and its adamantylamine derivatives, *Eur. J. Med. Chem.* **1993**, *28*, 243–250. [https://doi.org/10.1016/0223-5234\(93\)90140-A](https://doi.org/10.1016/0223-5234(93)90140-A)
- [29] K. Mlinarić-Majerski, M. Vinković, J. L. Fry: Isomerisation of exocyclic double bonds. A comparison of homoadamantyl vs protoadamantyl derivatives, *J. Org. Chem.* **1994**, *59*, 664–667. <https://doi.org/10.1021/jo00082a029>
- [30] K. Mlinarić-Majerski, D. Šafar Cvitaš, J. Veljković: Synthesis and reactivity studies of 2,4-dimethylmethano-2,4-didehydro-adamantane: A comparison with unsubstituted analogue, *J. Org. Chem.* **1994**, *59*, 2374–2380. <https://doi.org/10.1021/jo00088a018>
- [31] K. Mlinarić-Majerski, D. Pavlović, M. Luić, B. Kojić-Prodić: Synthesis and X-ray structures of new macrocyclic thioethers, *Chem. Ber.* **1994**, *127*, 1327–1329. <https://doi.org/10.1002/cber.19941270724>
- [32] K. Mlinarić-Majerski, M. Kaselj: 1,2-Methanoadamantane. A molecule with a twist bent σ-bond, *J. Org. Chem.* **1994**, *59*, 4362–4363. <https://doi.org/10.1021/jo00095a004>
- [33] B. Kovač, I. Novak, K. Mlinarić-Majerski, M. Vinković, M. Kaselj: n,π-Interactions in polycyclic unsaturated ketones: Photoelectron spectroscopic study, *J. Org. Chem.* **1994**, *59*, 3033–3036. <https://doi.org/10.1021/jo00090a021>
- [34] K. Mlinarić-Majerski, G. Kragol, M. Šindler-Kulyk, D. Pavlović: Acid-catalysed rearrangement of tetracyclo[4.3.0.0^{2,9}.0^{4,8}]nonane skeleton to substituted brendane derivatives, *Liebigs Ann.* **1995** 1885–1889. <https://doi.org/10.1002/jlac.1995199510264>
- [35] P. G. Gassman, K. Mlinarić-Majerski, B. Kovač, H. Chen, D. A. Dixon: The nature of the highest occupied molecular orbitals of *trans*- and *cis*-bicyclo[4.1.0]hept-3-enes, *J. Phys. Org. Chem.* **1995**, *8*, 149–158. <https://doi.org/10.1002/poc.610080305>

- [36] L. Bistričić, G. Baranović, K. Mlinarić-Majerski: A vibrational assignment of adamantane and some of its isotopomers. Empirical versus scaled semi-empirical force field, *Spectrochim. Acta, Part A* **1995**, *51*, 1643–1644.
[https://doi.org/10.1016/0584-8539\(95\)01416-R](https://doi.org/10.1016/0584-8539(95)01416-R)
- [37] K. Mlinarić-Majerski, D. Pavlović, Ž. Marinić: A facile, general route to adamantanophanes: synthesis and conformational behavior of [4.4](1,3)adamantanophan-*trans,trans*-1,8-diene, *Tetrahedron Lett.* **1996**, *37*, 4829–4832.
[https://doi.org/10.1016/0040-4039\(96\)00523-0](https://doi.org/10.1016/0040-4039(96)00523-0)
- [38] K. Mlinarić-Majerski, S. Kazazić, M. Vinković, G. Kragol: Solvent and temperature effects in π -route cyclization, *Croat. Chem. Acta* **1996**, *69*, 1339–1345.
<https://hrcak.srce.hr/135973>
- [39] P. Jakšić, K. Mlinarić-Majerski, B. Zorc, M. Dumić: Macromolecular prodrugs. 6. Kinetic study of poly[α,β -(*N*-2-hydroxyethyl-DL-aspartamide)]-ketoprofen hydrolysis, *Inter. J. Pharm.* **1996**, *135*, 177–182.
[https://doi.org/10.1016/0378-5173\(96\)04469-9](https://doi.org/10.1016/0378-5173(96)04469-9)
- [40] A. P. Marchand, K. A. Kumar, A. S. McKim, K. Mlinarić-Majerski, G. Kragol: Synthesis and alkali metal picrate extraction capabilities of novel cage-functionalized 17-crown-5 and 17-crown-6 ethers, *Tetrahedron* **1997**, *53*, 3467–3474.
[https://doi.org/10.1016/S0040-4020\(97\)00075-6](https://doi.org/10.1016/S0040-4020(97)00075-6)
- [41] G. Kragol, K. Mlinarić-Majerski: Synthesis of novel tricyclononanes, *Tetrahedron Lett.* **1997**, *38*, 5331–5334.
[https://doi.org/10.1016/S0040-4039\(97\)01165-9](https://doi.org/10.1016/S0040-4039(97)01165-9)
- [42] L. Bistričić, G. Baranović, D. Šafar-Cvitaš, K. Mlinarić-Majerski: Nature of bonding in [3.1.1] propellane: Vibrational spectra and normal coordinate analysis of 2,4-methano-2,4-didehydroadamantane, 2,4-(dimethylmethano)-2,4-didehydroadamantane and their dihydro congeners, *J. Phys. Chem. A* **1997**, *101*, 941–952.
<https://doi.org/10.1021/jp962503q>
- [43] K. Mlinarić-Majerski, J. Veljković, A. P. Marchand, B. Ganguly: Termodinamic rearrangement of the pentacyclo[5.4.0.0^{2,6}.0^{3,10}.0^{5,9}] undecane skeleton, *Tetrahedron* **1998**, *54*, 11381–11386.
[https://doi.org/10.1016/S0040-4020\(98\)00680-2](https://doi.org/10.1016/S0040-4020(98)00680-2)
- [44] K. Mlinarić-Majerski, D. Pavlović, V. Milinković, B. Kojić-Prodić: Synthesis and properties of a bis(2-butenyl)-bridged bis(adamantane): X-ray and molecular dynamic studies of the *trans,trans* isomer, *Eur. J. Org. Chem.* **1998**, 1231–1236.
[https://doi.org/10.1002/\(SICI\)1099-0690\(199806\)1998:6%3C1231::AID-EJOC1231%3E3.0.CO;2-1](https://doi.org/10.1002/(SICI)1099-0690(199806)1998:6%3C1231::AID-EJOC1231%3E3.0.CO;2-1)
- [45] A. P. Marchand, K. A. Kumar, K. Mlinarić-Majerski, J. Veljković: Intermolecular vs. intramolecular carbene reactions of a cage-functionalized cyclopentylcarbene, *Tetrahedron* **1998**, *54*, 15105–15112.
[https://doi.org/10.1016/S0040-4020\(98\)00909-0](https://doi.org/10.1016/S0040-4020(98)00909-0)
- [46] A. P. Marchand, S. Alihodžić, A. S. McKim, K. A. Kumar, K. Mlinarić-Majerski, T. Šumanovac, S. G. Bott: Synthesis and alkali metal picrate extraction compatibilities of a 4-oxahexacyclo-[5.4.1.0^{2,6}.0^{3,10}.0^{5,9}.0^{8,11}]-dodecane-derived cryptand: a new ionophore for selective ion complexation, *Tetrahedron Lett.* **1998**, *39*, 1861–1864.
[https://doi.org/10.1016/S0040-4039\(98\)00120-8](https://doi.org/10.1016/S0040-4039(98)00120-8)
- [47] L. Bistričić, G. Baranović, K. Mlinarić-Majerski: Vibrational analysis of 2-adamantanone and its deuterated isotopomers, *Spectrochim. Acta, Part A* **1998**, *54*, 1961–1986.
[https://doi.org/10.1016/S1386-1425\(98\)00158-9](https://doi.org/10.1016/S1386-1425(98)00158-9)
- [48] K. Mlinarić-Majerski, G. Kragol: Synthesis, reactions, and properties of 2,8-didehydronoradamantane derivatives, *Eur. J. Org. Chem.* **1999**, 1401–1406.
[https://doi.org/10.1002/\(SICI\)1099-0690\(199906\)1999:6%3C1401::AID-EJOC1401%3E3.0.CO;2-5](https://doi.org/10.1002/(SICI)1099-0690(199906)1999:6%3C1401::AID-EJOC1401%3E3.0.CO;2-5)
- [49] L. Bistričić, G. Baranović, K. Mlinarić-Majerski: Central bond vibrations in 1,1'-biadamantane, *J. Mol. Struct.* **1999**, *508*, 207–215.
[https://doi.org/10.1016/S0022-2860\(99\)00065-4](https://doi.org/10.1016/S0022-2860(99)00065-4)
- [50] K. Mlinarić-Majerski, A. Višnjevac, G. Kragol, B. Kojić-Prodić: Molecular structure of bis[(1,3)2-oxaadamantano]-18-crown-6 and its potassium picrate complex, *J. Mol. Struct.* **2000**, *554*, 279–287.
[https://doi.org/10.1016/S0022-2860\(00\)00675-X](https://doi.org/10.1016/S0022-2860(00)00675-X)
- [51] K. Mlinarić-Majerski, J. Veljković, M. Kaselj: Photolysis of 11-methylenepentacyclo[5.4.0.0^{2,6}.0^{3,10}.0^{5,9}]-undecan-8-spiro-3'-diazirine. Medium dependent reaction, *Croat. Chem. Acta* **2000**, *73*, 575–584.
<https://hrcak.srce.hr/132072>
- [52] T. Hayashita, T. Higuchi, H. Sawano, A. P. Marchand, K. A. Kumar, S. G. Bott, K. Mlinarić-Majerski, T. Šumanovac, N. S. A. Elkarim, H-S. Hwang, G. G. Talanova, R. A. Bartsch: Molecular design of lipophilic disalicylic acid compounds with varying spacers for selective lead(II) extraction, *Talanta* **2000**, *52*, 385–396.
[https://doi.org/10.1016/S0039-9140\(00\)00359-3](https://doi.org/10.1016/S0039-9140(00)00359-3)
- [53] K. Mlinarić-Majerski, G. Kragol: Design, synthesis and cation-binding properties of novel adamantane- and 2-oxaadamantane-containing crown ethers, *Tetrahedron* **2001**, *57*, 449–457.
[https://doi.org/10.1016/S0040-4020\(00\)01013-9](https://doi.org/10.1016/S0040-4020(00)01013-9)

- [54] J. C. Bryan, K. Mlinarić-Majerski, G. Kragol, A. P. Marchand: Crystal structure of 1,3-bis(hydroxymethyl)-2-oxadamantane, $C_{11}H_{18}O_3$, *Z. Kristallogr.* **2001**, 216, 277–279.
<https://doi.org/10.1524/ncrs.2001.216.14.287>
- [55] S. M. Williams, J. S. Brodbelt, A. P. Marchand, D. Cal, K. Mlinarić-Majerski: Metal complexation of thiacyclic macrocycles by electrospray ionization mass spectrometry, *Anal. Chem.* **2002**, 74, 4423–4433. <https://doi.org/10.1021/ac011227v>
- [56] J. Veljković, L. Klaić, K. Mlinarić-Majerski: Carbenes in polycyclic systems. Generation and fate of pentacyclo[5.4.0.0^{2,6}.0^{3,10}.0^{5,9}]undecanilidene species, *Tetrahedron Lett.* **2002**, 43, 7573–7575.
[https://doi.org/10.1016/S0040-4039\(02\)01761-6](https://doi.org/10.1016/S0040-4039(02)01761-6)
- [57] H. Vančik, V. Šimunić-Mežnarić, I. Čaleta, E. Meštrović, S. Milovac, K. Mlinarić-Majerski, J. Veljković: Solid state photochromism and thermo-chromism in nitroso monomer-dimer equilibrium, *J. Phys. Chem. B* **2002**, 106, 1576–1580.
<https://doi.org/10.1021/jp0115289>
- [58] K. Mlinarić-Majerski, M. Vinković, D. Škare, A. P. Marchand: Experimental evidence in support of transannular interactions in diketones, *ARKIVOC* **2002**, 30–37.
<https://doi.org/10.3998/ark.5550190.0003.404>
- [59] K. Mlinarić-Majerski, T. Šumanovac Ramljak: Synthesis and alkali metal binding properties of novel *N*-adamantylaza-crown ethers, *Tetrahedron* **2002**, 58, 4893–4898.
[https://doi.org/10.1016/S0040-4020\(02\)00444-1](https://doi.org/10.1016/S0040-4020(02)00444-1)
- [60] A. P. Marchand, D. Cal, K. Mlinarić-Majerski, K. Ejsmont, W. H. Watson: Cage-annulated thiacyclic macrocycles and thiacyclic crown ethers and thiacyclic cryptands, *J. Chem. Crystallogr.* **2002**, 32, 447–463.
<https://doi.org/10.1023/A:1021140609077>
- [61] L. Klaić, J. Veljković, K. Mlinarić-Majerski: Convenient synthesis of novel 1,3,7-trisubstituted bicyclo[3.3.1]-nonane derivatives, *Synth. Commun.* **2002**, 32, 89–97.
<https://doi.org/10.1081/SCC-120001513>
- [62] A. Višnjevac, B. Kojić-Prodić, M. Vinković, K. Mlinarić-Majerski: Dispiro[adamantane-2,2'1',3',6',9',11',14'-hexathiacyclohexadecane-10',2'-adamantane], *Acta Crystallogr., Sect. C: Struct. Chem.* **2003**, 59, 314–316.
<https://doi.org/10.1107/S0108270103008369>
- [63] A. P. Marchand, A. Hazlewood, Z. Huang, S. Kumar Vadlakonda, J.-D. Rocha, T. D. Power, K. Mlinarić-Majerski, L. Klaić, G. Kragol, J. C. Bryan: Stabilization of a K^+ -(bis-cage-annulated 20-crown-6) complex by bidentate picrate, *Struct. Chem.* **2003**, 14, 279–288.
<https://doi.org/10.1023/A:10238638>
- [64] G. Kragol, I. Benko, J. Muharemspahić, K. Mlinarić-Majerski: A cyclopropyl-homoallyl rearrangement accompanying the borane-mediated reduction of tosylhydrazones, *Eur. J. Org. Chem.* **2003**, 2622–2625. <https://doi.org/10.1002/ejoc.200300134>
- [65] I. Vujasinović, J. Veljković, K. Mlinarić-Majerski: New tin templates for the synthesis of macrocyclic polythiaether-polythiaester, *J. Org. Chem.* **2004**, 69, 8550–8553.
<https://doi.org/10.1021/jo048712l>
- [66] D. Šafar Cvitaš, B. Savin, K. Mlinarić-Majerski: Novel 1,4-disubstituted adamantane stereoisomers: Synthesis and spectroscopic characterization, *Croat. Chem. Acta* **2004**, 77, 619–625.
<https://hrcak.srce.hr/102992>
- [67] K. Mlinarić-Majerski, J. Veljković, M. Kaselj, A. P. Marchand: Dihaloadamantanes: Ring closure versus rearrangement or halogen-displacement reactions, *Eur. J. Org. Chem.* **2004**, 2923–2927.
<https://doi.org/10.1002/ejoc.200400121>
- [68] K. Mlinarić-Majerski, R. Margeta, J. Veljković: A facile and efficient one-pot synthesis of nitriles from carboxylic acids, *Synlett* **2005**, 2089–2091.
<https://doi.org/10.1055/s-2005-871967>
- [69] I. Vujasinović, J. Veljković, K. Mlinarić-Majerski, K. Molčanov, B. Kojić-Prodić: Solid-state tubular assemblies of thiolactones: synthesis and structural characterization, *Tetrahedron* **2006**, 62, 2868–2876.
<https://doi.org/10.1016/j.tet.2006.01.016>
- [70] K. Molčanov, B. Kojić-Prodić, M. Matković, K. Mlinarić-Majerski: Conformational chirality of dimethyl adamantoylmalonate, *Acta Crystallogr., Sect. E: Crystallogr. Commun.* **2006**, 62, o4824–o4826.
<https://doi.org/10.1107/S1600536806040141>
- [71] K. Molčanov, B. Kojić-Prodić, N. Basarić, K. Mlinarić-Majerski: 3-Acetamidoadamantane-1-carboxylic acid, *Acta Crystallogr., Sect. E: Crystallogr. Commun.* **2006**, 62, o5406–o5408.
<https://doi.org/10.1107/S1600536806045417>
- [72] Š. Horvat, K. Mlinarić-Majerski, Lj. Glavaš-Obrovac, A. Jakas, J. Veljković, S. Marcz, G. Kragol, M. Roščić, M. Matković, A. Milostić-Srb: Tumor-cell targeted methionine-enkephalin analogues containing unnatural amino acids: Design, synthesis and *in vitro* antitumor activity, *J. Med. Chem.* **2006**, 49, 3136–3142. <https://doi.org/10.1021/jm051026+>
- [73] M. Matković, J. Veljković, K. Mlinarić-Majerski, K. Molčanov, B. Kojić-Prodić: Design of a depside with a lipophilic adamantane moiety: Synthesis, crystal structure and molecular conformation, *J. Mol. Struct.* **2007**, 832, 191–198.
<https://doi.org/10.1016/j.molstruc.2006.08.022>

- [74] N. Basarić, K. Molčanov, M. Matković, B. Kojić-Prodić, K. Mlinarić-Majerski: Adamantane-retropeptides, new building blocks for molecular channels, *Tetrahedron* **2007**, *63*, 7985–7996. <https://doi.org/10.1016/j.tet.2007.05.066>
- [75] M. Renić, N. Basarić, K. Mlinarić-Majerski: Adamantane-dipyrromethanes: Novel anion sensors, *Tetrahedron Lett.* **2007**, *48*, 7873–7877. <https://doi.org/10.1016/j.tetlet.2007.08.122>
- [76] Z. Džolić, R. Margeta, M. Vinković, Z. Štefanić, B. Kojić-Prodić, K. Mlinarić-Majerski, M. Žinić: *N*-Methylation of adamantane-substituted oxalamide unit affects its conformational rigidity: A skew conformation of the oxalamide bridge, *J. Mol. Struct.* **2008**, *876*, 218–224. <https://doi.org/10.1016/j.molstruc.2007.06.024>
- [77] K. Mlinarić-Majerski, G. Kragol, T. Šumanovac Ramljak: Transannular cyclization with Grignard reagents: Facile synthetic routes to oxaadamantane and protoadamantane derivatives, *Synlett* **2008**, *3*, 405–409. <https://doi.org/10.1055/s-2008-1032054>
- [78] L. Klaić, M. Alešković, J. Veljković, K. Mlinarić-Majerski: Carbenes in polycyclic systems: Generation and fate of potential adamantane-1,3-dicarbenes, *J. Phys. Org. Chem.* **2008**, *21*, 299–305. <https://doi.org/10.1002/poc.1319>
- [79] B. Ganguly, A. Singh, N. Basarić, M. Matković, K. Mlinarić-Majerski: Conformational analysis of 2-(1-adamantyl)-3-hydroxybutyric acid by ¹H NMR spectroscopy and computational studies, *J. Mol. Struct.* **2008**, *888*, 238–243. <https://doi.org/10.1016/j.molstruc.2007.12.022>
- [80] N. Basarić, M. Horvat, K. Mlinarić-Majerski, E. Zimmermann, J. Neudörfl, Axel G. Griesbeck: Novel 2,4-methanoadamantane-benzazepine by a domino photochemistry of *N*-(1-adamantyl)phthalimide, *Org. Lett.* **2008**, *10*, 3965–3968. <https://doi.org/10.1021/ol801362x>
- [81] I. Vujasinović, J. Veljković, K. Molčanov, B. Kojić-Prodić, K. Mlinarić-Majerski: Thiamacrocyclic Lactones: New Ag(I)-ionophores, *J. Org. Chem.* **2008**, *73*, 9221–9227. <https://doi.org/10.1021/jo801143s>
- [82] M. Roščić, V. Sabljčić, K. Mlinarić-Majerski, Š. Horvat: *In vitro* enzymatic stabilities of methionine-enkephalin analogues containing an adamantane-type amino acid, *Croat. Chem. Acta* **2008**, *81*, 637–640. <https://hrcak.srce.hr/31190>
- [83] I. Vujasinović, K. Mlinarić-Majerski, B. Bertoša, S. Tomić: Influence of the rigid spacer to macrocyclization of poly(thialactones): Synthesis and computational analysis, *J. Phys. Org. Chem.* **2009**, *22*, 431–437. <https://doi.org/10.1002/poc.1479>
- [84] N. Basarić, M. Horvat, O. Franković, K. Mlinarić-Majerski, J. Neudörfl, A. G. Griesbeck: Photoinduced hydrogen atom abstraction in *N*-(adamantyl)-phthalimides: Structure-reactivity study in the solid state, *Tetrahedron* **2009**, *65*, 1438–1443. <https://doi.org/10.1016/j.tet.2008.12.010>
- [85] M. Alešković, I. Halasz, N. Basarić, K. Mlinarić-Majerski: Synthesis, structural characterization and anion binding ability of sterically congested adamantane-calix[4]pyrroles and adamantane-calixpyrins, *Tetrahedron* **2009**, *65*, 2051–2058. <https://doi.org/10.1016/j.tet.2009.01.007>
- [86] D. Milić, M. Alešković, D. Matković-Čalogović, K. Mlinarić-Majerski: (1-Adamantyl)methyl esters: Whole-molecule disorder in the crystal structure of (1-adamantyl)methyl-1-adamantanecarboxylate, *Croat. Chem. Acta* **2009**, *82*, 833–839. <https://hrcak.srce.hr/45630>
- [87] M. Horvat, H. Gerner, K. D. Warzecha, J. Neudorfil, A. G. Griesbeck, K. Mlinarić-Majerski, N. Basarić: Photoinitiated domino reactions: *N*-(Adamantyl)-phthalimides and *N*-(adamantylalkyl)phthalimides, *J. Org. Chem.* **2009**, *74*, 8219–8231. <https://doi.org/10.1021/jo901753z>
- [88] N. Basarić, I. Žabčić, K. Mlinarić-Majerski, P. Wan: Photochemical formation and chemistry of long-lived adamantylidene-quinone methides and 2-adamantyl cations, *J. Org. Chem.* **2010**, *75*, 102–116. <https://doi.org/10.1021/jo902004n>
- [89] M. Alešković, N. Basarić, K. Mlinarić-Majerski, K. Molčanov, B. Kojić-Prodić, M. K. Kesharwani, B. Ganguly: Anion recognition through hydrogen bonding by adamantane-dipyrromethane receptors, *Tetrahedron* **2010**, *66*, 1689–1698. <https://doi.org/10.1016/j.tet.2010.01.018>
- [90] M. Gredičak, F. Supek, M. Kralj, Z. Majer, M. Hollosi, T. Šmuc, K. Mlinarić-Majerski, Š. Horvat: Computational structure-activity study directs synthesis of novel antitumor enkephalin analogs, *Amino Acids* **2010**, *38*, 1185–1191. <https://doi.org/10.1007/s00726-009-0329-5>
- [91] N. Basarić, A. Franco-Cea, M. Alešković, K. Mlinarić-Majerski, P. Wan: Photochemical deuterium exchange in phenyl-substituted pyrroles and indoles in CD₃CN–D₂O, *Photochem. Photobiol. Sci.* **2010**, *9*, 779–790. <https://doi.org/10.1039/b9pp00206e>
- [92] B. Ganguly, A. Singh, M. Matković, N. Basarić, M. K. Kesharwani, K. Mlinarić-Majerski: Hydrolysis and Retro-Aldol Cleavage of Ethyl *threo*-2-(1-adamantyl)-3-hydroxybutyrate: Competing Reactions, *J. Phys. Org. Chem.* **2011**, *24*, 578–587. <https://doi.org/10.1002/poc.1793>

- [93] M. Horvat, K. Mlinarić-Majerski, A. G. Griesbeck, N. Basarić: Photoinduced decarboxylation of 3-(*N*-phthalimido)adamantane-1-carboxylic acid and radical addition to electron deficient alkenes, *Photochem. Photobiol. Sci.* **2011**, *10*, 610–617. <https://doi.org/10.1039/c0pp00357c>
- [94] N. Cindro, M. Horvat, K. Mlinarić-Majerski, A. G. Griesbeck, N. Basarić: Photoinduced homolytic C–H activation in *N*-(4-homoadamantyl)phthalimide, *Beil. J. Org. Chem.* **2011**, *7*, 270–277. <https://doi.org/10.3762/bjoc.7.36>
- [95] N. Basarić, N. Cindro, Y. Hou, I. Žabčić, K. Mlinarić-Majerski, P. Wan: Competing photodehydration and ESIP in adamantyl derivatives of 2-phenylphenols, *Can. J. Chem.* **2011**, *89*, 221–234. <https://doi.org/10.1139/V10-102>
- [96] V. Blažek, N. Bregović, K. Mlinarić-Majerski, N. Basarić: Phosphate selective alkylenebisurea receptors: Structure-binding relationship, *Tetrahedron* **2011**, *67*, 3846–3857. <https://doi.org/10.1016/j.tet.2011.03.096>
- [97] M. Alešković, N. Basarić, K. Mlinarić-Majerski: Optimization of the Suzuki coupling reaction in the synthesis of 2-[(2-substituted)-phenyl]pyrrole derivatives, *J. Het. Chem.* **2011**, *48*, 1329–1335. <https://doi.org/10.1002/jhet.792>
- [98] R. Glaser, A. Steinberg, M. Šekutor, F. Rominger, O. Trapp, K. Mlinarić-Majerski: Stereochemistry of 2,6-diaminoadamantane salts: Transannular interactions, *Eur. J. Org. Chem.* **2011**, 3500–3506. <https://doi.org/10.1002/ejoc.201001635>
- [99] J. Veljković, M. Šekutor, K. Molčanov, R. Lo, B. Ganguly, K. Mlinarić-Majerski: Structural studies of PCU-hydrazones: NMR spectroscopy, X-ray diffractions, and DFT calculations, *J. Mol. Struct.* **2011**, *997*, 46–52. <https://doi.org/10.1016/j.molstruc.2011.04.030>
- [100] F. Supek, T. Šumanovac Ramljak, M. Marjanović, M. Buljubašić, G. Kragol, N. Ilić, T. Šmuc, D. Zahradka, K. Mlinarić-Majerski, M. Kralj: Could LogP be a principal determinant of biological activity in 18-crown-6 ethers? Synthesis of biologically active adamantane-substituted diaza-crowns, *Eur. J. Med. Chem.* **2011**, *46*, 3444–3454. <https://doi.org/10.1016/j.ejmech.2011.05.009>
- [101] O. K. Onajole, S. Sosibo, P. Govender, T. Govender, P. D. van Helden, G. E. M. Maguire, K. Mlinarić-Majerski, I. Wiid, H. G. Kruger: Novel linear diamine disubstituted polycyclic ‘cage’ derivatives as potential anti-mycobacterial candidates, *Chem. Biol. Drug Des.* **2011**, *78*, 1022–1030. <https://doi.org/10.1111/j.1747-0285.2011.01242.x>
- [102] N. Basarić, N. Cindro, D. Bobinac, K. Mlinarić-Majerski, L. Uzelac, M. Kralj, P. Wan: Sterically congested quinone methides in photodehydration reactions of 4-hydroxybiphenyl derivatives and investigation of their antiproliferative activity, *Photochem. Photobiol. Sci.* **2011**, *10*, 1910–1925. <https://doi.org/10.1039/c1pp05182b>
- [103] V. Blažek, K. Mlinarić-Majerski, W. Qin, N. Basarić: Photophysical study of the aggregation of naphthyl-, anthryl- and pyrenyl- adamantanebisurea derivatives, *J. Photochem. Photobiol., A* **2012**, *229*, 1–10. <https://doi.org/10.1016/j.jphotochem.2011.12.005>
- [104] N. Basarić, N. Cindro, D. Bobinac, L. Uzelac, K. Mlinarić-Majerski, M. Kralj, P. Wan: Zwitterionic biphenyl quinone methides in photodehydration reactions of 3-hydroxybiphenyl derivatives: laser flash photolysis and antiproliferation study, *Photochem. Photobiol. Sci.* **2012**, *11*, 381–396. <https://doi.org/10.1039/c1pp05338h>
- [105] M. Horvat, L. Uzelac, M. Marjanović, N. Cindro, O. Franković, K. Mlinarić-Majerski, M. Kralj, N. Basarić: Evaluation of antiproliferative effect of *N*-(alkyladamantyl)phthalimides *in vitro*, *Chem. Biol. Drug Des.* **2012**, *79*, 497–506. <https://doi.org/10.1111/j.1747-0285.2011.01305.x>
- [106] I. Vujasinović, A. Paravić-Radičević, K. Mlinarić-Majerski, K. Brajša, B. Bertoša: Synthesis and biological validation of novel pyrazole derivatives with anticancer activity guided by 3D-QSAR analysis, *Bioorg. Med. Chem.* **2012**, *20*, 2101–2110. <https://doi.org/10.1016/j.bmc.2012.01.032>
- [107] M. Šekutor, K. Mlinarić-Majerski, T. Hrenar, S. Tomić, I. Primožič: Adamantane-substituted guanlylhydrazones: Novel inhibitors of butyrylcholinesterase, *Bioorg. Chem.* **2012**, *41-42*, 28–34. <https://doi.org/10.1016/j.bioorg.2012.01.004>
- [108] J. Veljković, L. Uzelac, K. Molčanov, K. Mlinarić-Majerski, M. Kralj, P. Wan, N. Basarić: Sterically congested adamantylnaphthalene quinone methides, *J. Org. Chem.* **2012**, *77*, 4596–4610. <https://doi.org/10.1021/jo3002479>
- [109] M. Matković, K. Molčanov, R. Glaser, K. Mlinarić-Majerski: Adamantyl- β -butyrolactones: Synthesis and ring-opening reactions, *Tetrahedron* **2012**, *68*, 8795–8804. <https://doi.org/10.1016/j.tet.2012.07.102>
- [110] T. Šumanovac Ramljak, K. Mlinarić-Majerski, B. Bertoša: Alkali metal ion complexation of adamantane functionalized diaza-bibracchial lariat ethers, *Croat. Chem. Acta* **2012**, *85*, 559–568. <https://doi.org/10.5562/cca2100>

- [111] J. Veljković, I. Antol, N. Basarić, V. Smrečki, K. Molčanov, N. Müller, K. Mlinarić-Majerski: Atropisomerism in 1-(2-adamantyl)naphthalene derivatives, *J. Mol. Struct.* **2013**, *1046*, 101–109. <https://doi.org/10.1016/j.molstruc.2013.04.027>
- [112] T. Šumanovac Ramljak, I. Despotović, B. Bertoša, K. Mlinarić-Majerski: Synthesis and alkali metal complexation studies of novel cage-functionalized cryptands, *Tetrahedron* **2013**, *69*, 10610–10620. <https://doi.org/10.1016/j.tet.2013.10.039>
- [113] M. Šekutor, Z. Glasovac, K. Mlinarić-Majerski: Neighboring effect in fragmentation pathways of cage guanylhydrazones in the gas phase, *J. Phys. Chem. A* **2013**, *117*, 2242–2252. <https://doi.org/10.1021/jp311049f>
- [114] N. Cindro, I. Halasz, K. Mlinarić-Majerski, N. Basarić: Photoinduced H-abstraction in homo- and protoadamantylphthalimide derivatives in solution and in organized and constrained media, *Eur. J. Org. Chem.* **2013**, 929–938. <https://doi.org/10.1002/ejoc.201201332>
- [115] V. Blažek, K. Molčanov, K. Mlinarić-Majerski, B. Kojić-Prodić, N. Basarić: Adamantane bisurea derivatives: Anion binding in the solution and in the solid state, *Tetrahedron* **2013**, *69*, 517–526. <https://doi.org/10.1016/j.tet.2012.11.030>
- [116] N. Basarić, N. Došlić, J. Ivković, Y.-H. Wang, J. Veljković, K. Mlinarić-Majerski, P. Wan: Excited state intramolecular proton transfer (ESIPT) from phenol to carbon in selected phenylnaphthols and naphthylphenols, *J. Org. Chem.* **2013**, *78*, 1811–1823. <https://doi.org/10.1021/jo301456y>
- [117] M. Alešković, N. Basarić, I. Halasz, X. Liang, W. Qin, K. Mlinarić-Majerski: Aryl substituted adamantane-dipyromethanes: Chromogenic and fluorescent anion sensors, *Tetrahedron* **2013**, *69*, 1725–1734. <https://doi.org/10.1016/j.tet.2012.12.026>
- [118] Đ. Škalamera, K. Mlinarić-Majerski, L. Uzelac, M. Kralj, P. Wan, N. Basarić: Photosolvolytic of bulky (4-hydroxyphenyl)naphthalene derivatives, *Photochem. Photobiol. Sci.* **2013**, *12*, 2043–2056. <https://doi.org/10.1039/c3pp50190f>
- [119] B. Ganguly, M. K. Kesharwani, N. Basarić, E. Suresh, A. K. Biswas, K. Mlinarić-Majerski: Conformational preference of glycinamide in solution: An answer derived from combined computational and experimental studies, *J. Mol. Graphics Modell.* **2013**, *46*, 52–58. <https://doi.org/10.1016/j.jmgm.2013.09.007>
- [120] M. Matković, S. Vukelić, R. Cirimotić, G. Kragol, K. Molčanov, K. Mlinarić-Majerski: Synthesis of novel adamantyl and homoadamantyl substituted β -hydroxybutyric acids, *Mol. Diversity* **2013**, *17*, 817–826. <https://doi.org/10.1007/s11030-013-9481-7>
- [121] L. Cao, M. Šekutor, P. Y. Zavalij, K. Mlinarić-Majerski, R. Glaser, L. Isaacs: Cucurbit[7]uril-guest pair with an attomolar dissociation constant, *Angew. Chem. Int. Ed.* **2014**, *53*, 988–993. <https://doi.org/10.1002/anie.201309635>
- [122] N. Basarić, M. Sohora, N. Cindro, K. Mlinarić-Majerski, E. De Clercq, J. Balzarini: Antiproliferative and antiviral activity of three libraries of adamantane derivatives, *Arch. Pharm.* **2014**, *347*, 334–340. <https://doi.org/10.1002/ardp.201300345>
- [123] M. Šekutor, K. Molčanov, L. Cao, L. Isaacs, R. Glaser, K. Mlinarić-Majerski: Design, synthesis, and X-ray structural analyses of diamantane diammonium salts: Guests for cucurbit[n]uril (CB[n]) hosts, *Eur. J. Org. Chem.* **2014**, 2533–2542. <https://doi.org/10.1002/ejoc.201301844>
- [124] M. Alešković, N. Basarić, N. Došlić, V. Tomišić, K. Mlinarić-Majerski: HSO₄⁻ sensing based on proton transfer in H-bonding complexes, *Supramol. Chem.* **2014**, *26*, 850–855. <https://doi.org/10.1080/10610278.2014.883077>
- [125] Đ. Škalamera, K. Mlinarić-Majerski, I. Martin-Kleiner, M. Kralj, P. Wan, N. Basarić: Near-visible light generation of a quinone methide from 3-hydroxymethyl-2-anthrol, *J. Org. Chem.* **2014**, *79*, 4390–4397. <https://doi.org/10.1021/jo500290y>
- [126] T. Šumanovac Ramljak, M. Sohora, I. Antol, D. Kontrec, N. Basarić, K. Mlinarić-Majerski: Memory of chirality in the phthalimide photocyclization of adamantane dipeptides, *Tetrahedron Lett.* **2014**, *55*, 4078–4081. <https://doi.org/10.1016/j.tetlet.2014.05.118>
- [127] M. Šekutor, A. Štimac, K. Mlinarić-Majerski, R. Frkanec: Syntheses and characterization of liposome-incorporated adamantyl aminoguanidines, *Org. Biomol. Chem.* **2014**, *12*, 6005–6013. <https://doi.org/10.1039/C4OB00592A>
- [128] M. Petrovičić, M. Alešković, K. Mlinarić-Majerski: One-pot synthesis of pyrrolo[1,2-c]quinazolinone derivatives, *Synlett* **2014**, *25*, 2769–2772. <https://doi.org/10.1055/s-0034-1379183>
- [129] M. Šekutor, K. Mlinarić-Majerski: Adamantyl aminoguanidines as receptors for oxo-anions, *Tetrahedron Lett.* **2014**, *55*, 6665–6670. <https://doi.org/10.1016/j.tetlet.2014.10.062>
- [130] M. Sohora, T. Šumanovac Ramljak, K. Mlinarić-Majerski, N. Basarić: Photodecarboxylation of *N*-adamantyl- and *N*-phenylphthalimide dipeptide derivatives, *Croat. Chem. Acta* **2014**, *87*, 431–446. <https://doi.org/10.5562/cca2482>

- [131] K. Mirosavljević, M. Matković, K. Mlinarić-Majerski, V. Noethig-Laslo: Effect of adamantyl compounds on dynamics of spin labelled multilamellar liposomes, *Croat. Chem. Acta* **2014**, *87*, 249–253. <https://doi.org/10.5562/cca2399>
- [132] M. Kralj, L. Uzelac, Y.-H. Wang, P. Wan, M. Tireli, K. Mlinarić-Majerski, I. Piantanida, N. Basarić: Enhancement of antiproliferative activity by phototautomerization of anthrylphenols, *Photochem. Photobiol. Sci.* **2015**, *14*, 1082–1092. <https://doi.org/10.1039/C5PP00099H>
- [133] N. Cindro, I. Antol, K. Mlinarić-Majerski, I. Halasz, P. Wan, N. Basarić: Reactivity of cations and zwitterions formed in photochemical and acid-catalyzed reactions from *m*-hydroxycycloalkyl substituted phenol derivatives, *J. Org. Chem.* **2015**, *80*, 12420–12430. <https://doi.org/10.1021/acs.joc.5b02297>
- [134] L. Cao, Đ. Škalamera, P. Y. Zavalij, J. Hostaš, P. Hobza, K. Mlinarić-Majerski, R. Glaser, L. Isaacs: Influence of hydrophobic residues on the binding of CB[7] toward diammonium ions of common ammonium...ammonium distance, *Org. Biomol. Chem.* **2015**, *13*, 6249–6254. <https://doi.org/10.1039/C5OB00784D>
- [135] V. Blažek Bregović, I. Halasz, N. Basarić, K. Mlinarić-Majerski: Anthracene adamantylbisurea receptors: switching of anion binding by photocyclization, *Tetrahedron* **2015**, *71*, 9321–9327. <https://doi.org/10.1016/j.tet.2015.10.013>
- [136] M. Šekutor, S. Opačak, M. Alešković, K. Mlinarić-Majerski: Synthesis and anion binding properties of a novel 1,8-dipyrrolocarbazole Schiff-base, *Croat. Chem. Acta* **2015**, *88*, 405–411. <https://doi.org/10.5562/cca2765>
- [137] Đ. Škalamera, L. Cao, L. Isaacs, R. Glaser, K. Mlinarić-Majerski: Steric hindrance to the syntheses and stabilities of 1,5- and 2,6-naphthalene *N*-permethylated diammonium salts, *Tetrahedron* **2016**, *72*, 1541–1546. <https://doi.org/10.1016/j.tet.2016.02.002>
- [138] T. Govender, U. Govinden, C. Mocktar, H. G. Kruger, J. Veljković, N. Cindro, D. Bobinac, I. Žabčić, K. Mlinarić-Majerski, N. Basarić: *In vitro* investigation of the antimicrobial activity of a series of lipophilic phenols and naphthols, *S. Afr. J. Chem.* **2016**, *69*, 44–50. <https://doi.org/10.17159/0379-4350/2016/v69a6>
- [139] J. Hostaš, D. Sigwalt, M. Šekutor, H. Ajani, M. Dubecký, J. Řezáč, P. Y. Zavalij, L. Cao, C. Wohlschläger, K. Mlinarić-Majerski, L. Isaacs, R. Glaser, P. Hobza: A nexus between theory and experiment: Non-empirical quantum mechanical computational methodology applied to cucurbit[n]-uril-guest binding interactions, *Chem. Eur. J.* **2016**, *22*, 17226–17238. <https://doi.org/10.1002/chem.201601833>
- [140] L. Mandić, K. Mlinarić-Majerski, A. G. Griesbeck, N. Basarić: Photodecarboxylation of adamantane amino acids activated by phthalimide, *Eur. J. Org. Chem.* **2016**, 4404–4414. <https://doi.org/10.1002/ejoc.201600491>
- [141] L. Uzelac, Đ. Škalamera, K. Mlinarić-Majerski, N. Basarić, M. Kralj: Selective photocytotoxicity of anthrols on cancer stem-like cells: The effect of quinone methides or reactive oxygen species, *Eur. J. Med. Chem.* **2017**, *137*, 558–574. <https://doi.org/10.1016/j.ejmech.2017.05.063>
- [142] M. Sohora, N. Vidović, K. Mlinarić-Majerski, N. Basarić: Synthesis and photochemical reactivity of phthalimidoadamantane-tyrosine conjugates, *Res. Chem. Intermed.* **2017**, *43*, 5305–5320. <https://doi.org/10.1007/s11164-017-2927-2>
- [143] Đ. Škalamera, J. Veljković, L. Ptiček, M. Sambol, K. Mlinarić-Majerski, N. Basarić: Synthesis of asymmetrically disubstituted anthracenes, *Tetrahedron* **2017**, *73*, 5892–5899. <https://doi.org/10.1016/j.tet.2017.08.038>
- [144] Đ. Škalamera, K. Mlinarić-Majerski, I. Martin-Kleiner, M. Kralj, J. Oake, P. Wan, C. Bohne, N. Basarić: Photochemical formation of anthracene quinone methide derivatives, *J. Org. Chem.* **2017**, *82*, 6006–6021. <https://doi.org/10.1021/acs.joc.6b02735>
- [145] D. Sigwalt, M. Šekutor, L. Cao, P. Y. Zavalij, J. Hostaš, H. Ajani, P. Hobza, K. Mlinarić-Majerski, R. Glaser, L. Isaacs: Unraveling the structure-affinity relationship between cucurbit[n]urils (n = 7, 8) and cationic diamondoids, *J. Am. Chem. Soc.* **2017**, *139*, 3249–3258. <https://doi.org/10.1021/jacs.7b00056>
- [146] M. Alešković, M. Glavaš, M. Šekutor, K. Mlinarić-Majerski: Synthesis and anion binding assessment of novel adamantane amidopyrroles, *Croat. Chem. Acta* **2017**, *90*, 637–643. <https://doi.org/10.5562/cca3248>
- [147] M. Sohora, M. Vazdar, I. Sović, K. Mlinarić-Majerski, N. Basarić: Photocyclization of tetra- and pentapeptides containing adamantylphthalimide and phenylalanines: Reaction efficiency and diastereoselectivity, *J. Org. Chem.* **2018**, *83*, 14905–14922. <https://doi.org/10.1021/acs.joc.8b01785>
- [148] Đ. Škalamera, M. Matković, L. Uzelac, M. Kralj, K. Mlinarić-Majerski, C. Bohne, N. Basarić: Photodeamination to quinone methides in cucurbit[n]urils: Potential application in drug delivery, *Org. Biomol. Chem.* **2018**, *16*, 8908–8912. <https://doi.org/10.1039/C8OB02605J>
- [149] Đ. Škalamera, I. Antol, K. Mlinarić-Majerski, H. Vančik, D. L. Phillips, J. Ma, N. Basarić: Ultrafast adiabatic photodehydration of *o*-hydroxymethylphenol and formation of quinone methide, *Chem. Eur. J.* **2018**, *24*, 9426–9435. <https://doi.org/10.1002/chem.201801543>

- [150] I. Guberović, M. Marjanović, M. Mioč, K. Ester, I. Martin-Kleiner, T. Šumanovac Ramljak, K. Mlinarić-Majerski, M. Kralj: Crown ethers reverse P-glycoprotein-mediated multidrug resistance in cancer cells, *Sci. Rep.* **2018**, *8*, 14467. <https://doi.org/10.1038/s41598-018-32770-y>
- [151] T. Šumanovac, M. Alešković, M. Šekutor, M. Matković, T. Baron, K. Mlinarić-Majerski, C. Bohne, N. Basarić: Photoelimination of nitrogen from adamantane and pentacycloundecane (PCU) diazirines: Spectroscopic study and supramolecular control, *Photochem. Photobiol. Sci.* **2019**, *18*, 1806–1822. <https://doi.org/10.1039/C9PP00124G>
- [152] P. Benčić, L. Mandić, I. Džeba, I. Tartaro Bujak, L. Biczók, B. Mihaljević, K. Mlinarić-Majerski, I. Weber, M. Kralj, N. Basarić: Application of 4-amino-*N*-adamantylphthalimide solvatochromic dye for fluorescence microscopy in selective visualization of lipid droplets and mitochondria, *Sens. Actuators, B* **2019**, *286*, 52–61. <https://doi.org/10.1016/j.snb.2019.01.102>

REVIEW ARTICLES

- [1] K. Mlinarić-Majerski: Carbon-carbon twist bent bonds, *Kem. Ind.* **1987**, *36*, 71–76. <https://doi.org/10.1002/chin.198730361>
- [2] K. Mlinarić-Majerski: Nontetrahedral carbon atom, *Priroda* **1989**, *3*, 14–15.
- [3] K. Mlinarić-Majerski, S. Hiršl Starčević: Reactive molecules – carbenes, *Kem. Ind.* **1991**, *40*, 5–12.
- [4] D. Škare, K. Mlinarić-Majerski: Polynitropolycyclic cage compounds, *Kem. Ind.* **1993**, *42*, 267–285.
- [5] A. Ferle-Vidović, D. Petrović, L. Šuman, D. Škare, K. Mlinarić-Majerski, M. Kaselj, M. Lasić: Adamantyl phencyclidine - a potential effective radioprotector, *Period. Biolog.* **1995**, *97*, 41–44.
- [6] K. Mlinarić-Majerski: Adamantane – half a century after Prelog's synthesis, *Kem. Ind.* **1997**, *46*, 69–72.
- [7] K. Mlinarić-Majerski, G. Kragol: Crown ethers embodied cubane, pentacycloundecane and adamantane moieties, *Kem. Ind.* **2000**, *49*, 239–247.
- [8] A. P. Marchand, A. S. McKim, S. Alihodžić, H-S. Chong, M. Takhi, K. Mlinarić-Majerski, T. Šumanovac, G. Kragol: Novel cage-annulated crown ethers, cryptands and molecular boxes. A new class of ionophores for selective ion complexation, *Kem. Ind.* **2001**, *50*, 129–138.
- [9] K. Mlinarić-Majerski: Adamantane as a building block in the construction of crown ethers and cryptands: synthesis, structure and properties, *Kem. Ind.* **2004**, *53*, 359–366.
- [10] K. Mlinarić-Majerski, R. Margeta, J. Veljković: A facile and efficient one-pot synthesis of nitriles from carboxylic acids, *Chem. Inform.* **2005**, *36*, 46. <https://doi.org/10.1002/chin.200551046>
- [11] A. P. Marchand, J. S. Brodbelt, K. Mlinarić-Majerski: Synthesis and evaluation of metal cation complexation properties of cage-annulated macrocyclic hosts via electrospray ionization mass spectrometry (ESI-MS), *Kem. Ind.* **2005**, *54*, 89–98. <https://doi.org/10.1002/chin.200531275>
- [12] K. Mlinarić-Majerski, I. Vujasinović: Adamantane, the building block in the construction of macrocyclic systems, *Kem. Ind.* **2007**, *56*, 145–150.
- [13] K. Mlinarić-Majerski, T. Šumanovac Ramljak: Phane nomenclature. Part II: Modification of the degree of hydrogenation and substitution derivatives of phane parent hydrides, *Kem. Ind.* **2010**, *59*, 295–310.
- [14] M. Horvat, K. Mlinarić-Majerski, N. Basarić: Photochemistry of *N*-alkyl and *N*-aryl substituted phthalimides: H-abstractions, single electron transfer and cycloadditions, *Croat. Chem. Acta* **2010**, *83*, 179–188. <https://hrcak.srce.hr/56021>
- [15] K. Mlinarić-Majerski, M. Šekutor, I. Škorić: 70th Anniversary of the first synthesis of adamantane, *Kem. Ind.* **2011**, *60*, 619–631.
- [16] N. Basarić, K. Mlinarić-Majerski, M. Kralj: Quinone methides: photochemical generation and its application in biomedicine, *Curr. Org. Chem.* **2014**, *18*, 3–18. <https://doi.org/10.2174/138527281801140121122330>
- [17] V. Blažek Bregović, N. Basarić, K. Mlinarić-Majerski: Anion binding with urea and thiourea derivatives, *Coord. Chem. Rev.* **2015**, *295*, 80–124. <https://doi.org/10.1016/j.ccr.2015.03.011>
- [18] M. Šekutor, K. Mlinarić-Majerski: Bioactive molecules – polycyclic guanidine derivatives, *Kem. Ind.* **2015**, *64*, 125–141. <https://doi.org/10.15255/KUI.2014.001>
- [19] A. Štimac, M. Šekutor, K. Mlinarić-Majerski, L. Frkanec, R. Frkanec: Adamantane in drug delivery systems and surface recognition, *Molecules* **2017**, *22*, 297. <https://doi.org/10.3390/molecules22020297>

BOOKS AND BOOK CHAPTERS

- [1] *Vodič kroz IUPAC-ovu nomenklaturu organskih spojeva*, I. Bregovec, Š. Horvat, K. Majerski, V. Rapić (ur.), Zagreb, Školska knjiga, 2002.
- [2] *Nomenklatura policikličkih spojeva, fanskih sustava i spiro-spojeva*, K. Majerski, I. Bregovec, (ur.), Zagreb, HDKI: Kemija u industriji, 2006.
- [3] *Distorted Saturated Hydrocarbons: Molecules with Inverted Carbon Atoms*, K. Majerski In *Strained Hydrocarbons*, H. Dodziuk (Ed.), Wiley-VCH Verlag, 2009, 33–43.

PATENTS

- [1] M. Kaselj, K. Majerski, I. Jukić, D. Škare: Postupak za pripremu 1-(2-fenil-2-adamantil)amina, YU/140/91.
- [2] Š. Horvat, K. Majerski, Lj. Glavaš-Obrovac, A. Jakas, J. Veljković, M. Roščić, G. Kragol, I. Karner: Sintetski peptidi s neprirodnim adamantanskim amino-kiselinama za uporabu kao protutumorski lijekovi, P20050242.
- [3] Š. Horvat, K. Majerski, Lj. Glavaš-Obrovac, A. Jakas, J. Veljković, M. Roščić, G. Kragol, I. Karner: Synthetic peptides containing unnatural adamantane-related amino acids for use as antitumor drugs, WO2006097774.
- [4] N. Basarić, M. Renić, K. Mlinarić-Majerski: Derivati adamantanskih dipirometana, metoda, pripreve i upotreba za detekciju aniona, P20070111A.
- [5] N. Basarić, M. Renić, K. Mlinarić-Majerski: Adamantane-dipyrrromethane derivatives, method of preparation and applications in anion sensing, WO2008114067.
- [6] N. Basarić, V. Blažek, K. Mlinarić-Majerski: Adamantanski bisureidni derivati, metoda pripreve i primjena u detekciji aniona, P20090186A2.
- [7] M. Kralj, K. Majerski, T. Šumanovac Ramljak, M. Marjanović: Adamantane derivatives of aza-crown ethers and their use in treatment of tumor, WO2010146404.
- [8] N. Basarić, M. Alešković, K. Majerski: Adamantane-dipyrrromethane derivatives, method of preparation and applications in anion sensing, EP2129656.

INVITED LECTURES

- [1] *Molecules with twist bent σ -bond*, University of Toledo, Toledo, USA, July, 1988.
- [2] *Adamantane - a fascinating molecule*, Faculty of Natural Sciences and Mathematics, University of Zagreb, April, 1994.
- [3] *Adamantane as a building block in the construction of molecular receptors*, University of North Texas, Denton, USA, March, 1996.
- [4] *The synthesis and properties of cyclotetradeca-1,8-diene with adamantane as building blocks*, State University of New York, Stony Brook, USA, April, 1996.
- [5] *Adamantane - half a century after Prelog's synthesis*, Symposium "Vladimir Prelog and Croatian Chemistry", Zagreb, September, 1996.
- [6] *Cyclopropylcarbinyl intermediates: Power tools in organic synthesis. From brendene to didehydronoradamantane and back*, University of North Texas, Denton, USA, April, 1998.

- [7] *Intramolecular Wurtz reaction. Evidence for the S_N2 -coupling*, University of North Texas, Denton, USA, June, 2000.
- [8] *Synthesis of novel adamantane-containing crowns and studies of their selectivities toward alkali metal ion complexation*, University of Utah, Salt Lake City, USA, July, 2000.
- [9] *Adamantane chemistry back in Zagreb*, Symposium "60-Years after Prelog-Seiwert synthesis of adamantane", HAZU, Zagreb, May 22, 2001.
- [10] *Novel adamantane-containing crown ethers and cryptands: New class of ionophores for selective ion complexation*, 27th Eurasia Conference on Chemical Sciences, Karachi, Pakistan, March 8-12, 2002.
- [11] *Carbenes in polycyclic systems. Generation and fate of carbene and dicarbene species*, Frank Warren Organic Chemistry Conference, Rhodes University, Grahamstown, SA, April 13-16, 2003.
- [12] *Novel adamantane-containing crown ethers and cryptands: A new class of ionophores for selective ion complexation*, University of Port Elizabeth, Port Elizabeth, SA, April 17, 2003.
- [13] *Novel adamantane-containing crown ethers and cryptands: A new class of ionophores for selective ion complexation*, Natal University, Durban, SA, April 11, 2003.
- [14] *Novel adamantane-containing crown ethers and cryptands: A new class of ionophores for selective ion complexation*, RA University, Johannesburg, SA, April 08, 2003.
- [15] *Adamantane as building block in construction of crown ethers and cryptands: Synthesis, structure and properties*, 2nd Central European Chemical Meeting (CECM-2), Varaždin, Croatia, June 19-21, 2003.
- [16] *Novel adamantane-containing crown ethers and cryptands: A new class of ionophores for selective ion complexation*, University of North Texas, Denton USA, November 21, 2003.
- [17] *Thiamacrocyclic lactones with lipophilic subunits: Ag (I) selective ionophores*, Workshop "Bilateral Collaboration in Molecular Design and Synthesis", Leuven, Belgium, May 10-13, 2006.
- [18] *Adamantane, the building block in macrocyclic systems*, Symposium "Vladimir Prelog and Croatian Chemistry", Zagreb, Faculty of Chemical Engineering and Technology, September 12-13, 2006.
- [19] *Synthesis and ion binding abilities of adamantane-annulated ionophores*, College of Chemistry and Chemical Engineering Lanzhou University, Lanzhou, China, June 21, 2010.
- [20] *The anion recognition through hydrogen bonding by adamantane-dipyrrromethane receptors*, School of Chemistry, University of KwaZulu-Natal, Pietermaritzburg, South Africa, March 13, 2012.

-
- [21] *The anion recognition through hydrogen bonding by adamantane-dipyrromethane receptors*, School of Chemistry, University of KwaZulu-Natal, Durban, South Africa, March 6, 2012.
- [22] *The anion recognition through hydrogen bonding. Adamantane-(aminophenyl)dipyrromethanes, bifunctional optical anion sensors*, Polish Academy of Science, Institute of Physical Chemistry, Warsaw, Poland, April 12, 2012.