

NEW RECORDS FOR THE STONEFLY FAUNA (INSECTA: PLECOPTERA) OF KOSOVO

ASTRIT BILALLI¹, MILAIM MUSLIU^{1*}, HALIL IBRAHIMI² & IGNAC SIVEC³

¹Faculty of Agribusiness, University of Peja "Haxhi Zeka", "UÇK" street, 30 000 Pejë,
Republic of Kosovo

²Department of Biology, Faculty of Mathematics and Natural Sciences, University of Prishtina
"Hasan Prishtina", "Mother Theresa" p.n., 10 000 Prishtinë, Republic of Kosovo

³Slovenian Museum of Natural History, Prešernova 20, 1000 Ljubljana, Slovenia

Bilalli, A., Musliu, M., Ibrahim, H. & Sivec, I.: New records for the stonefly fauna (Insecta: Plecoptera) of Kosovo. *Nat. Croat.*, Vol. 29, No. 1, 29-36, Zagreb, 2020.

We sporadically collected stoneflies on Berisha Mountain in Kosovo during 2017 and 2018. During this investigation we found 12 species belonging to the following families: Leuctridae, Nemouridae and Perlidae. Five species were recorded for the first time from Kosovo: *Nemoura anas*, *N. asceta*, *N. peristeri*, *N. vinconi* and *Protonemura beaumonti*.

This work contributes to the knowledge of the stonefly fauna of Kosovo and highlights it as one of the least explored countries in Europe.

Key words: Plecoptera, new records, Kosovo, *Nemoura anas*, *N. asceta*, *N. peristeri*, *N. vinconi*, *Protonemura beaumonti*

Bilalli, A., Musliu, M., Ibrahim, H. & Sivec, I.: Novi nalazi obalčara (Insecta: Plecoptera) Kosova. *Nat. Croat.*, Vol. 29, No. 1, 29-36, Zagreb, 2020.

Tijekom 2017. i 2018. na planini Berisha na Kosovu povremeno su prikupljeni obalčari. Pronađeno je 12 vrsta koje pripadaju sljedećim porodicama: Leuctridae, Nemouridae i Perlidae. Pet vrsta zabilježeno je po prvi puta za Kosovo: *Nemoura anas*, *N. asceta*, *N. peristeri*, *N. vinconi* i *Protonemura beaumonti*.

Ovaj rad doprinos je poznавању фауне обалчара Косова, као једне од најманже истражених земаља Европе.

Ključне ријечи: Plecoptera, нови налази, Косово, *Nemoura anas*, *N. asceta*, *N. peristeri*, *N. vinconi*, *Protonemura beaumonti*

INTRODUCTION

Plecoptera is a small monophyletic order of hemimetabolous insects, commonly called stoneflies, with 4096 described species, belonging to 412 genera and 30 families (DE WALT *et al.*, 2019). Species diversity of Plecoptera is highest in temperate regions and at high altitudes, as the nymphs are most commonly found in cold, fast flowing and rocky streams.

The stonefly fauna of the Balkan Peninsula is still poorly known. Despite several investigations conducted during the past decades (e.g. AUBERT, 1963, 1964; IKONOMOV 1969, 1970, 1971, 1972, 1973, 1974a, b, 1975, 1976a, b, 1977, 1978, 1979, 1980a, b, 1981,

* corresponding author: milaim.musliu@yahoo.com

1982, 1983a, b, c, d, 1986; MURÁNYI 2008, 2011; MURÁNYI *et al.*, 2014, 2016; PONGRÁCZ, 1923; RAUŠER 1963, 1965; SIVEC 1980a, b), there are still areas from which there are no data at all, or from which they are rather fragmentary. The Republic of Kosovo is one of the least investigated areas in the Balkans regarding stonefly fauna. There are only few taxonomic investigations in this regard (DAUTI, 1977, 1980, 1986, 1987; SIVEC, 1980b). Several other investigations include data about the larval stage of stoneflies (DAUTI *et al.*, 2007; ZHUSHI – ETEMI, 2005; IBRAHIMI *et al.*, 2007; GASHI, 1993, 2006; IBRAHIMI, 2007; SHUKRIU, 1979); however since the primary goal of these studies was water quality assessment, these investigations lack taxonomic and faunistic importance, because most of the results are presented only up to the level of genus or family.

The goal of this study was to contribute to the faunistics and distribution of stonefly fauna in Kosovo, more precisely from Berisha Mountain.

MATERIAL AND METHODS

Sampling was carried out at two sampling stations on Berisha Mountain (Figs. 1 and 2). This mountainous area is located in the Drenas Municipality, between the villages Llapushnik, Kishnarekë and Nekoc at altitudes up to 1000 meters a.s.l. The first sampling station (S1) is located at the upstream area of a small streamlet just above Kish-




Fig. Map of the sampling stations in the Berisha Mountain, Kosovo.



Fig. 2. Sampling sites in the Berisha Mountain, Kosovo (S1 Kishnarekë and S2 Nekoc).

narekë (N° 42.544168; E° 20.876845; 707 meters a.s.l). The second sampling station, S2, is located at the upstream area of the Lugu i Gashit streamlet, above Nekoc (N° 42.523249; E° 20.868111; 837 meters a.s.l). Adult stonefly specimens were collected using entomological nets and hand picking. The sampling was carried during May 2017 and January 2018. Collected samples were preserved in 80% ethanol.

The collection is deposited at the Laboratory of Zoology of the Faculty of Natural and Mathematics Sciences, University of Prishtina, Republic of Kosovo.

RESULTS AND DISCUSSION

During this investigation we found 12 species belonging to 5 genera and 3 families of Plecoptera. The distribution of species within families is as follows: Nemouridae (9), Leuctridae (2) and Perlidae (1).

The highest number of specimens comes from these species: *Leuctra prima* Kempny, 1899 (77 specimens), *Nemoura anas* Murányi, 2007 (11 specimens) and *Protonemura praecox* (Morton, 1894) (11 specimens), while all other species were collected with fewer than ten specimens. Three species were found each with one specimen only during this investigation: *Nemoura peristeri* Aubert, 1963, *N. vinconi* Murányi, 2007 and *Protonemura intricata* (Ris, 1902).

Systematic list of stoneflies collected on Berisha Mountain during 2017 and 2018. Species new to the fauna of Kosovo are indicated by an asterisk *.

Family Leuctridae Klapálek, 1905

Leuctra hippopus Kempny, 1899

S1 Berisha Mt.: 3.5.2017. 7 ♀♀; S2 Berisha Mt.: 10.5.2017. 2 ♀♀.

Leuctra prima Kempny, 1899

S2 Berisha Mt.: 28.1.2018. 35 ♂♂, 42 ♀♀.

Family Nemouridae Billberg, 1820*Amphinemura sulcicollis* (Stephens, 1836)

S2 Berisha Mt.: 10.5.2017. 6 ♀♀

Nemoura anas Murányi, 2007 *

S1 Berisha Mt.: 3.5.2017. 4 ♂♂, 1 ♀; S2 Berisha Mt.: 10.5.2017. 1 ♂, 5 ♀♀.

Nemoura asceta Murányi, 2007 *

S1 Berisha Mt.: 3.5.2017. 2 ♂♂.

Nemoura cinerea (Retzius, 1783)

S1 Berisha Mt.: 3.5.2017. 5 ♂♂, 3 ♀♀.

Nemoura peristeri Aubert, 1963 *

S1 Berisha Mt.: 3.5.2017. 1 ♂.

Nemoura vinconi Murányi, 2007 *

S1 Berisha Mt.: 3.5.2017. 1 ♂.

Protonemura beaumonti (Aubert, 1956) *

S2 Berisha Mt.: 10.5.2017. 1 ♂, 1 ♀.

Protonemura intricata (Ris, 1902)

S2 Berisha Mt.: 10.5.2017. 1 ♂

Protonemura praecox (Morton, 1894)

S2 Berisha Mt.: 28.1.2018. 5 ♂♂, 6 ♀♀.

Family Perlidae Latreille, 1802*Perla illiesi* Braasch & Joost, 1973

S2 Berisha Mt.: 10.5.2017. 1 ♂, 1 ♀.

Five species found during this investigation were recorded for the first time for Kosovo: *Nemoura anas*, *N. asceta*, *N. peristeri*, *N. vinconi* and *Protonemura beaumonti*. *Nemoura asceta* and *N. vinconi* were described from Albania (MURÁNYI, 2007) while *Nemoura anas* was described from material collected from Albania, Montenegro and Macedonia (MURÁNYI, 2007). *N. asceta* was also recently found in Turkey (DARILMAZ *et al.*, 2016). *Nemoura peristeri* was until now known only from a few localities in Macedonia. The finding of these four species of the genus *Nemoura* Latreille, 1796 in Kosovo greatly enlarges their known distribution. The fifth species of this genus found during this investigation, *Nemoura cinerea*, is widespread in Europe and central Asia (BAUMAN, 1975).

Protonemura beaumonti is currently known only from Greece, Serbia and Bulgaria (KARAOUZAS *et al.*, 2016). Our finding in Kosovo enlarges its distribution area in the Balkan Peninsula and represents the southeastermost point of its distribution. *Protonemura ntricate* is widespread in Europe (ILLIES, 1978; FOCHETTI & TIERNO DE FIGUEROA, 2004). *Leuctra hippopus* is a detritivore stonefly that is widely distributed in streams of the western Palaearctic (GRAF *et al.*, 2009). *Leuctra prima* is distributed in the center and southeast of Europe. In the Iberian Peninsula it has only been found in the Pyrenees (SÁNCHEZ-ORTEGA *et al.*, 2003; TIERNO DE FIGUEROA *et al.*, 2003). *Protonemura praecox* is

widely distributed throughout Europe (center, south and British Isles). In the Iberian Peninsula it is only present in the northern fringe (Luzón ORTEGA *et al.*, 2013). *Perla illiciesi* is widespread in Bosnia, Bulgaria, Croatia, Italy, Kosovo, Macedonia, Montenegro and Slovenia (SIVEC & STARK, 2002).

The results of this investigation, based on only few sampling efforts, show that Kosovo contains species that are rare in the region. The country is still under-investigated in terms of stonefly fauna.

Received July 25, 2019

REFERENCES

- AUBERT, J., 1956: Contribution à l'étude des Plécoptères de Grèce. Mitteilungen der Schweizerischen entomologischen Gesellschaft **29**, 187–213.
- AUBERT, J., 1959: Plécoptères du Pakistan. Mémoires de la Société Vaudoise des Sciences Naturelles **12** (3), 65–91.
- AUBERT, J., 1963: Quelques Plécoptères de Yougoslavie. Mitteilungen der Schweizerischen entomologischen Gesellschaft **36**, 127–128.
- AUBERT, J., 1964: Quelques Plécoptères du Muséum d'Histoire naturelle de Vienne. Annalen des Natur-historischen Museum Wien **67**, 287–301.
- BAUMANN, W. R., 1975: Revision of the Stonefly Family Nemouridae (Plecoptera): A Study of the World Fauna at the Generic Level. Smithsonian Contributions to Zoology, 1–74. <https://doi.org/10.5479/si.00810282.211>
- DARILMAZ, C.M., SALUR, A., MURÁNYI, D. & VINÇON, G., 2016: Contribution to the knowledge of Turkish stoneflies with annotated catalogue (Insecta: Plecoptera). Zootaxa **4074** (1), 1–74.
- DAUTI, E., 1980: Faunističko ekološka istraživanja Plecoptera na području Kosova. Doktorska disertacija, Prirodoslovno Matematički Fakultet Sveučilišta u Zagrebu, 1–60.
- DAUTI, E., 1986: Distribucija vrsta Plecoptera na uzdužnom profile rijeke Nerodimke. – Zbornik radova PMF, Priština, 227–234.
- DAUTI, E., 1987: Contribution to the study of Plecoptera in the river system of upper flow the Nerodimka river. Acta biologiae et medicinae experimentalis **2**, 65–70.
- DAUTI, E., IBRAHIMI, H., GASHI, A. & GRAPCI-KOTORI, L., 2007: Spatial and temporal distribution of Plecoptera larvae in the Prishtina River (Kosova). Entomologica Românica **12**, 223–225.
- DEWALT, R.E., MAEHR, M.D., HOPKINS, H., NEU-BECKER, U. & STUEBER, G., 2019: Plecoptera Species File Online. Version 5.0/5.0. [5th February, 2020]. <http://Plecoptera.SpeciesFile.org>
- GASHI, A., 1993: Prostorna i sezonska distribucija makrozoobentosa u rijeci Miruši. Magistarski rad, Prirodoslovno Matematički Fakultet Sveučilišta u Zagrebu, 1–110.
- GASHI, A., 2006: Analiza biocenologjike dhe ekologjike e makrozoobentosit dhe nektonit të lumit Llap, FSN, Prishtinë, disertacioni i doktoratës, 1–150.
- GRAF, W., LORENZ, A., TIERNO DE FIGUEROA, J.M., LÜCKE, S., LÓPEZ-RODRÍGUEZ, M.J. & DAVIES, C.E., 2009: Distribution and ecological preferences of European freshwater organisms: Volume 2 Plecoptera. Sofia, Bulgaria, Pensoft Publishing, 1–262.
- FOCHETTI, R. & TIERNO DE FIGUEROA, J. M., 2004: Plecoptera. Fauna Europaea Web Service. www.faunaeur.org (Fauna Europaea project, ref. EVR1-CT-1999–2001).
- IBRAHIMI, H., 2007: Biološka procjena ekološkog stanja rijeke Priština na osnovu sastava makrozoobentosa, FSN Sarajevo, master's thesis, 1–130.
- IBRAHIMI, H., DAUTI, E., GASHI, A., TROŽIĆ-BOROVAC, S., ŠKRJELJ, R. & GRAPCI-KOTORI L., 2007. The impact of sewage effluents in water quality and benthic macroinvertebrate diversity of the Prishtina river (Kosova). Entomologica Românica **12**, 227–231.
- IKONOMOV, P., 1969: Contribution à la connaissance des larves des Plécoptères de Macédoine. Annales de la Faculté des Sciences de l'Université Skopje **21**, 5–29.
- IKONOMOV, P., 1970: Вистинско распространовање на ларвите на Ephemeroptera и Plecoptera (Insecta) во тековните води на Шарскиот систем. Годишен зборник, книга **22**, 5–11.
- IKONOMOV, P., 1971: Reparatioin saisonniere des Plecopteres de la Riviere Kadina, dans le massif de Jakupitsa – (Macedoine). Annuaire de la Faculte des sciences e L'Universite de Skopje **23**, 5–18.

- IKONOMOV, P., 1972: Distribution saisonnière des Plecoptères (Insectes) dans la rivière de Mavrovo (Montagne Bistra) selon les variations de la température. Annuaire de la Faculté des sciences e L'Université de Skopje **24**, 5–18.
- IKONOMOV, P., 1973: Distribution saisonnière des Plecoptères (Insectes) dans les eaux de la Montagne Char. Annuaire de la Faculté des sciences e L'Université de Skopje **25**, 11–39.
- IKONOMOV, P., 1974a: Distribution saisonnière des Plécoptères (Insectes) dans les eaux de Macédoine par rapport au facteur température. VI. Ruisseau de Karani (Montagne de Belassitsa). Contributions of the Macedonian Academy of Sciences and Arts **6** (2), 29–49.
- IKONOMOV, P., 1974b: Distribution saisonnière des Plécoptères (Insectes) dans les eaux de Macédoine par rapport au facteur température. IV. Rivière Braitchinska (Montagne Pelister). Annuaire de la Faculté des sciences e L'Université de Skopje **26**, 15–36.
- IKONOMOV, P., 1975: Distribution saisonnière des Plécoptères (Insectes) dans les eaux de Macédoine par rapport au facteur température. V. Blatetska reka (petite rivière de Blatets montagne Pljatchovitsa). Annuaire de la Faculté des sciences e L'Université de Skopje **27 – 28**, 5–25.
- IKONOMOV, P., 1976a: Distribution des Plécoptères (Insectes) dans les eaux courantes de Macédoine par rapport à la température. Ruisseau de Pehtchevo (Montagne Malechevska). Annuaire de la Faculté des sciences e L'Université de Skopje **29**, 5–28.
- IKONOMOV, P., 1976b: Distribution des Plécoptères (Insectes) dans les eaux courantes de Macédoine par rapport au température. VIII. Ruisseau de Vevtchani (Montagne Jablanitsa). Musei Macedonici Scientiarum Naturalium **7**, 57 – 69.
- IKONOMOV, P., 1977: Distribution des Plécoptères (Insectes) dans les eaux courantes de Macédoine par rapport au température. IX. La rivière Kamenitsa. Annuaire de la Faculté des sciences e L'Université de Skopje, **30**. 5–25.
- IKONOMOV, P., 1978: Nouvelles espèces de Plecopteres (Insecta, Plecoptera) de Macédoine. Musei Macedonici Scientiarum Naturalium Skopje, **11** (231), 84–97.
- IKONOMOV, P., 1979: Plécoptères (Insectes) de la bassin de la Rivière Radika. Annuaire de la Faculté des Sciences d'Université de Skopje **32**, 45–60.
- IKONOMOV, P., 1980a: Contribution à la connaissance des Plecopteres (Insecta) en Macédoine Occidentale. Annuaire de la Faculté de Biologie de L'Université "Kiril et Metodij" Skopje **33**, 15–23.
- IKONOMOV, P., 1980b: Nouvelles espèces de Plecopteres (Insecta, Plecoptera) de Macédoine. II. Fragmentsa Balcanica Musei Macedonici Scientiarum Naturalium **11**(4), 19–3.
- IKONOMOV, P., 1981: Fauna de Plecopteres (Insectes) de la partie centrale de la montagne Char. Annuaire de la Faculté de Biologie de L'Université "Kiril et Metodij" Skopje **34**. 5–22.
- IKONOMOV, P., 1982: Plecopteres (Insectes) des régions méridionales de Macédoine. Annuaire de la Faculté des Sciences d'Université de Skopje **35**, 29–51.
- IKONOMOV, P., 1983a: Nouvelles espèces de Plecopteres (Insecta, Plecoptera) de Macédoine. III. Fragmentsa Balcanica **11** (18), 175–183.
- IKONOMOV, P., 1983b: Nouvelle contribution à la connaissance des Plecopteres (Insecta) de la plaine de Skopje. Annuaire de la Faculté de Biologie de L'Université "Kiril et Metodij" Skopje **36**, 5–20.
- IKONOMOV, P., 1983c: Contribution à la connaissance des Plecopteres (Insecta) du bassin de la rivière Tcrna reka. Annuaire de la Faculté de Biologie de L'Université "Kiril et Metodij" Skopje **36**, 21–32.
- IKONOMOV, P., 1983d: La Faune des Plécoptères (Insecta) dans la Région de Malech et Pianetz. Malech; Pianetz V Fauna, ed. Macedonian Academy of Sciences and Arts (Skopje) 5–23.
- IKONOMOV, P., 1986: Plécoptères de Macédoine (Insecta, Plecoptera). Acta Musei Macedonici Scientiarum Naturalium **18**, 81–124.
- KARAOZAS, I., ANDRIOPOLOU, A., KOUVARDA, T. & MURÁNYI, D., 2016: An annotated checklist of the Greek Stonefly Fauna (Insecta: Plecoptera). Zootaxa **4111** (4), 301–33. doi: 10.11646/zootaxa.4111.4.1.
- LUZÓN-ORTEGA, J.M., LÓPEZ-RODRÍGUEZ, M.J. & TIERNO DE FIGUEROA, J.M. 2013: Contribution to the knowledge of the stoneflies from Spain (Insecta, Plecoptera). Boletín de la Asociación Española de Entomología **37** (3–4), 225–275.
- MURÁNYI, D., 2007: New and little – known stoneflies (Plecoptera) from Albania and the neighbouring countries. Zootaxa **1533** (1533), 1–40. <https://doi.org/10.5281/zenodo.177757>
- MURÁNYI, D., 2008: The Stonefly (Plecoptera) fauna of Montenegro. ISEM3 – 3rd International Symposium of Ecologists of Montenegro, Herceg Novi, 7–10 October 2008.
- MURÁNYI, D., 2011: Balkanian species of the genus Isoperla Banks, 1906 (Plecoptera: Perlodidae). Zootaxa **3049**, 1–46.

- MURÁNYI, D., KOVÁCS, T. & ORCI, K., 2014: New country records and further data to the stonefly (Plecoptera) fauna of southeast Macedonia. *Ecologica Montenegrina* **1** (2), 64–7.
- MURÁNYI, D., KOVÁCS, T. & ORCI, K., 2016: Contribution to the taxonomy and biology of two Balkan endemic *Isoperla* Banks, 1906 (Plecoptera: Perlodidae) species. *Zoosymposia* **11**, 073–088.
- PONGRÁCZ, S., 1923. Recésszármányúak – Neuropteroiden. In: TELEKI, P. & CSIKI, E. (eds.) Csiki Ernő Állattani Kutatásai Albániában – Explorations zoologicae ab E. Csiki in Albania peractae (A Magyar Tudományos Akadémia Balkán- Kutatásainak Eredményei I/1.), Magyar Tudományos Akadémia, Budapest, pp. 143–166.
- RAUŠER, J., 1962. Zur verbreitungsgeschichte einer Insektenrauergruppe (Plecoptera) in Europa. *Acta Academica Scientiarum Čechoslovenicarum Basis Brunensis* **34**, 281–383.
- RAUŠER, J., 1963. Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes, 11. Beitrag: Plecoptera. *Beiträge zur Entomologie* **13**, 797–813.
- RAUŠER, J., 1965. Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes, 44. Beitrag: Plecoptera (Nachtrag zum 11. Beitrag). *Beiträge zur Entomologie* **15**, 759–760.
- SÁNCHEZ-ORTEGA, A., ALBA-TERCEDOR, J. & TIERRA DE FIGUEROA, J.M., 2003: Lista faunística y bibliográfica de los Plecópteros de la Península Ibérica e Islas Baleares. Publicaciones de la Asociación española de Limnología. Madrid. Nº 16. 198 pp.
- SHUKRIU, A., 1979: Ekološka uvjetanost i zonalni raspored makrozoobentosa u rijeci Prizrenka Bistrica, Doctoral thesis, FSN, Zagreb, 1-135.
- Sivec, I., 1980a: Plecoptera. Catalogus Faunae Jugoslaviae, Ljubljana, **3**, 1–30.
- Sivec, I., 1980b: Notes on Stoneflies (Plecoptera) from South West Yugoslavia, with description of a new *Nemoura*. *Aquatic Insects* **2**, 91–95.
- Sivec, I. & Stark, P.B., 2002: The species of *Perla* (Plecoptera: Perlidae): Evidence from egg morphology. *Scopula* **49**, 1–33.
- Tierra de Figueroa, J.M., Sánchez-Ortega, A., Membiela-Iglesia, P. & Luzón-Ortega, J.M., 2003: Plecoptera. En: Ramos, M.A. et al. (Eds.): Fauna Ibérica, vol. 22: 404 pp. Museo Nacional de Ciencias Naturales. CSIC. Madrid.
- ZHUSHI-ETEMI, F., 2005: Valorizimi biologjik i ujërave të lumit Sitnicë në bazë të përbërjes së faunës bentale. Doctoral thesis, FSN, Prishtina, 1–120.
- ZWICK, P., 1990: Emergence, maturation and upstream oviposition flights of Plecoptera from the Breitenbach, with notes on the adult phase as a possible control of stream insect populations. *Hydrobiologia* **194** (3), 207–223.

SUMMARY

New records for the stonefly fauna (Insecta: Plecoptera) of Kosovo

A.Bilalli, M. Musliu, H. Ibrahim, & I. Sivec

In this paper we present new records for the stonefly fauna of Kosovo. Stonefly specimens were collected on Berisha Mountain during 2017 and 2018. During this investigation we found 12 species belonging to the following families: Leuctridae, Nemouridae and Perlidae. Five species are recorded for the first time from Kosovo: *Nemoura anas*, *N. asceta*, *N. peristeri*, *N. vinconi* and *Protonevra beaumonti*.

This investigation contributes to the faunistics and distribution of stonefly fauna in Kosovo, more precisely from Berisha Mountain.

