



Contribution to the knowledge on distribution in Hungary and habitat preferences of *Gnaphosa modestior* Kulczyński, 1897 a little-known spider species

TÜNDE SZMATONA-TÚRI¹
GÁBOR KOVÁCS²
DIÁNA VONA-TÚRI³
GÁBOR MAGOS⁴

¹ FM ASzK - Forestry, Agricultural and Game Management Training School and Student Hostel of Mátra, 11 Erdész street, H-3232Mátrafüred, Hungary, E-mail: turitunde79@gmail.com

² Londoni krt. 1., Szeged H-6724 Hungary, E-mail: gabor.kovacs.arachnida@gmail.com

³ Eötvös József Reformed Education Centre, 29 Dobó Street, H-3360 Heves, Hungary, E-mail: turidiana79@gmail.com

⁴ Bükk National Park Directorate, Mátra Region, 6 Sándor road, H-3304 Eger, Hungary, E-mail: magosg@bnpi.hu,

Correspondence:

Tünde Szmatona-Túri
E-mail: turitunde79@gmail.com

Key words: Rare species; taxonomical status; Europe; grassland managements

Received May 21, 2017.
Revised July 03, 2018.
Accepted April 30, 2019.

Abstract

Background and purpose: The aim of this review is to present current knowledge on the occurrence of a little-known gnaphosid species *Gnaphosa modestior* Kulczyński, 1897. Early it was mentioned as *G. alpica* species in Middle Europe. In this study, we reported the new occurrence of this species in Hungary and we examined the effect of shrub control and mowing on this species abundance.

Materials and methods: Our arachnological research was conducted in the Mátra Mountains, the highest range of volcanic massin northern Hungary, between 2007 and 2016.

Result and conclusion: We recorded 13 specimens from five habitats of the southern part of the Mátra Mountains. This species can be found mainly in untreated shrubby habitats from April to June. In general, it can say that *G. modestior* is a stenochronous spider species which lives in habitats not influenced by human activities in the Mátra Mountains. However, this attributes of species differ in some European countries.

INTRODUCTION

Gnaphosa Latreille, 1804 is a large Holarctic genus of ground-dwelling spiders (family *Gnaphosidae*) with 146 described species (1). Besides *G. modestior* Kulczynski, 1897 eight species of the genus *Gnaphosa* have been reported in Hungary: *G. alpica* Simon, 1878, *G. bicolor* (Hahn, 1833), *G. lucifuga* (Walckenaer, 1802), *G. lugubris* (C.L. Koch, 1839), *G. microps* Holm, 1939, *G. mongolica* Simon, 1895, *G. opaca* Herman, 1879 (2) and *G. rufula* (L. Koch, 1866) (3).

Gnaphosa modestior is a rare European gnaphosid spider species (4). It's occurrence data are known from Szerencs of Hungary (5 as *Gnaphosa laeta*), Đakovó in Croatia, Balatonalmádi in Hungary, Baziás in Romania (5), Lobau and Leitha Mountain in Austria (4), Calabria in Italy (6), Slovenia (7), Czech Republic (8).

Hungarian occurrence of species are from Péter Hill in Balatonarács, Apró Hills in Balatonyörök, Somló in Doba, Pető Hill in Gyenesdiás, Szarvaskő, Bélkő and Molnár rock in Bükk Mountain (9 as *Gnaphosa laeta*), also, Nagypirit (10), Téglavető-dűlő in Somlójenő (11), Nagybajom (12) and Háros Island (13). In the past the species was synonymized a couple of time as *G. laeta* (5) and as *G. modestior* (4, 5, 14) and as *G. alpica* (15). After revalidation in 2018 (16) it is *G. modestior* again.



Figure 2. *Gnaphosa modestior* Kulczyński: habitus (A), pedipalp (B), epigyne (C) and vulva (D).

year. Individuals were stored in 75 % ethyl-alcohol. The specimens were identified using the available identification keys on the web page „Spiders of Europe” (19). Specimens and copulatory organs were studied using a Leica MZ FL III stereomicroscope and photographed by Canon Q Imaging Micro 5.0 RTV at the Institute of Genetics, Biological Research Centre (BRC, Szeged).

RESULTS AND DISCUSSION

The occurrence of *G. modestior* has never been recorded in the Mátra Mountains, where previously Chyzer & Kulczyński (20) and Kolosváry (21) made an arachnological research which listed 33 spider species including only one gnaphosid species: *Kishidaia conspicua* (L. Koch, 1866).

During the pedofaunistic monitoring between 2012 and 2016 a total of 13 specimens (10 males, 3 females) of *G. modestior* were found. This species was collected among 20 habitats only in 5 habitats of southern part of the Mátra Mountains (Figure 1). *G. modestior* is a stenochronous species which can be collected from April to August (9, 22), nevertheless it was mentioned as thermophilic species in the study of Steinberger (23). This is supported by this research according to which it was seen mainly from April to June (Table 1).

Taxonomic status of *G. alpica* was unclear until these years. Early it was mentioned as *G. alpica* species in Middle

Europe. Study of Dankaninová & Gajdos (24) revealed the species in vineyard terraces of the Little Carpathians, in this study the question mark next to species name may show the uncertainty of species. Authors of the Italian checklist refers to that the Italian record of *G. modestior* has to be listed as *G. alpica* (6). Both species have the similar color pattern characterized by dark brown-red to black-brown body with yellowish legs. But two species can easily be distinguished. *G. modestior* has much longer retrolateral tibial apophysis of males and much longer epigynal hood of females. Its vulva is reddish brown. Body length of males is 8-9 mm, while females are 8-9,2 mm in length (19) (Figure 2).

The habitat preferences of the species have rarely been recorded. During the sampling, the most collected specimens were found in shrubby habitats (Table 1, Figure 3). Similarly to our data, Steinberger (23) recorded the species in edges and forests in Austria while Loksa (9) revealed it from low forests in Hungary. Besides these, species less frequently in open habitats of mainly grass steppe (25, 26) and sandy grassland (27) in the Czech Republic. In Slovakia, it lives in uncultivated and wired vineyards, and rocky habitats with shrubs and forest vegetation as well as on rocky walls without vegetation (28, 24).

Besides *G. modestior* among the genus *Gnaphosa*, only *G. lucifuga* can be found in the Mátra Mountains. Phenology of two species is different: *G. lucifuga* is a diplo-

Table 1. A list of sampling sites with types of habitat where *Gnaphosa modestior* Kulczyński were collected in Hungary.

Localities	Sampling sites	Plant community	Number	Sampling year and months
Sár Hill Nature Reserve	Shrub	<i>Pruno spinosae-Crataegetum</i> Soó (1927) 1931	6♂, 2♀	2012 (06.08) 2013 (05.10, 05.24) 2014 (05.20, 06.06, 06.26)
	Meadow	<i>Pulsatillo montanae-Festucetum rupicolae</i> (Dostál 1933) Soó 1964 corr. Borhidi 1997 – <i>Pruno spinosae-Crataegetum</i> Soó (1927) 1931	1♂	2012 (05.26)
	Cleared shrub	<i>Pulsatillo montanae-Festucetum rupicolae</i> (Dostál 1933) Soó 1964 corr. Borhidi 1997	1♂, 1♀	2013 (06.26)
Gyöngyös-solymos	Shrub	<i>Pruno spinosae-Crataegetum</i> Soó (1927) 1931 with forest steppe items e.g. <i>Acer tataricum</i>	1♂	2012 (05.26)
Markaz	Clearing forest	<i>Corno-Quercetum pubescentis</i> Jakucs & Zólyomi ex Máthé et Kovács 1962	1♂	2014 (04.28)

chronous species which can be collected from May-July and September. Also, habitat preference is differed in this area in that the *G. lucifuga* lives mainly in open habitats which are maintained by mowing.

Susceptibility to interference of *G. modestior* less information has been known. Based on occurrence data of species can be concluded wide scale of the naturalness of its habitats such as vineyards or mountain habitats. According to some studies the species tolerates minimal human activity such as mowing (25) and can be found in disturbed areas such as vineyards, and sand - and stone pits (26), also formerly arable field and its ecotones (27). This research targeted the examination of the effect of grassland management such as mowing and shrub control on spiders. According to our data treatment has not positive effect on abundance because the most individuals were collected in untreated habitats minimally influenced by human activities. Similarly to Steinberger (23), who says that this species prefers natural habitats. Presence of *G. modestior* is not surprising in Sár Hill Nature Reserve which is southern edge hill of Mátra. This has specific biogeography situation allowing the mixing of the conti-

mental and piedmont species, many rare and protected plant and animal species live in this area. Also, the hill is significant in arachnological respect besides protected *Nemesia pannonica* Herman 1879 (29) providing habitats for more rare and protected spider species (30).

It can be said, *G. modestior* is a stenochronous species which was recorded firstly in the Mátra Mountains. This rare and little known species in Europe lives in several habitat types, prefers natural habitats but successfully adapts to former disturbed habitats, as well. The aim of shrub control as grassland management is the maintenance of mountain meadows but some valuable species such as *G. modestior* prefers shrubby habitats. Therefore it is worth considering the suitable coordination of shrub control and maintaining mosaic habitats because of different habitat demands of rare and protected spider species.

ACKNOWLEDGEMENTS

We thank Gábor Vári and Henrik Gyurkovics (BRC, Szeged) for genitalia photos. We also thank László Urbán for sampling.

REFERENCES

1. World Spider Catalog 2017 Natural History Museum Bern, online at <http://wsc.nmbe.ch> version 18.0, accessed on 2017
2. SAMU F, SZINETÁR CS 1999 Bibliographic check list of the Hungarian spider fauna. Bull. Br. Arachnol. Soc. 11(5): 161–184
3. SZITA É, SAMU F, SZINETÁR CS, DUDÁS G, BOTOS E, HORVÁTH R, SZALKOVSKAI O 2006 New data on the occurrence of *Gnaphosa rufula* (L. Koch, 1866) and *Gnaphosa mongolica* Simon, 1895 in Hungary (Araneae: Gnaphosidae). In: DELTSCHEV C, STOEVE P (eds) European Arachnology 2005. Acta Zool Bulg. 329–334
4. GRIMM U 1985 Die Gnaphosidae Mitteleuropas (Arachnida, Araneae). Abhandl. Naturwissen Vereins Hamburg (NF) 26: 1–318
5. CHYZER C, KULCZYŃSKI W 1897 Araneae hungariae. Budapest, 2: 151–366 Simon E 1878 Les arachnides de France. Paris 4: 1–334



Figure 3. The shrubby habitat of *Gnaphosa modestior* Kulczyński in the Sár Hill Nature Reserve of the Mátra Mountains.

6. PANTINI P, ISAIA M (2017) Checklist of the Italian spiders (version May 2017). online at http://www.museoscienzebergamo.it/web/index.php?option=com_content&view=category&layout=blog&id=96&Itemid=94
7. KOSTANJŠEK R, KUNTNER M (2015) Araneae Sloveniae: a national spider species checklist. *ZooKeys* 474: 1–91. <https://doi.org/10.3897/zookeys.474.8474>
8. Czech Arachnological Society. <https://arachnology.cz/druh/gnaphosa-modestior-969.html>
9. LOKSA I 1966 Die bodenzoozöologischen Verhältnisse der Flauweichen-Buschwälder Südostmitteleuropas. Akadémiai Kiadó, Budapest
10. SZINETÁR CS, KOVÁCS P 2003 Az arachnológiai vizsgálatok eredményei. In: Kenyeres Z, Bauer N (eds) Az Agrár-környezetvédelmi Program ÉTT programjának támogatásával fenntartott Marcal-menti élőhelyek természetvédelmi szempontú monitorozása. Kézirat, p 52
11. KOVÁCS P 2009 Somlőjenői hulladéklerakó környezetének arachnológiai vizsgálata. Kézirat, p 12
12. SZINETÁR CS 1992 A Boronka-melléki Tájvédelmi Körzet pókfaunája. *Dun. Dolg. Term. Tud. Sor.* 7:331–345
13. LOKSA I, LOKSA I 1991 Adatok a Háros-sziget ízeltlábú faunájához. Kézirat 94–105
14. HEIMER S, NENTWIG W 1991 Spinnen Mitteleuropas: Ein Bestimmungsbuch. Paul Parey, Berlin, p 543
15. OVTSHARENKO V I, PLATNICK N I, SONG D X 1992 A Review of the North Asian round spiders of the Genus *Gnaphosa* (Araneae, Gnaphosidae). *Bull. Am. Mus. Nat. Hist.* 212: 1–88
16. ŘEZÁČ M, RŮŽIČKA V, OGER P, ŘEZÁČOVÁ V 2018 European species of the *Gnaphosa alpica* complex (Araneae, Gnaphosidae). *Zootaxa* 4370 (3): 289–294. <https://doi.org/10.11646/zootaxa.4370.3.9>
17. VOJTKÓ A, SHRAMKÓ G, MAGOS G, HARMOS K 2010 Növényvilág. In: BARÁZ CS, DUDÁS GY, HOLLÓ S, SZUROMI L, VOJTKÓ A (eds) A Mátra Tájvédelmi Körzet. Heves és Nógrád határán. Bükk Nemzeti Park Igazgatóság. p 149–174
18. MAGOS G, SZABÓ SZ, SZUROMI L, URBÁN L 2010 Természetvédelem a Mátrai tájegységben. In: BARÁZ CS, DUDÁS GY, HOLLÓ S, SZUROMI L, VOJTKÓ A (eds) A Mátra Tájvédelmi Körzet. Heves és Nógrád határán. Bükk Nemzeti Park Igazgatóság. p 373–398
19. NENTWIG W, BLICK T, GLOOR D, HÄNGGI A, KROPF C Spiders of Europe. online at www.araneae.unibe.ch. Version of 04. 2017.
20. CHYZER K, KULCZYNSKI U 1918 Ordo Araneae. A Magyar Birodalom Állatvilága. III. Arthropoda. K. M. Természettudományi Társulat. Budapest. 1920
21. KOLOSVÁRY G 1935 Beiträge zur Spinnenfauna des Mátragebirges un der Villányer Gegend. *Folia Zool. et Hydrobiol* 8: 267–278
22. THALER K, KNOFLACH B 2004 Zur Faunistik der Spinnen (Araneae) von Österreich: Gnaphosidae, Thomisidae (Dionycha pro parte). *Linzer biol. Beitr.* 36/1: 417–484
23. STEINBERGER K H 2004 Zur Spinnenfauna der Parndorfer Platte, einer Trockenlandschaft im Osten Österreichs (Burgenland) (Arachnida: Araneae, Opiliones). *Denisia* 12, zugleich Kataloge der OÖ. Landesmuseen Neue Serie 14: 419–440
24. DANKANINOVÁ L, GAJDOŠ P 2012 Epigeické pavúky historických štruktúr poľnohospodárskej krajiny (vínhradnícka krajina svätý jur). *Folia faunistica Slovaca* 17 (3): 275–290
25. KOŠULIČ O, HULA V 2012 Investigation of spiders (Araneae) of the Nature Monument Jesličky (South Moravia, Czech Republic). *Acta Univ. agric. Silv. Mendel. Brun.* 60: 125–136. <https://doi.org/10.11118/actaun201260050125>
26. ŘEZÁČ M 2013 Problematika druhů *Gnaphosa alpica* a *G. modestior*. In: Pavouk. Zpravodaj České arachnologické společnosti. č 35, 4.
27. HULA V, NIEDOBOVÁ J, H. ŠEFROVÁ 2014 Remarkable spiders of artificial sandy grassland near town Hodonin (Czech Republic). *Acta Univ. Agric. Silv. Mendel. Brun.* 62: 99–115. <https://doi.org/10.11118/actaun201462010099>
28. GAJDOŠ P, DANKANINOVÁ L 2010 Epigeické pavúky ve vzbe na vínhradnícké historické krajinné struktury (modelové území Svätý Jur) (The epigeic spiders communities in relation to viney historical landscape structures (model area Svätý Jur)) In: Medzinárodná vedecká konferencia doktorandov, mladých vedecých a pedagogických pracovníkov. Nitra: Faculty of Natural Sciences, Constantine the Philosopher University, p 201–209.
29. SZMATONA-TÚRI T, VONA-TÚRI D 2012 A magyar aknászpók (*Nemesia pannonica* Herman, 1879) újabb előfordulása Magyarországon. *Természetvéd. Közl.* 18: 480–486
30. CSÓKA GY, DUDÁS GY, FÖLDESSY M, KOROMPAI T, KOVÁCS T, MELIKA G, NAGY A, NÓGRÁDI S, RÁCZ I A, SZABÓKY CS, SZMATONA-TÚRI T, TÓTH S, UHERKOVICH Á, VARGA A 2010 Állatvilág-Gerinctelenek. In: BARÁZ CS, DUDÁS GY, HOLLÓ S, SZUROMI L, VOJTKÓ A (eds) A Mátra Tájvédelmi Körzet. Heves és Nógrád határán. Bükk Nemzeti Park Igazgatóság. p 181–210