

# Major Cloud Computing Security Challenges with Innovative Approaches

Fudhah A. AlSelami

**Abstract:** Cloud computing is the most favored contemporary era as it has the cap potential to decrease its costs related to computing which improves its pliability and extensibility for further computer processes. Among the past some years, cloud computing has been well superior as a hopeful idea for business organization to one of the additives of the IT organization it really is fastest growing. There are important troubles like protection which the IT agencies take into difficulty that misplaced with the heavy insertion of cloud computing Technology. Though records may be saved in any vicinity. The important reality is Storage of records is saved best with inside the vicinity of the clients that's been the numerous varieties of worries created. In cloud computing region the maximum argued hassle is especially Security. This study mainly intends to analyze and address the major cloud computing security challenges with innovative approaches. To meet that aim, a range of scientific methods, including descriptive, analytical, observation and comparison are taken into account. Given the results, the major key to a success cloud computing projects is reaching stability among the commercial enterprise blessings and the hidden capacity dangers that can affect efficacy.

**Keywords:** challenges in cloud security; cloud computing; logistic regression; security in cloud

## 1 INTRODUCTION

Cloud safety, moreover referred to as cloud computing safety, comprises a difficult and rapid of rules, strategies, controls, and generation that art work altogether to defend cloud-based completely systems, reality, and configuration [1-3]. Those protection capabilities are configured to defend cloud reality assist governing compliance and defend clients' privacy further to establishing validation laws for person clients and tools [4-6]. From validating get proper of access to selecting traffic, cloud safety can be arranged to an appropriate desire of the business. And because of the reality the ones principles can be managed and configured in a particular place, control up above are reduced and IT businesses authorized to recognition on one-of-a-kind business areas [2, 7, 8].

Cloud computing (CC) is on-name for get proper of access to computing property—programs, servers, development tools, records storage, capacities of network, and many—hosted at a much-flung records centre managed thru manner of approach of a cloud services issuer (CSP) [9-12].

## 2 METHODS

To gratify the study's objectives, a range of scientific methods, including descriptive, analytical, observation and comparison are taken into account.

Main characteristics of cloud computing include [6, 13, 14]:

- 1) **On-demand self-services:** The services of Cloud computing doesn't require any man power managers, character are capable of provision, monitoring and controlling computing property as desired.
- 2) **Broad network accesses:** Those services are typically supplied over desired devices and networks which are heterogeneous.
- 3) **Rapid elasticity:** The cloud Computing advantages must have IT assets which might be capable of scale in and out

speedy and on as wished basis. Whenever the person requires offerings, it's far furnished to them and it's far scale out as quickly as its needs overcomes.

- 4) **Resources' pooling:** The Information Technology useful resource (example: servers, networks, programs, and offerings) gift are moved through a couple of programs. Many customers are furnished carrier from a identical bodily useful resource.
- 5) **Measured service:** The beneficial useful utilization of resources is pursued for each occupant and software, it provides the man or woman and the beneficial useful resource supplier with an account of what utilized. That is finished for a few causes, such as billing monitoring and efficient utilization of beneficial useful resources (Fig. 1).




Figure 1 Features of Cloud Computing [7]

## 3 RESULTS AND DISCUSSION

Cloud infrastructure includes garage devices, platform virtualization, cloud control software, servers, deployment software, and networks (Fig. 2).




Figure 2 Infrastructure's Components [8]

- A) **Hypervisor:** Hypervisor is a low-level or firmware software program acting as a Virtual Machine Manager. That permits to percentage the single physical instance of cloud re-assets amongst many tenants.
- B) **Management Software:** It permits to keep and manipulate the infrastructures.
- C) **Deployment Software:** It permits to installation and merge the utilities in cloud.
- D) **Networks:** It seems crucial element of cloud infrastructures. It permits to link cloud services over the net. Moreover, it seems likely to deliver network as software programs over the net, meaning that customers can personalize the protocol and network path [6, 15, 16].
- E) **Servers:** The server permits computing the useful resource offers and sharing one of kind services collectively with useful resource allocation and allocation de-, monitoring the re-assets, imparting protection, and so forth.
- F) **Storage:** Cloud has more than one replica of storage. In case a storage re-assets fails, that may be extracted from another one, making cloud computing further trustworthy.

**3.1 Infrastructural constraints**

The basic guidelines and regulations that cloud infrastructure need to execute are proven with inside Fig. 3:




Figure 3 Restrictions for Implementation [9]

- A) **Transparency:** Virtualization is regarded as an essential element to percentage re-assets in the environment of cloud. Nonetheless, it isn't feasible to meet the decision for with single server or resource. Hence, there ought to be transparency in re-assets, software and load balancing, simply so that one is able to scale them on name for.
- B) **Scalability:** Scaling up a software shipping solution isn't much clean as scaling up a software since it consists of configuration overhead or perhaps re-architecting the network.
- C) **Security:** The mega statistics centre with inside the cloud ought to be safely designed. Moreover, the manipulate node, and get right of entry to element in mega statistics centre, moreover requires security [12, 17].

- D) **Intelligent Monitoring:** To benefit scalability and transparency, software solution shipping may require a good way to clever monitoring.

**3.2 Significance of the Security of Cloud Computing**

Cloud protection gives several advantages, such as [13, 18, 19]:

- **Central protection:** CC organizes records and applications; cloud safety centralizes safety. Cloud-based definitely industrial organisation networks embody multiple devices and endpoints able to be tough to govern while coping with BYOD or shadow IT. Handling the ones entities centrally boosts traffic assessment and net filtering. Disaster healing schemes additionally may be completed and actioned without troubles while handled in a unmarried region.
- **Reduced expenses:** A striking advantage of using cloud garage and protection is that it gets rid of the want to spend money on devoted hardware. Not handiest does this lessen capital expenditure, however it additionally reduces administrative overheads. Where as soon as IT groups had been firefighting protection problems reactively, cloud protection promises proactive protection functions that provide safety round the clock with very little human being meddling.
- **Reduced Administration:** While choosing an amazing cloud services business enterprise or cloud safety platform, you could say farewell to manual safety configurations and nearly perpetual safety updates. Those obligations might also additionally have a massive drain on resources, but at the same time as you flow into them to the cloud, all safety control takes region in an unmarried location and is sincerely handled on the behalf of you.
- **Reliability:** Cloud computing services provide the remaining in dependability. With the right cloud protection functions in region, clients can effectively get proper of access to information and applications with inside the cloud (Fig. 4).




Figure 4 Security Significance [10]

### 3.3 Challenges Involved in Cloud Computing Security

On the basis of the Cloud Security Report, the best rating danger became misconfiguration, with roughly 68.0% of businesses bringing up that as their biggest concern [20, 21]. Misconfiguration takes vicinity whilst a cloud-associated gadget, asset or tool, isn't configured adequately, consequently endangering the gadget and revealing it to a capacity assault or records leak. That hazard became accompanied through account hijacking (50%), insecure interfaces (52%), and unauthorized get right of entry to (58%). As effective and progressive because the cloud is, it's additionally complicated and ever changing. From a protection perspective, that generates several loopholes and challenges [11, 22]. The availability of corporation records draws many hackers who try to have a look at the systems, locate flaws in them, and make the most them for his or her benefit (Fig. 5) [14, 23].



Figure 5 Security Challenges [18]

#### 3.3.1 Denial-of-Service and DDoS Issues

A DDoS or allocated denial-of-company attack is a spiteful strive by hackers in order to sabotage the regular functioning of your network or company by disrupting your servers with multiple web page visitors. The aim is making your server out of order to its meant users [15].

**Detect:** To save you an allotted assault, your protection provider has so that it will distinguish among an excessive extent of actual site visitors and a real assault.

**Respond:** While an attack is founded, your safety network responds through strangling malicious bot web website online traffic at the same time as leaving everyday web website online traffic.

**Route:** So as to avoid a provider denial, your network requires to cleverly course the web website online traffic into conceivable chunks to prevent your servers' overwhelming.

**Adapt:** The safety network wants to decorate over the years as it sounds and accepts to attack designs [16].

#### 3.3.2 Loss of Data

While employer crucial data is transferred into the cloud, it's perceivable to be worried about its safety. Losing cloud statistics, each by human error and unintentional deletion, malicious tampering might be catastrophic for an agency employer. Normally DDoS attacks are simplest a diversion for a bigger opportunity, which includes a try and thief or remove statistics [17]. Obviously, preserving get proper of access to your statistics and preserving it stable at every diploma is a must. This is the main reason to launch a strong statistics loss prevention (DLP) scheme as a part of the cloud safety approach [20].

**Backup:** The efficient means to stop records loss is to frequently again it up so that you hold ways to retrieve or get higher it with inside the loss event. [19]

**Utilize DLP software:** With the aid of that program, you may automatize your backup and loss prevention approaches so that your protection functions do not fall thru the cracks.

**Do a risk evaluation:** Audit your records to discover wherein and the manner your records is stored on the cloud. Once you have were given an inventory of your records storage, create records go along with the float map to recognize your records techniques and come to be aware about ability vulnerabilities.

#### 3.3.3 Violations of Concurrency

Concurrency is one in every of the largest barriers several corporations face whilst identifying if or not to undertake cloud-primarily based totally operations. Regulatory controls cognizance closely on cloud protection, and Concurrency violations could hold a full-size poor effect to your enterprise and backside line [21].

**Operational readability and consistency:** To pass into the cloud, it is vital emigrate your operational strategies easily into the environment of cloud. The extra regular you're on your cloud control and operations, the less difficult it's far to apprehend and accurate protection troubles and reply to audits with correct report.

**Data protection and visibility:** Prior to the cloud, it became clean to find your information with inside the information centre. Today, information is unfolded throughout servers and a rising number of cell and allotted workforce. This introduces demanding situations for corporations that ought to observe strict information residency guidelines in a worldwide market. Getting a clean image of your information is an increasing number of vital and an increasing number of difficult. In addition, the extra allotted your information (mainly throughout unofficial servers and programs, additionally called Shadow IT), the more the chance on your information protection [23-25].

**Concurrency responsibility:** Another project of protection and Concurrency is figuring out who's surely chargeable for making sure you satisfy the ones demands. The degree of provider and the cloud company you pick out would have an effect on what obligation you need to meet compliance guidelines and what kind of your provider company will control compliance for you. Explaining those roles and making sure there aren't any gaps on your

compliance method and strategies is important for ensuring you gratify all guidelines.

### 3.3.4 Data Breaches

An information breach is whilst personal records is extracted and accessed with no authorization. It influences the effect to popularity and accept as true with of partners or clients. Regulatory implications which can bring about economic loss [23].

**Application of the Principle of Least Privilege (PoLP):** LP is the exercise of limiting get right of entry to rights for users, debts, structures, and strategies to handiest the minimal assets had to carry out recurring duties and obligations. The intention is to lessen the danger of protection breaches through restricting get right of entry to handiest individuals who want it. Through imposing PoLP, corporations can substantially lessen possibilities for exploitation, and enhance compliance throughout the community.

**Utilization of multi-issue authentication:** Multi-issue authentication (MFA) is a protection approach for logins that calls for or extra credentials from a consumer to affirm their identification earlier than granting get right of entry to. This is a easy however powerful manner to extra tightly steady your information and make stronger your get right of entry to factors in opposition to capacity hackers.

**Encrypt information at relaxation:** Data is at relaxation whilst it isn't actively utilized and is saved on a tough drive. When that information is typically covered through primary perimeter defences like firewalls, encrypting your tough drives (and different information at relaxation) provides every other protection layer.

### 3.3.5 Indicators and Notifications

Understanding and right conversation of protection hazards is a basis for community protection and the equal is going for cloud computing protection. Alerting the proper internet site or software managers as quickly as a chance is recognized need to be a part of a radical information protection and get right of entry to control plan. Speedy mitigation of a chance is based on clean and activate conversation so steps may be taken through the right entities and effect of the chance minimized.

**Automate protection indicators and notifications:** While it involves protection, automation is a friend of yours. Functioning at the cloud affords several possibilities to enforce automation in order to growth performance and decrease human error. To construct out the cloud protection method, make certain to consist of computerized protection indicators and notifications on your strategies. A computerized protection notification machine will warn you in actual time to capacity or instantaneously threats, which include assaults, or vulnerabilities.

### 3.3.6 Hijacking Account

Lots of human beings hold extraordinarily susceptible password protection, which include password reuse and using susceptible passwords. That hassle exacerbates the

effect of phishing assaults and information breaches because it permits an unmarried stolen password for use on more than one unique debts. Account hijacking is a chance wherein malicious attackers' advantage get right of entry to and abuse debts which might be exceptionally privileged or touchy. In cloud environments, the debts with the best dangers are cloud provider debts or subscriptions.

**Implement sturdy get right of entry to methods and controls:** When fragilities in the era itself are an extreme worry, a large danger on your information protection comes out of your human assets. Lax get right of entry to methods and controls make it clean for hackers to sneak into your structures and wreak havoc. Create sturdy methods for get right of entry to control (which include multi-issue authentication and least privilege) to limit danger round get right of entry to factors.

### 3.3.7 Cyberattacks

Cybercrime is deemed as an enterprise, and cyber-criminals select their objectives mainly on the basis of the predicted profitability in their assaults. Cloud-primarily based entirely infrastructure is immediately handy from the general public Internet, is frequently inadequately secured, and carries a high-quality deal of touchy and treasured information. In addition, the cloud is utilized by several unique organizations, which means that a success assault can probably be repeated usually with an excessive success possibility. Consequently, corporations' cloud deployments are a not unusual place goal of cyberattacks.

Solutions for this issue include:

- 1) Identity robbery,
- 2) fraud,
- 3) extortion Malware,
- 4) phishing,
- 5) spamming,
- 6) spoofing,

consisting of laptops or cell gadgets, Denial-of-provider and allotted denial-of-provider assaults, Breach of get right of entry to Password sniffing, System infiltration, Website defacement, Private and public Web browser exploits, Instant messaging abuse, Intellectual property (IP) robbery or unauthorized get right of entry.

## 4 CONCLUSIONS

Undauntedly, CC allows IT organizations use diverse strategies to boost and steady utility overall efficiency in a cost-powerful way [25]. Furthermore, simply due to the fact the software program can run in a Virtual system does now no longer suggest that it plays nicely in cloud surroundings necessarily. The fundamental key to a success cloud computing projects is reaching stability among the commercial enterprise blessings and the hidden capacity dangers that can effect efficacy. Cloud carriers regularly have numerous effective servers and assets a good way to offer suitable offerings for his or her customers however cloud is

at hazard much like different Internet-primarily based totally era. In the opposite hand, they're additionally susceptible to assaults inclusive of effective DDoS assaults comparable different Internet-primarily based totally era. As a solution, cloud carriers can upload greater aid to defend themselves from such assaults however alas there may be no protection in opposition to an effective DDoS assault which has true sapience. These troubles which mentioned on this paper are the primary motives that purpose many organizations that have an aircraft immigrate to cloud pick the usage of cloud for much less touchy facts and keep critical facts of their personal neighbourhood machines. In addition, consequently, moving in the direction of cloud computing need to remember numerous factors and maximum critical of them is deemed security [24].

## 5 REFERENCES

- [1] Paya, A. & Marinescu, D. C. (2015). Energy-aware load balancing and application scaling for the cloud ecosystem. *IEEE Transactions on Cloud Computing*, 5(1), 15-27. <https://doi.org/10.1109/TCC.2015.2396059>
- [2] Fiandrino, C., Kliazovich, D., Bouvry, P., & Zomaya, A. Y. (2015). Performance and energy efficiency metrics for communication systems of cloud computing data centers. *IEEE Transactions on Cloud Computing*, 5(4), 738-750. <https://doi.org/10.1109/TCC.2015.2424892>
- [3] Guo, B., Shen, Y., & Shao, Z. (2009). The redefinition and some discussion of green computing. *Jisuanji Xuebao/Chinese Journal of Computers*, 32(12), 2311-2319.
- [4] Zhang, X., Gong, L., & Li, J. (2012, July). Research on green computing evaluation system and method. In 2012 7<sup>th</sup> IEEE Conference on Industrial Electronics and Applications (ICIEA), 1177-1182.
- [5] Liu, Z. Y., Mao, P., Feng, L., & Liu, S. M. (2018). Energy-efficient incentives resource allocation scheme in cooperative communication system. *Wireless Communications and Mobile Computing*, 2018. <https://doi.org/10.1155/2018/5452120>
- [6] Li, J., Li, D., Ye, Y., & Lu, X. (2015). Efficient multi-tenant virtual machine allocation in cloud data centers. *Tsinghua Science and Technology*, 20(1), 81-89. <https://doi.org/10.1109/TST.2015.7040517>
- [7] Tsai, J. T., Fang, J. C., & Chou, J. H. (2013). Optimized task scheduling and resource allocation on cloud computing environment using improved differential evolution algorithm. *Computers & Operations Research*, 40(12), 3045-3055. <https://doi.org/10.1016/j.cor.2013.06.012>
- [8] Dabbagh, M., Hamdaoui, B., Guizani, M., & Rayes, A. (2015). Toward energy-efficient cloud computing: Prediction, consolidation, and overcommitment. *IEEE network*, 29(2), 56-61. <https://doi.org/10.1109/MNET.2015.7064904>
- [9] Nair, M. K. & Gopalakrishna, D. V. (2009). Generic web services: a step towards green computing. *International Journal on Computer Science and Engineering*, 1(3), 248-253.
- [10] Figuerola, S., Lemay, M., Reijts, V., Savoie, M., & Arnaud, B. S. (2009). Converged optical network infrastructures in support of future internet and grid services using IaaS to reduce GHG emissions. *Journal of Lightwave Technology*, 27(12), 1941-1946. <https://doi.org/10.1109/JLT.2009.2022485>
- [11] Malathi, V. & Kavitha, V. (2022). Energy Aware Load Balancing Algorithm for Upgraded Effectiveness in Green Cloud Computing. In *Expert Clouds and Applications* (pp. 247-260). Springer, Singapore. [https://doi.org/10.1007/978-981-16-2126-0\\_22](https://doi.org/10.1007/978-981-16-2126-0_22)
- [12] Naidu, P. R., Guruprasad, N., & Gowda, V. D. (2021, May). A High-Availability and Integrity Layer for Cloud Storage, Cloud Computing Security: From Single to Multi-Clouds. *Journal of Physics: Conference Series*, 1921(1), p. 012072. <https://doi.org/10.1088/1742-6596/1921/1/012072>
- [13] Jain, A. & Kumar, R. (2017). Hybrid load balancing approach for cloud environment. *International Journal of Communication Networks and Distributed Systems*, 18(3-4), 264-286. <https://doi.org/10.1504/IJCNSD.2017.083825>
- [14] Makroo, A. & Dahiya, D. (2014). An efficient VM load balancer for Cloud. *Applied Mathematics, Computational Science and Engineering*, 333359.
- [15] Aslam, S. & Shah, M. A. (2015, December). Load balancing algorithms in cloud computing: A survey of modern techniques. *IEEE National Software Engineering Conference (NSEC)*, 30-35. <https://doi.org/10.1109/NSEC.2015.7396341>
- [16] Moharana, S. S., Ramesh, R. D., & Powar, D. (2013). Analysis of load balancers in cloud computing. *International Journal of Computer Science and Engineering*, 2(2), 101-108.
- [17] Mahajan, K., Makroo, A., & Dahiya, D. (2013). Round robin with server affinity: a VM load balancing algorithm for cloud based infrastructure. *Journal of information processing systems*, 9(3), 379-394. <https://doi.org/10.3745/JIPS.2013.9.3.379>
- [18] Domanal, S. G. & Reddy, G. R. M. (2013, October). Load balancing in cloud computing using modified throttled algorithm. *IEEE International Conference on Cloud Computing in Emerging Markets (CCEM)*, 1-5. <https://doi.org/10.1109/CCEM.2013.6684434>
- [19] Rahmeh, O. A., Johnson, P., & Taleb-Bendiab, A. (2008). A dynamic biased random sampling scheme for scalable and reliable grid networks. *INFOCOMP journal of computer science*, 7(4), 1-10.
- [20] Randles, M., Lamb, D., & Taleb-Bendiab, A. (2010, April). A comparative study into distributed load balancing algorithms for cloud computing. In 2010 IEEE 24<sup>th</sup> International Conference on Advanced Information Networking and Applications Workshops, 551-556. <https://doi.org/10.1109/WAINA.2010.85>
- [21] Galloway, J. M., Smith, K. L., & Vrbsky, S. S. (2011, October). Power aware load balancing for cloud computing. *Proceedings of the World Congress on Engineering and Computer Science*, 1, 19-21.
- [22] Kumar, S., Rana, D. S., & Dimri, S. C. (2015). Fault tolerance and load balancing algorithm in cloud computing: A survey. *International Journal of Advanced Research in Computer and Communication Engineering*, 4(7), 92-96.
- [23] Kashyap, D. & Viradiya, J. (2014). A survey of various load balancing algorithms in cloud computing. *Int. J. Sci. Technol. Res*, 3(11), 115-119.
- [24] Kumar, S. & Rana, D. S. (2015). Various dynamic load balancing algorithms in cloud environment: a survey. *International Journal of Computer Applications*, 129(6), p16. <https://doi.org/10.5120/ijca2015906927>
- [25] Afzal, S. & Kavitha, G. (2019). Load balancing in cloud computing—A hierarchical taxonomical classification. *Journal of Cloud Computing*, 8(1), 1-24. <https://doi.org/10.1186/s13677-019-0146-7>

### Author's contacts:

**Fudhah A. AlSelami**  
 Department of Management Information Systems,  
 College of Business, University of Jeddah,  
 Al-kamel Governorate Branch, Jeddah, Saudi Arabia  
 falsulami@uj.edu.sa