

## Branko Kaitner – List of Publications

- [1] B. Kamenar, B. Kaitner, *The Crystal Structure of Mercury(I) Orthoarsenate*, *Acta Crystallogr., Sect. B: Struct. Crystallogr. Cryst. Chem.* **1973**, *29*, 1666–1669. <https://doi.org/10.1107/S0567740873005224>
- [2] B. Kamenar, B. Kaitner, V. Katović, D. H. Busch, *Synthesis and Structure of the Acetone Adduct of the Macrocyclic Complex (Tetrabenzo[b,f,j,n][1,5,9,13]-tetraazacyclohexadecine)-nickel(II)*, *Inorg. Chem.* **1979**, *18*, 815–818. <https://doi.org/10.1021/ic50193a056>
- [3] B. Kaitner, B. Kamenar, *Tris(1,3-Diphenyl-1,3propanedionato)iron(III)*,  $C_{45}H_{33}FeO_6$ , *Cryst. Struct. Comm.* **1980**, *9*, 487–492.
- [4] B. Kamenar, B. Kaitner, *The crystal and molecular structure of the oxo-bridged binuclear iron(III) complex containing the methoxide derivative of the tetrabenzo[b,f,j,n][1,5,9,13]-tetraazacyclohexadecine*, in: *Structural studies on molecules of biological interest* (A volume in honour of prof. Dorothy Hodgkin), (Ed.: G. Dodson, J. P. Glusker and D. Sayre), Clarendon Press, Oxford, **1981**, 123–136.
- [5] G. Ferguson, B. Kaitner, F. J. Lalor, G. Roberts, *Crystal and Molecular Structure of Dichloro(oxo)hydrotris-(3,5-dimethylpyrazolyl)boratomolybdenum(V) Chloro-benzene Solvate*, *J. Chem. Res. (S)* **1982**, 6–7.
- [6] M. Cocivera, T. J. Desmond, G. Ferguson, B., Kaitner, Fergus J. Lalor, Daniel J. O'Sullivan, *Stereochemically Nonrigid Bis(olefin)rhodium Poly-(1-pyrazolyl)-borato Complexes. 1. Synthesis and Conversion into New Rhodium(I) and Rhodium(III) Complexes. The Crystal and Molecular Structure of [Tetrakis(1-pyrazolyl)-borato]diiodo-carbonylrhodium(III) Methylene Chloride Solvate*, *Organometallics*, **1982**, *1*, 1125–1132. <https://doi.org/10.1021/om00069a004>
- [7] M. Cocivera, G. Ferguson, B. Kaitner, F. J. Lalor, D. J. O'Sullivan, M. Parvez, B. Ruhl, *Stereochemically Nonrigid Bis(olefin)rhodium Poly(1-pyrazolyl)borato Complexes. 2. X-ray Crystallographic Studies. The Crystal and Molecular Structure of the Norbornadiene, Cycloocta-1,5-diene, and Duroquinone Complexes*, *Organometallics* **1982**, *1*, 1132–1139. <https://doi.org/10.1021/om00069a005>
- [8] G. Ferguson, B. Kaitner, W. B. Whalley, D. A. Taylor, J. R. Liddell, *Methyl 1,2-bis(dimethylamino)-4-methyl-1H-pyrrolo-[1,2-a]indole-3-carboxylate*, *Acta Crystallogr., Sect. B: Struct. Crystallogr. Cryst. Chem.* **1982**, *38*, 2758–2760. <https://doi.org/10.1107/S0567740882009881>
- [9] R. W. Hay, B. Jeragh, G. Ferguson, B. Kaitner, B. L. Ruhl, *Axial Additions in Nickel(II) Complexes of (5SR,7RS,12RS,14SR)-Tetramethyl-1,4,8,11-tetra-azacyclotetradecane (L<sub>α</sub>) and Crystal structure Analysis of the Planar Orange and Octahedral Violet Perchlorate Salts NiL<sub>α</sub> (ClO<sub>4</sub>)<sub>2</sub>*, *J. Chem. Soc. Dalton Trans.* **1982**, 1531–1539. <https://doi.org/10.1039/DT9820001531>
- [10] B. Kamenar, B. Kaitner, *Oxo-bridged Iron(III) Complex with Methoxide Derivative of the Tetrabenzo[b,f,j,n]-[1,5,9,13]tetraazacyclohexadecine*,  $C_{60}H_{52}Fe_2N_8O_5$ , *Cryst. Struct. Commun.* **1982**, *11*, 2043–2049.
- [11] G. Ferguson, M. Fredrick Hawthorne, B. Kaitner, F. J. Lalor, *The Synthesis and Structure of an Icosahedral Thiadirhodadodecaborane Complex, 7-Chloro-2,3-bis(η-pentamethylcyclopentadienyl)-1-thia-2,3-dirhoda-closo-dodeca-borane(9)*,  $C_{20}H_{38}B_9ClRh_2S$ , *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1984**, *40*, 1707–1709. <https://doi.org/10.1107/S0108270184009239>
- [12] G. Ferguson, B. Kaitner, D. Lloyd, H. McNab, *Crystal and Molecular Structure of 2,2-Diethyl-1,2-dihydro-4,6-dimethylpyrimidinium Picrate*, *J. Chem. Res. (S)* **1984**, 182–183.
- [13] G. Ferguson, B. Kaitner, D. Lloyd, H. McNab, *Crystal and Molecular Structures of 1,2-Dihydro-1,3-dimethyl-2-oxo-pyrimidinium Hydrogen Sulphate and 1,2-Dihydro-1,3-dimethyl-2-thioxopyrimidinium Perchlorate*, *J. Chem. Res. (S)* **1984**, 184–185.

- [14] G. Ferguson, B. Kaitner, A. F. Somogyvari, V. I. Bendall, W. B. Whalley, C. L. Yeates, R. Edmunds, J. M. Midgley, *Unsaturated Steroids*. Part 13. *Further Observations upon the Formation of Aromatic Ring c Steroids: X-Ray Structure of 22.23-Dibromo-10-methyl-19-noranthraergosta-5,7,9(10),14-tetraene and of 2 $\beta$ ,3 $\alpha$ ,22,23-tetrabromo-18-nor-17-isoergosta-8(9),11,13(14)-triene*, *J. Chem. Soc. Perkin Trans. I* **1985**, 1337–1342. <https://doi.org/10.1039/P19850001337>
- [15] G. Ferguson, B. Kaitner, J. Gilmore, V. O. T. Omuaru, W. Basil Whalley, *The Chemistry of Fungi*. Part 80. *The X-Ray Crystallographic Structure of 8 $\alpha\beta$ -bromo-5 $\alpha\alpha$ 5,6,7,8,8 $\alpha$ -hexahydro-1,7 $\alpha$ -dihydroxy-8 $\alpha$ -methoxycarbonylxanthone Monohydrate, a Rearrangement Product of Methyl 2 $\alpha$ -Bromo-2 $\beta$ -(2,6-dimethoxybenzoyl)-7-oxabicyclo[2.2.1]-heptane-3 $\beta$ -carboxylate: A Novel Route to Xanthones: The Synthesis of Pinselin*, *J. Chem. Soc. Perkin Trans. I* **1985**, 1343–1347. <https://doi.org/10.1039/P19850001343>
- [16] B. Kamenar, B. Kaitner, S. Pocev, *Crystal Structure of Tris-(methyl-mercurio)sulphonium Perchlorate*, *J. Chem. Soc. Dalton Trans.* **1985**, 2457–2458. <https://doi.org/10.1039/dt9850002457>
- [17] T. C. Jones, T. N. Waters, B. Kaitner, B. Kamenar, *The Crystal Structure and Conformation of bis(N-methyl-5-chlorosalicylideneiminato)nickel(II) and bis(N-ethyl-5-chlorosalicylideneiminato)nickel(II)*, *Croat. Chem. Acta* **1986**, 59, 825–831.
- [18] B. Kaitner, B. Kamenar, N. Paulić, N. Raos, V. Simeon, *Stereochemistry of Complexes with N-Alkylated Amino Acids. I. Crystal Structure and Conformational Analysis of bis(L-N,N-dimethylvalinato)copper(II)*, *J. Coord. Chem.* **1987**, 15, 373–381. <https://doi.org/10.1080/00958978708079794>
- [19] G. Ferguson, B. Kaitner, M. A. McKervey, E. M. Seward, *Synthesis, X-Ray Crystal Structure, and Cation Transfer Properties of a Calix[4]arene Tetraketone, a New Versatile Molecular Receptor*, *J. Chem. Soc., Chem. Commun.* **1987**, 8, 584–585. <https://doi.org/10.1039/c39870000584>
- [20] G. Ferguson, C. Glidewell, B. Kaitner, D. Lloyd, S. Metcalfe, *Second Determination of the Structure of Dimeric Triphenylstibine Oxide*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1987**, 43, 824–826. <https://doi.org/10.1107/S0108270187093922>
- [21] G. Jovanovski, B. Kamenar, G. Ferguson, B. Kaitner, *Structure of Chloromercury(II) Saccharinate*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1988**, 44, 616–618. <https://doi.org/10.1107/S0108270187011648>
- [22] H. C. Clark, G. Ferguson, M. J. Hampden-Smith, B. Kaitner, H. Ruegger, *Reversible Ethylene Coordination in ( $\eta^2$ -C<sub>2</sub>H<sub>4</sub>)Pt(PCy<sub>3</sub>)<sub>2</sub>*, *Polyhedron* **1988**, 7, 1349–1353. [https://doi.org/10.1016/S0277-5387\(00\)80384-8](https://doi.org/10.1016/S0277-5387(00)80384-8)
- [23] G. Ferguson, B. Kaitner, C. M. Browne, M. A. McKervey, *Molecular Receptors. Synthesis and X-Ray Crystal Structure of an 18-Crown Ether Phenol Complex of 1,2-Diaminoethane*, *J. Chem. Soc. Perkin Trans. II* **1988**, 1725–1728. <https://doi.org/10.1039/p29880001725>
- [24] Faridooon, O. N. Dhubhghaill, T. R. Spalding, G. Ferguson, B. Kaitner, X. L. R. Fontaine, J. D. Kennedy, D. Reed, *Metallaheteroborane Chemistry. Part 4. The Synthesis of closo-[2,2-(PPh<sub>3</sub>)<sub>2</sub>-2-H-1,2-XMB<sub>10</sub>H<sub>10</sub>] (X = Se or Te, M = Rh or Ir) Compounds, their Characterisation by Nuclear Magnetic Resonance Techniques, and the Crystal and Molecular Structure of the X = Te, M = Rh Complex*, *J. Chem. Soc. Dalton Trans.* **1988**, 2739–2745. <https://doi.org/10.1039/dt9880002739>
- [25] M. D. McFarlane, D. M. Smith, G. Ferguson, B. Kaitner, *o-Nitroaniline Derivatives. Part 12. The Reaction of N-(2,4-Dinitrophenyl)sarcosine Ethyl Ester with Bases: Some Novel Redox Processes Revealed by X-Ray Crystallography*, *J. Chem. Soc. Perkin Trans. II* **1989**, 893–902. <https://doi.org/10.1039/p29890000893>
- [26] Faridooon, O. N. Dhubhghaill, T. R. Spalding, G. Ferguson, B. Kaitner, X. L. R. Fontaine, J. D. Kennedy, *Metallaheteroborane Chemistry. Part 5.<sup>1</sup> Synthesis of closo-[2,2-(PR<sub>3</sub>)<sub>2</sub>-1,2-SePtB<sub>10</sub>H<sub>10</sub>] (R<sub>3</sub> = Et<sub>3</sub>, Bu<sup>n</sup><sub>3</sub>, or Me<sub>2</sub>Ph) and arachno-[9,9-(PMe<sub>2</sub>Ph)<sub>2</sub>-6,9-SePtB<sub>8</sub>H<sub>10</sub>] and their Characterisation by Nuclear Magnetic Resonance Techniques: The Crystal and Molecular Structures of closo-[2,2-(PEt<sub>3</sub>)<sub>2</sub>-1,2-SePtB<sub>10</sub>H<sub>10</sub>] and arachno-[9,9-(PMe<sub>2</sub>Ph)<sub>2</sub>-6,9-SePtB<sub>8</sub>H<sub>10</sub>]*, *J. Chem. Soc. Dalton Trans.* **1989**, 1657–1668. <https://doi.org/10.1039/dt9890001657>
- [27] F. Arnaud-Neu, E. M. Collins, M. Deasy, G. Ferguson, S. J. Harris, B. Kaitner, A. J. Lough, M. A. McKervey, E. Marques, B. L. Ruhl, M. J. Schwing-Weill, E. M. Seward, *Synthesis, X-ray Crystal Structures, and Cation-Binding Properties of Alkyl Calixaryl Esters and Ketones, a New Family of Macrocyclic Molecular Receptors*, *J. Am. Chem. Soc.* **1989**, 111, 8681–8691. <https://doi.org/10.1021/ja00205a018>
- [28] H. Duddeck, G. Ferguson, B. Kaitner, M. Kennedy, M. A. McKervey, A. R. Maguire, *The Intramolecular Buchner Reaction of Aryl Diazoketones. Synthesis and X-Ray Crystal Structures of Some Polyfunctional Hydroazulene Lactones*, *J. Chem. Soc. Perkin Trans. I* **1990**, 1055–1063. <https://doi.org/10.1039/p19900001055>
- [29] G. Ferguson, B. Kaitner, M. Myers, T. R. Spalding, *Structure of 4-(Dimethylamino)pyridine Cyanoborane Adduct*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1990**, 46, 125–126. <https://doi.org/10.1107/S0108270189005561>

- [30] G. Ferguson, B. Kaitner, A. D. Brewer, *Structure of 2,3-Dihydro-5-nitro-6-phenyl-1,4-dithiin*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1990**, *46*, 1284–1287.  
<https://doi.org/10.1107/S0108270189010541>
- [31] G. Ferguson, B. Kaitner, B. M. Dilworth, M. A. McKervey, *Structure of 1,1,4,4-Tetrakis(phenylthio)butane*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1990**, *46*, 1540–1542.  
<https://doi.org/10.1107/S0108270189013326>
- [32] B. Kamenar, B. Kaitner, A. Stefanović, T. N. Waters, *Structures of Three Bis(3-ethoxy-N-R-salicylideneiminato)nickel(II) Complexes (R = H, Methyl, Ethyl)*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1990**, *46*, 1627–1631.  
<https://doi.org/10.1107/S0108270189013673>
- [33] B. Kamenar, B. Kaitner, G. Ferguson, T. N. Waters, *A Redetermination of the Structures of Bis(salicylideneiminato)nickel(II) and Monoclinic and Orthorhombic Forms of Bis(N-methylsalicylideneiminato)nickel(II)*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1990**, *46*, 1920–1923.  
<https://doi.org/10.1107/S0108270190003602>
- [34] B. Kamenar, B. Kaitner, A. Stefanović, T. N. Waters, *Structure of Bis(N-methyl-5-nitrosalicylideneiminato)nickel(II)*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1990**, *46*, 1923–1925.  
<https://doi.org/10.1107/S0108270190002554>
- [35] B. Kamenar, B. Kaitner, N. Strukan, *Structure of Potassium Difluorooctamolybdate Hexahydrate*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1990**, *46*, 2249–2251.  
<https://doi.org/10.1107/S0108270190005467>
- [36] B. Kaitner, N. Paulić, N. Raos, *Stereochemistry of Complexes with N-alkylated amino acids. III. Crystal Structure and Conformational Analysis of bis-(L-N,N-dimethylisoleucinato)-copper(II)*, *J. Coord. Chem.* **1991**, *22*, 269–279.  
<https://doi.org/10.1080/00958979009408225>
- [37] B. Kaitner, N. Paulić, N. Raos, *Stereochemistry of Complexes with N-alkylated amino acids. V. Crystal Structure, Molecular Mechanic Calculations and Conformational Analysis of bis-(L-N,N-diethyl-β-alaninato)-aquacopper(II)*, *J. Coord. Chem.* **1991**, *24*, 291–304.  
<https://doi.org/10.1080/00958979109407889>
- [38] G. Ferguson, B. Kaitner, B. E. Connett, D. F. Rendle, *Structure of the α-D-Glucose-Sodium Chloride-Water Complex (2/1/1)*, *Acta Crystallogr., Sect. B: Struct. Sci.* **1991**, *47*, 479–484.  
<https://doi.org/10.1107/S0108768191000605>
- [39] R. C. Matthews, D. Parker, G. Ferguson, B. Kaitner, A. Harrison, L. Royle, *Synthesis and Structure of Stable Indium and Gallium Complexes of (R)-1,4,7-tris(2'-methylcarboxymethyl)triazacyclononane*, *Polyhedron* **1991**, *10*, 1951–1953.  
[https://doi.org/10.1016/S0277-5387\(00\)86059-3](https://doi.org/10.1016/S0277-5387(00)86059-3)
- [40] A. Hergold-Brundić, B. Kaitner, B. Kamenar, V. M. Leovac, E. Z. Ivegeš, N. Juranić, *Metal complexes with pyrazole-derived ligands. Part I. Synthesis and crystal structures of 3-amino-4-acetyl-5-methylpyrazole (L) and of the tetrahedral complexes ZnL<sub>2</sub>(NO<sub>3</sub>)<sub>2</sub> and ML<sub>2</sub>Cl<sub>2</sub> [M = Cu(II), Hg(II)]*, *Inorg. Chim. Acta* **1991**, *188*, 151–158.  
[https://doi.org/10.1016/S0020-1693\(00\)80365-5](https://doi.org/10.1016/S0020-1693(00)80365-5)
- [41] G. Ferguson, B. Kaitner, T. Desmond, F. J. Lalor, B. O'Sullivan, *Structure of pzB(pz)<sub>3</sub>Mo(CO)<sub>2</sub>(η<sup>2</sup>-OCNMe<sub>2</sub>)*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1991**, *47*, 2651–2653.  
<https://doi.org/10.1107/S0108270191006807>
- [42] R. Fulwood, D. Parker, G. Ferguson, B. Kaitner, *Crystal structure and further applications of the chiral derivatising agent η<sup>2</sup>-ethene platinum-DIOP*, *J. Organomet. Chem.* **1991**, *419*, 269–276.  
[https://doi.org/10.1016/0022-328X\(91\)86182-P](https://doi.org/10.1016/0022-328X(91)86182-P)
- [43] G. Ferguson, B. Kaitner, C. Glidewell, S. Smith, *High metal coordination numbers in group 15 organometallics: crystal structures of triphenylbismuth-bis(trifluoroacetate) and triphenylantimony-bis(trifluoroacetate)*, *J. Organomet. Chem.* **1991**, *419*, 283–291.  
[https://doi.org/10.1016/0022-328X\(91\)80241-B](https://doi.org/10.1016/0022-328X(91)80241-B)
- [44] E. Cole, D. Parker, G. Ferguson, J. F. Gallagher, B. Kaitner, *Synthesis and structure of chiral metal complexes of polyazacycloalkane ligands incorporating phosphinic acid donors*, *J. Chem. Soc., Chem. Commun.* **1991**, 1473–1475.  
<https://doi.org/10.1039/c39910001473>
- [45] B. Kamenar, B. Kaitner, N. Strukan, *Trans influence of the oxo ligand in the dimeric molybdenum(V) complexes. Crystal structure determinations of caesium di-μ-oxo-bis[aquaaxalatooxomolybdate(V)] monohydrate (A) and potassium tricaesium bis{di-μ-sulfido-bis[aquaaxalatooxomolybdate(V)]} tetrahydrate (B), and redetermination of the crystal structure of barium di-μ-oxo-bis[aquaaxalatooxomolybdate(V)] trihydrate (C) and Pyridinium di-μ-oxo-bis-[oxotris(isothiocyanato)molybdate(V)] monohydrate (D)*, *Croat. Chem. Acta* **1991**, *64*, 329–341.
- [46] B. Kaitner, G. Jovanovski, I. Janev, *Structure of 3,4-dihydroxy-1,6-diphenyl-2,4-hexadiene-1,6-dione (I) and its 1,6-di-p-tolyl analogue (II)*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1992**, *48*, 127–129.  
<https://doi.org/10.1107/S0108270191007382>
- [47] B. Kaitner, G. Jovanovski, I. Janev, *Structure of 2,3-diphenacylquinoxaline*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1992**, *48*, 129–131.  
<https://doi.org/10.1107/S0108270191007394>

- [48] G. H. Penner, J. M. Polson, C. Stuart, G. Ferguson, B. Kaitner, *Deuterium NMR and X-ray Crystallographic Studies of Guest and Host Motions in the Thiourea/1,4-Di-tert-butylbenzene Inclusion Compound*, *J. Phys. Chem.* **1992**, *96*, 5121–5129.  
<https://doi.org/10.1021/j100191a068>
- [49] S. Pappalardo, L. Giunta, M. Foti, G. Ferguson, J. F. Gallagher, B. Kaitner, *Functionalization of Calix[4]arenes by Alkylation with 2-(Chloromethyl)pyridine Hydrochloride*, *J. Org. Chem.* **1992**, *57*, 2611–2624.  
<https://doi.org/10.1021/jo00035a016>
- [50] B. Kaitner, N. Paulić, N. Raos, *Stereochemistry of complexes with N-alkylated amino acids. IV. Crystal structure, molecular mechanics calculations and conformational analysis of bis(L-N,N-diethyl-β-alaninato)aquacopper(II)*, *J. Coord. Chem.* **1992**, *25*, 337–347.  
<https://doi.org/10.1080/00958979209409208>
- [51] B. Kaitner, G. Ferguson, N. Paulić, N. Raos, *Stereochemistry of complexes with N-alkylated amino acids. VI. Crystal structure of bis(N-tert-butyl-N-methylglycinato)-copper(II). Conformational analysis and molecular mechanics calculations*, *J. Coord. Chem.* **1992**, *26*, 95–104.  
<https://doi.org/10.1080/00958979209407918>
- [52] B. Kaitner, G. Ferguson, N. Paulić, N. Raos, *Stereochemistry of complexes with N-alkylated amino acids. IV. Crystal structure of disordered D,L-bis(N,N-diethyl-β-alaninato)copper(II); molecular-mechanics calculations and conformational analysis of copper(II) N,N-diethylalaninates*, *J. Coord. Chem.* **1992**, *26*, 105–115.  
<https://doi.org/10.1080/00958979209407919>
- [53] P. Neri, M. Foti, G. Ferguson, J. F. Gallagher, B. Kaitner, M. Pons, M. A. Molins, L. Giunta, S. Pappalardo, *p-tert-Butyl calix[6]arene symmetrically tetrasubstituted with pyridine pendant groups: synthesis, X-ray crystal structure, and conformational analysis by dynamic NMR spectroscopy and molecular mechanic calculations*, *J. Am. Chem. Soc.* **1992**, *114*, 7814–7821.  
<https://doi.org/10.1021/ja00046a030>
- [54] B. Kamenar, B. Kaitner, N. Strukan, *The crystal and molecular structure of Cs<sub>6</sub>[Mo<sub>4</sub>O<sub>4</sub>S<sub>2</sub>X<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>5</sub>]·5H<sub>2</sub>O, X = O or S. An interesting example of the disorder in the double bridge between two molybdenum atoms*, *Vestn. Slov. Kem. Druš.* **1992**, *39*, 357–366.
- [55] B. Kamenar, B. Kaitner, N. Strukan, *The Crystal Structure of Potassium Dinitro-bis(R,S-alaninato)-cobaltate(III) monohydrate*, *Croat. Chem. Acta* **1992**, *65*, 789–794.
- [56] G. Ferguson, B. Kaitner, M. A. McKervey, M. Owens, *5-Chloro-2-hydroxycarbonylmethoxy-1,3-xylyl-18-crown-5 and 5-Chloro-2-ethoxy-carbonyl-methoxy-1,3-xylyl-18-crown-5*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1993**, *49*, 179–182.  
<https://doi.org/10.1107/S0108270192009971>
- [57] G. Jovanovski, B. Šoptrajanov, B. Kaitner, L. Prangova, *Structural studies of some o-substituted S-phenylthiobenzoates I. Crystal structure of S-phenyl o-chlorothiobenzoate and S-phenyl o-bromothiobenzoate*, *J. Cryst. Spectr. Res.* **1993**, *23*, 49–53.  
<https://doi.org/10.1007/BF01161287>
- [58] J. P. Sheehan, T. R. Spalding, G. Ferguson, J. F. Gallagher, B. Kaitner, J. D. Kennedy, *Mettala-heteroborane Chemistry. Part 12.<sup>1</sup> Synthesis of Cationic Mettalaheteroboranes [2-L-2(PPh<sub>3</sub>)-closo-2,1-PdTeB<sub>10</sub>H<sub>9</sub>(PPh<sub>3</sub>)](BF<sub>4</sub>); Molecular Structures of the Compounds with L = H<sub>2</sub>O or CO*, *J. Chem. Soc. Dalton Trans.* **1993**, 35–42.  
<https://doi.org/10.1039/dt9930000035>
- [59] A. Deljac, B. Kaitner, S. I. Kirin, E. Meštrović, *Structure of [(2S,4R)-α-hydroxynorvalinato-(2R,4S)-α-hydroxynorvalinato]copper(II)*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1993**, *49*, 1354–1357.  
<https://doi.org/10.1107/S0108270193000381>
- [60] B. Kaitner, E. Meštrović, *Structure of a new crystal modification of 1,3-diphenyl-1,3-propanedione*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1993**, *49*, 1523–1525.  
<https://doi.org/10.1107/S0108270193001787>
- [61] B. Kaitner, G. Ferguson, N. Paulić, N. Raos, *Stereochemistry of complexes with N-alkylated amino acids. VII. Crystal structure of bis(N-tert-butyl-N-benzylglycinato)copper(II). Conformational analysis and molecular mechanics calculations*, *J. Coord. Chem.* **1993**, *29*, 247–255.  
<https://doi.org/10.1080/00958979308045671>
- [62] B. Kaitner, G. Ferguson, N. Paulić, N. Raos, *Stereochemistry of complexes with N-alkylated amino acids. VIII. Crystal structure and conformational analysis of aquabis(L-N,N-dimethylthreoninato)-copper(II) dihydrate*, *J. Coord. Chem.* **1993**, *30*, 233–244.  
<https://doi.org/10.1080/00958979308022755>
- [63] E. Cole, R. C. B. Copley, J. A. K. Howard, D. Parker, G. Ferguson, J. F. Gallagher, B. Kaitner, A. Harrison, L. Royle, *1,4,7-Triazacyclo-nonane-1,4,7-triyltrimethylenetrakis-(phenylphosphinate) enforces Octahedral Geometry: Crystal and Solution Structures of its Metal Complexes and Comparative Biodistribution Studies of Radiolabelled Indium and Gallium Complexes*, *J. Chem. Soc. Dalton Trans.* **1994**, 1619–1629.  
<https://doi.org/10.1039/dt9940001619>

- [64] B. Kaitner, E. Meštrović, *Crystal and molecular structure of tris(1,3-diphenyl-propane-1,3-dionato)-cobalt(III)*, *Z. Kristallogr.* **1994**, 209, 818–822. <https://doi.org/10.1524/zkri.1994.209.10.818>
- [65] B. Kaitner, E. Meštrović, N. Paulić, N. Raos, *Stereochemistry of Complexes with alkylated amino acids. IX. Crystal structure and conformational analysis of aquabis(L-N-benzyl-alaninato)copper(II) monohydrate*, *J. Coord. Chem.* **1995**, 34, 55–66. <https://doi.org/10.1080/00958979508024303>
- [66] B. Kaitner, S. I. Kirin, E. Meštrović, *Two similar lactone hydrochlorides with different types of hydrogen bonding networks: Crystal structure of (R,S)- $\alpha$ -amino- $\alpha$ -caprolactone hydrochloride and racemic  $\alpha$ -amino- $\alpha$ -methyl- $\alpha$ -valerolactone hydrochloride semihydrate*, *J. Chem. Crystallogr.* **1995**, 25, 117–122.
- [67] B. Kaitner, G. Pavlović, *N-p-tolylvanillaldimine, C<sub>15</sub>H<sub>15</sub>NO<sub>2</sub>*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1995**, 51, 1875–1878. <https://doi.org/10.1107/S0108270195002824>
- [68] B. Kaitner, E. Meštrović, N. Paulić, J. Sabolović, N. Raos, *Stereochemistry of Complexes with alkylated amino acids. X. Crystal structure and molecular mechanics calculations of bis(D,L-N,N-dimethyl-valinato)copper(II) monohydrate*, *J. Coord. Chem.* **1995**, 36, 117–124. <https://doi.org/10.1080/00958979508022552>
- [69] N. Judaš, B. Kaitner, E. Meštrović, *3,3-dibenzyl-pentane-2,4-dione, C<sub>19</sub>H<sub>20</sub>O<sub>2</sub>*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1995**, 51, 2123–2125. <https://doi.org/10.1107/S0108270195004690>
- [70] B. Kaitner, E. Meštrović, *A new crystal polymorph of tris-(1,3-diphenyl-1,3-propanedionato)cobalt(III)*. *Z. Kristallogr.* **1995**, 210, 952–955. <https://doi.org/10.1524/zkri.1995.210.12.952>
- [71] N. Judaš, B. Kaitner, E. Meštrović, *1,3-diphenyl-propan-1-one*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1995**, 51, 2656–2658. <https://doi.org/10.1107/S0108270195008730>
- [72] B. Kaitner, G. Pavlović, N. Paulić, N. Raos, *Stereochemistry of Complexes with alkylated amino acids. XI. Crystal structure and molecular mechanics calculations on racemic aquabis(L-N,N-dimethyl-valinato)copper(II)*, *J. Coord. Chem.* **1995**, 36, 327–338. <https://doi.org/10.1080/00958979508022683>
- [73] M. Gavrančić, B. Kaitner, E. Meštrović, *Intramolecular N-H...O hydrogen bonding, quinoid effect and partial  $\pi$ -electron delocalization in N-aryl Schiff bases of 2-hydroxy-1-naphthaldehyde. The crystal structures of planar N-( $\alpha$ -naphthyl)- and N-( $\beta$ -naphthyl)-2-oxy-1-naphthalaldimine*, *J. Chem. Crystallogr.* **1996**, 26, 23–28. <https://doi.org/10.1107/S0108270196005495>
- [74] B. Kaitner, G. Pavlović, *A Reinvestigation of the Quinoidal effect in N-n-Propyl-2-oxo-1-naphthylidenemethylamine*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1996**, 52, 2573–2575. <https://doi.org/10.1107/S0108270196005495>
- [75] G. Jovanovski, S. Pocev, B. Kaitner, *Crystal Structure of Magnesium Potassium Phosphate Monohydrate (MgKPO<sub>4</sub>·H<sub>2</sub>O)*, *Bull. Chem. Technol. Macedonia* **1997**, 16, 59–63.
- [76] B. Kaitner, G. Pavlović, *2,2',-Diaminodiphenyl Disulphide Hemihydrate*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1997**, 53, 1103–1105. <https://doi.org/10.1107/S0108270197004435>
- [77] M. Gavrančić, B. Kaitner, E. Meštrović, *Bis-[N-( $\beta$ -naphthyl)-2-oxy-1-naphthalaldimino]nickel(II)*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **1997**, 53, 1232–1234. <https://doi.org/10.1107/S0108270197007038>
- [78] T. Friščić, B. Kaitner, E. Meštrović, *Synthesis and Structure of N,N'-butylene- and N,N'-hexylenebis(2-oxy-1-naphthalaldimine)*, *Croat. Chem. Acta* **1998**, 71, 87–98.
- [79] B. Kaitner, E. Meštrović, G. Pavlović, *N-o-tolyl-2-hydr-oxy-1-naphthalaldimine and its Ni<sup>II</sup> complex. Conformational changes of free ligand by chelation*, *J. Chem. Crystallogr.* **1998**, 28, 77–82. <https://doi.org/10.1023/A:1021790905585>
- [80] B. Kaitner, G. Pavlović, N. Paulić, N. Raos, *Stereochemistry of Complexes with N-alkylated amino acids. XII. Crystal Structure and Molecular Mechanics Calculations for Aquabis(L-N,N-dimethylalaninato)-copper(II) Hexahydrate*, *J. Coord. Chem.* **1998**, 43, 309–319. <https://doi.org/10.1080/00958979808230444>
- [81] G. Jovanovski, P. Naumov, O. Grupče, B. Kaitner, *Structural study of monoaquabis(pyridine)bis-(saccharinato)copper(II)*, *[Cu(H<sub>2</sub>O)(py)<sub>2</sub>(sac)<sub>2</sub>]*, *Eur. J. Solid State Inorg. Chem.* **1998**, 35, 231–242. [https://doi.org/10.1016/S0992-4361\(98\)80004-0](https://doi.org/10.1016/S0992-4361(98)80004-0)
- [82] S. I. Kirin, D. Vikić-Topić, E. Meštrović, B. Kaitner, M. Eckert-Maksić, *Diels-Alder reactions of C-phenylated siloles with 1,4-epoxy-1,4-dihydronaphthalene*, *J. Organomet. Chem.* **1998**, 566, 85–91. [https://doi.org/10.1016/S0022-328X\(98\)00581-6](https://doi.org/10.1016/S0022-328X(98)00581-6)
- [83] G. Jovanovski, P. Naumov, O. Grupče, B. Kaitner, *Tetraaquabis(pyridine)metal(II) saccharinate tetrahydrate*, *[M(H<sub>2</sub>O)<sub>4</sub>(py)<sub>2</sub>(sac)<sub>2</sub>·4H<sub>2</sub>O; M = Co, Ni*. *Crystal Structure Determination*, *Eur. J. Solid State Inorg. Chem.* **1998**, 35, 579–590. [https://doi.org/10.1016/S0992-4361\(99\)80020-4](https://doi.org/10.1016/S0992-4361(99)80020-4)
- [84] B. Kaitner, N. Paulić, G. Pavlović, J. Sabolović, *Bis(l-N,N-dipropylalaninato)copper(II): X-ray crystal structure, the crystal structure prediction and conformational analysis with a new force field*, *Polyhedron* **1999**, 18, 2301–2311. [https://doi.org/10.1016/S0277-5387\(99\)00128-X](https://doi.org/10.1016/S0277-5387(99)00128-X)

- [85] O. Grupče, G. Jovanovski, B. Kaitner, P. Naumov, *Structural investigation of di- $\mu$ -chloro-bis[saccharinatopyridinemercury(II)] by X-ray diffraction and FT IR spectroscopy*, *Croat. Chem. Acta* **1999**, 72, 465–476.
- [86] B. Kaitner, G. Pavlović, *Hydrogen Bonded Dimer N-(2-hydroxyethyl)-2-oxy-1-naphthaldimine and its Oxovanadium(V) Complex*, *Croat. Chem. Acta* **1999**, 72, 607–620.
- [87] O. Grupče, G. Jovanovski, B. Kaitner, P. Naumov, *Monoaquabis-(2,2'-bipyridinesaccharinatozinc(II) Saccharinate. 1. Structural Study by Single Crystal X-ray Diffraction, FTIR, and DS Calorimetry*, *J. Struct. Chem.* **2001**, 42, 926–934.  
<https://doi.org/10.1023/A:1015048516944>
- [88] T. Friščić, Alan J. Lough, G. Ferguson, B. Kaitner, *Enantiomeric bis(N,N'-hexamethylenedisalicylaldiminato)dicopper(II) complexes*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **2002**, 58, 313–315.  
<https://doi.org/10.1107/S0108270102006297>
- [89] G. Jovanovski, B. Kaitner, O. Grupče, P. Naumov, *Crystal structure, infrared and Raman spectra of tripotassium trisaccharinate dihydrate, K<sub>3</sub>(C<sub>7</sub>H<sub>4</sub>NO<sub>3</sub>S)<sub>3</sub>·2H<sub>2</sub>O*, *Cent. Eur. J. Chem.* **2004**, 2(1), 254–275.  
<https://doi.org/10.2478/BF02476195>
- [90] P. Makreski, G. Jovanovski, B. Kaitner, T. Stafilov, B. Boev, D. Cibrev, *Minerals from Macedonia. X. Separation and identification of some oxide minerals by FT IR spectroscopy, AAS, AES-ICP and powder XRD*, *N. Jb. Miner. Abh.* **2004**, 180(3), 215–243.  
<https://doi.org/10.1127/0077-7757/2004/0180-0215>
- [91] P. Naumov, G. Jovanovski, O. Grupče, B. Kaitner, A. D. Rae, S. Weng Ng, *Solid-State Structure and Temperature/Evacuation-Induced Dehydration of Sodium Saccharinate 1.875 Hydrate*, *Angew. Chem. Int. Ed.* **2005**, 44, 1251–1254.  
<https://doi.org/10.1002/anie.200461043>
- [92] N. Judaš, B. Kaitner, *2-Benzyl-1,3-diphenylpropane-1,3-dione*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2005**, 61, o4008–o4010.  
<https://doi.org/10.1107/S1600536805035476>
- [93] G. Jovanovski, P. Makreski, B. Šoptrajanov, B. Kaitner, Blažo Boev, *Minerals from Macedonia. Complementary use of vibrational spectroscopy and powder X-ray diffraction for identification and detection purposes*, *Contributions. Sec. Math. Tech. Sci., MANU*, **2005**, XXVII(1), 7–84.
- [94] E. Meštrović, B. Kaitner, *A supramolecular structure of bis(1,3-diphenyl-1,3-propanedionato-O,O')(1,10-phenanthroline-N,N')cobalt(II) based on C–H...O, C–H... $\pi$  and  $\pi$ ... $\pi$  interaction*, *J. Chem. Crystallogr.* **2006**, 36, 599–603.  
<https://doi.org/10.1007/s10870-006-9105-5>
- [95] K. Starčević, I. Čaleta, D. Cinčić, B. Kaitner, M. Kralj, K. Ester, G. Karminski-Zamola, *Synthesis, crystal structure determination and antiproliferative evaluation of benzazolyl benzamides*, *Heterocycles* **2006**, 68(11), 2285–2299.  
<https://doi.org/10.3987/COM-06-10844>
- [96] N. Judaš, B. Kaitner, *Hydrogen-bond-driven self-assembly of bis(3-benzylpentane-2,4-dionato)(nicotinamide)copper(II) in the solid state*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2006**, 62, m241–m243.  
<https://doi.org/10.1107/S1600536806000286>
- [97] N. Judaš, B. Kaitner, *One-dimensional self-assembly of bis(3-benzylpentane-2,4-dionato)copper(II) in the solid state, mediated by weak C–H...O hydrogen bonding*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2006**, 62, m163–m165.  
<https://doi.org/10.1107/S1600536805042042>
- [98] N. Judaš, B. Kaitner, *Weak intermolecular hydrogen bonding in the pyridine adduct of a nickel(II) complex with a sterically demanding b-diketonate ligand*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2006**, 62, m58–m60.  
<https://doi.org/10.1107/S1600536805040043>
- [99] P. Makreski, G. Jovanovski, B. Kaitner, A. Gajović, T. Biljan, *Minerals from Macedonia XVIII. Vibrational spectra of some sorosilicates*, *Vib. Spectrosc.* **2007**, 44, 162–170.  
<https://doi.org/10.1016/j.vibspec.2006.11.003>
- [100] J. Sabolović, B. Kaitner, *The effects of steric aliphatic-aliphatic interactions in the coordination polymer of bis(N,N-diethylglycinato)copper(II): Experimental evidence and theoretical modeling*, *Polyhedron* **2007**, 26, 1087–1097.  
<https://doi.org/10.1016/j.poly.2006.09.087>
- [101] B. Kaitner, E. Meštrović, *Bis(1,3-diphenylpropane-1,3-dionato- $\kappa^2$ O,O')bis(morpholine- $\kappa$ N)cobalt(II)*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2007**, 63, m1549–m1550.  
<https://doi.org/10.1107/S1600536807020557>
- [102] A. Blagus, B. Kaitner, *Solvent-induced Polymorphism of 2-[(2-Amino-phenylimino)-4 phenylmethyl]phenol*, *J. Chem. Crystallogr.* **2007**, 37, 473–477.  
<https://doi.org/10.1007/s10870-007-9196-7>
- [103] B. Kaitner, V. Stilinović, *Enantiomeric disorder in racemic tripivaloylmethane*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **2007**, 63, 353–354.  
<https://doi.org/10.1107/S0108270107012474>
- [104] D. Cinčić, B. Kaitner, *3-Hydroxyanilinium bromide*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2007**, 63, o3873.  
<https://doi.org/10.1107/S1600536807036884>
- [105] D. Cinčić, B. Kaitner, *4-Acetylanilinium perchlorate*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2007**, 63, 4672–4672.  
<https://doi.org/10.1107/S1600536807050751>

- [106] B. Kaitner, V. Stilinović, *p*-Cresylcinnamate, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2007**, *63*, 4347–4347.  
<https://doi.org/10.1107/S1600536807050064>
- [107] B. Kaitner, V. Stilinović, Diisopropylterephthalate, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2007**, *63*, 4487–4487.  
<https://doi.org/10.1107/S1600536807051926>
- [108] J. Sabolović, B. Kaitner, *The Effects of Steric Aliphatic-Aliphatic Interactions in the Coordination Polymer of Bis(N,N-diethylglycinato)copper(II): Experimental Evidence and Theoretical Modeling*, *Polyhedron* **2007**, *26*, 1087–1097.  
<https://doi.org/10.1016/j.poly.2006.09.087>
- [109] D. Cinčić, B. Kaitner, *Hydrogen-bonding motifs in 3-carboxyanilinium bromide and iodide*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **2008**, *64*, 101–104.  
<https://doi.org/10.1107/S0108270108001078>
- [110] D. Cinčić, B. Kaitner, *Hydrogen bonding in the bromide salts of 4-amino-benzoic acid and 4-aminoacetophenone*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **2008**, *64*, o226–o229.  
<https://doi.org/10.1107/S0108270108006471>
- [111] D. Cinčić, B. Kaitner, *3-Acetylanilinium bromide, nitrate and dihydrogen phosphate: hydrogen-bonding motifs in one, two and three dimensions*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **2008**, *64*, o561–o565.  
<https://doi.org/10.1107/S0108270108028771>
- [112] I. Čaleta, D. Cinčić, G. Karminski-Zamola, B. Kaitner, *The synthesis and structure of two novel N-(benzothiazol-2-yl)benzamides*, *J. Chem. Crystallogr.* **2008**, *38*, 10; 775–780.  
<https://doi.org/10.1007/s10870-008-9389-8>
- [113] B. Kaitner, K. Mesarek, E. Meštrović, *(1,10-Phenanthroline-κ<sup>2</sup>N,N')bis(2,2,6,6-tetramethylheptane-3,5-dionato-κ<sup>2</sup>O,O')nickel(II)*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2008**, *64*, m230–m231.  
<https://doi.org/10.1107/S160053680706672X>
- [114] M. Jurić, B. Perić, N. Brničević, P. Planinić, D. Pajić, K. Zadro, G. Giester, B. Kaitner, *Supramolecular motifs and solvatomorphism within the compounds containing [M(bpy)<sub>3</sub>]<sup>2+</sup> entities: [M(bpy)<sub>3</sub>]<sub>2</sub>[NbO(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>]Cl · nH<sub>2</sub>O (M = Fe<sup>2+</sup>, Co<sup>2+</sup>, Ni<sup>2+</sup>, Cu<sup>2+</sup> and Zn<sup>2+</sup>; bpy = 2, 2'-bipyridine; n = 11, 12). Syntheses, structures and magnetic properties*, *J. Chem. Soc. Dalton Trans.* **2008**, 742–754.  
<https://doi.org/10.1039/B707937K>
- [115] J. Sabolović, B. Kaitner, *The effect of hydrogen bonding in two crystal modifications of aquabis(N,N-dimethylglycinato-N,O)copper(II): experimental and theoretical study*, *Inorg. Chim. Acta.* **2008**, *361*(8), 2418–2430.  
<https://doi.org/10.1016/j.ica.2007.12.016>
- [116] V. Stilinović, D. Cinčić, B. Kaitner, *The Effect of C–H...N Interactions on Crystal Structure and Thermal Properties of Two Novel Diamine Schiff Bases Derived from Terephthalaldehyde*, *Acta Chim. Slov.* **2008**, *55*, 4; 874–879.
- [117] V. Stilinović, B. Kaitner, *Partial ordering of tripivaloylmethane at 110 K*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **2008**, *64*, o450–o452.  
<https://doi.org/10.1107/S0108270108022129>
- [118] V. Stilinović, B. Kaitner, *Two tetrakis(benzoyl-acetonato)lanthanide species: synthesis, characterization and structures of tetrakis(benzoyl-acetonato)cerium(IV) and triethylammonium tetrakis(benzoyl-acetonato)lanthanate(III) tetrahydrate*, *J. Coord. Chem.* **2009**, *62*, 2698–2708.  
<https://doi.org/10.1080/00958970902912365>
- [119] P. Makreski, G. Jovanovski, B. Kaitner, *Minerals from Macedonia. XXIV. Spectra-structure characterization of tectosilicates*, *J. Mol. Struct.* **2009**, *924/926*, 413–419.  
<https://doi.org/10.1016/j.molstruc.2009.01.001>
- [120] T. Friščić, E. Meštrović, D. Škalec Šamec, B. Kaitner, L. Fabian, *One-Pot Mechanochemistry with Three Levels of Molecular Self-Assembly: Coordination Bonds, Hydrogen bonds and Host–Guest Inclusion*, *Chem. Eur. J.* **2009**, *15*/46, 12644–12652.  
<https://doi.org/10.1002/chem.200901058>
- [121] A. Blagus, B. Kaitner, *Interactions between dimers of {1,1'-[o-phenylene-bis(nitrilomethylidene)]di-2-naphtholato-κ<sup>4</sup>O,N,N'O}nickel(II)*, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.* **2009**, *65*, m455–m458.  
<https://doi.org/10.1107/S0108270109044503>
- [122] V. Stilinović, L. Frkanec, B. Kaitner, *(R,S)-3-Carboxy-2-(isoquinolinium-2-yl)propanate monohydrate*, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2010**, *66*, o1427.  
<https://doi.org/10.1107/S1600536810018428>
- [123] V. Stilinović, B. Kaitner, *Comparative refinement of correct and incorrect structural models of tetrabutylammonium tetrabutylborate – pitfalls arising from poor-quality data*, *Acta Crystallogr., Sect. A: Found. Crystallogr.* **2010**, *66*, 441–445.  
<https://doi.org/10.1107/S0108767310013814>
- [124] K. Užarević, M. Rubčić, V. Stilinović, B. Kaitner, M. Cindrić, *Keto-enol tautomerism in asymmetric Schiff Bases derived from p-phenylenediamine*, *J. Mol. Struct.* **2010**, *984*, 232–239.  
<https://doi.org/10.1016/j.molstruc.2010.09.034>
- [125] A. Blagus, D. Cinčić, T. Friščić, B. Kaitner, V. Stilinović, *Schiff bases derived from hydroxyaryl aldehydes: molecular and crystal structure, tautomerism, quinoid effect, coordination compounds*, *Maced. J. Chem. Chem. Eng.* **2010**, *29*, 117–138.  
<https://doi.org/10.20450/mjce.2010.159>

- [126] A. Blagus, B. Kaitner, 2-[1-(3-Aminophenylimino)ethyl]phenol, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2011**, 67, o1423. <https://doi.org/10.1107/S1600536811017624>
- [127] A. Blagus, B. Kaitner, Two Ketimine Polymorphs of 2-{1-[(2-Aminophenyl)imino]ethyl}phenol, *Acta Chim. Slov.* **2011**, 58, 823–829.
- [128] A. Blagus, B. Kaitner, 2,2'-[1,5-Bis(4-aminophenyl)-1,5-dihydrobenzo[1,2-d;4,5-d']diimidazole-2,6-diyl]diphenol, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2011**, 67, o2666–o2667. <https://doi.org/10.1107/S1600536811036737>
- [129] A. Blagus, B. Kaitner, 1,1'-[m-Phenylenebis(nitromethanylylidene)]di-naphtalen-2-ol-1,1'-[m-phenylenebis(iminomethanylylidene)]dinaphtalen-2(1H)-one (0.58/0.42), *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2011**, 67, o2908–o2909. <https://doi.org/10.1107/S1600536811040918>
- [130] A. Blagus, B. Kaitner, 1-[[4-[[2-Oxo-1,2-1,2-dihydronaphtalen-1-ylidene)-methyl]amino]anilino)methylidene]naphtalen-2(1H)-one dihydrate, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2011**, 67, o2958–o2959. <https://doi.org/10.1107/S1600536811041870>
- [131] A. Blagus, B. Kaitner, 2-[[4-[[2-Hydroxyphenyl)-(phenyl)methylidene]-amino]-phenyl]imino(phenyl)methyl]phenol, *Acta Crystallogr., Sect. E: Struct. Rep. Online* **2011**, 67, o3252. <https://doi.org/10.1107/S1600536811046988>
- [132] V. Stilinović, K. Užarević, I. Cvrtila, B. Kaitner, Bis(morpholine) hydrogen bond pincer – a novel series of heteroleptic Cu(II) coordination compounds as receptors for electron rich guests, *CrystEngComm* **2012**, 14, 7493–7501. <https://doi.org/10.1039/c2ce25848j>
- [133] V. Stilinović, B. Kaitner, Salts and Co-Crystals of Gentisic Acid with Pyridine Derivatives: The Effect of Proton Transfer on the Crystal Packing (and Vice Versa), *Cryst. Growth Des.* **2012**, 12 (11) 5763–5772. <https://doi.org/10.1021/cg301267h>
- [134] V. Stilinović, D. Cinčić, M. Zbačnik, B. Kaitner, Controlling Solvate Formation of a Schiff Base by Combining Mechanochemistry with Solution Synthesis, *Croat. Chem. Acta* **2012**, 85, 485–493. <https://doi.org/10.5562/cca2111>
- [135] B. Kaitner, M. Zbačnik, Solvent-free Mechano-synthesis of Two Thermochemical Schiff Bases, *Acta Chim. Slov.* **2012**, 59, 670–679.
- [136] G. Horvat, V. Stilinović, T. Hrenar, B. Kaitner, L. Frkanec, V. Tomišić, An Integrated Approach (Thermodynamic, Structural and Computational) to the Study of Complexation of Alkali-Metal Cations by a Lower-Rim Calix[4]arene Amide Derivative in Acetonitrile, *Inorg. Chem.* **2012**, 51, 6264–6278. <https://doi.org/10.1021/ic300474s>
- [137] I. Cvrtila, V. Stilinović, B. Kaitner, Morpholine adducts of Co, Ni, and Mn benzoylacetates: isostructurality and C–H...O hydrogen bonding, *Struct. Chem.* **2012**, 23, 587–594. <https://doi.org/10.1007/s11224-011-9905-x>
- [138] D. Cinčić, I. Brekalo, B. Kaitner, Effect of atmosphere on solid-state amine–aldehyde condensations: gas-phase catalysts for solid-state transformations, *Chem. Commun.* **2012**, 48, 11683–11685. <https://doi.org/10.1039/c2cc36357g>
- [139] D. Cinčić, I. Brekalo, B. Kaitner, Solvent-Free Polymorphism Control in a Covalent Mechanochemical Reaction, *Crys. Growth Des.* **2012**, 12, 44–48. <https://doi.org/10.1021/cg2013705>
- [140] V. Stilinović, B. Kaitner, Structural and Thermodynamic Insight into Solid State Phase Transition Mechanism of a 1,3,3'-Triketone, *Cryst. Growth Des.* **2013**, 13, 1703–1711. <https://doi.org/10.1021/cg400016z>
- [141] G. Petruševski, M. Zbačnik, M. Kajžanoska, S. Ugarković, V. Trimčeski, B. Kaitner, G. Jovanovski, P. Makreski, Pholcodine monohydrate: Crystal structure and polymorphism, *J. Cryst. Growth.* **2013**, 375, 119–124. <https://doi.org/10.1016/j.jcrysgro.2013.04.031>
- [142] I. Cvrtila, V. Stilinović, B. Kaitner, Tuning of coordination geometry via cooperation of inter- and intramolecular hydrogen bonds in bis(benzoylacetato)manganese(II) adducts with pyridine derivatives, *CrystEngComm* **2013**, 15, 6585–6593. <https://doi.org/10.1039/c3ce40826d>
- [143] G. Horvat, V. Stilinović, B. Kaitner, L. Frkanec, V. Tomišić, The Effect of Specific Solvent-Solute Interaction on Complexation of Alkali Metal Cations by a Lower-Rim Calix[4]arene Amide Derivative, *Inorg. Chem.* **2013**, 52, 12702–12712. <https://doi.org/10.1021/ic4019184>
- [144] V. Stilinović, T. Portada, B. Kaitner, Predominance of the triketo tautomer in acyldipivaloylmethanes in solution and the solid state, *Journal of Molecular Structure* **2014**, 1063, 123–130. <https://doi.org/10.1016/j.molstruc.2014.01.061>
- [145] M. Zbačnik, B. Kaitner, Ex situ and in situ monitoring of the syntheses of thermochemical Schiff bases, *CrystEngComm* **2014**, 16, 4162–4168. <https://doi.org/10.1039/C3CE42583E>
- [146] M. Zbačnik, I. Nogalo, D. Cinčić, B. Kaitner, Polymorphism control in the mechanochemical and solution based synthesis of a thermochemical Schiff base, *CrystEngComm* **2015**, 17, 7870–7877. <https://doi.org/10.1039/C5CE01445J>
- [147] J. Mavračić, D. Cinčić, B. Kaitner, Halogen bonding of N-bromosuccinimide by grinding, *CrystEngComm*, **2016**, 18, 3343–3346. <https://doi.org/10.1039/C6CE00638H>



- [148] M. Zbačnik, B. Kaitner, *Supramolecular influence on keto-enol tautomerism and thermochromic properties of o-hydroxy Schiff bases*, *Croatica Chemica Acta* **2016**, 89, 125–132.  
<https://doi.org/10.5562/cca2881>
- [149] D. Prasad Karothu, I. Jahović, G. Jovanovski, B. Kaitner, P. Naumov, *Ionic Cocrystals of Molecular Saccharin*, *CrystEngComm* **2017**, 19, 4338–4344.  
<https://doi.org/10.1039/C7CE00627F>