

## CONTENTS

|   |    |
|---|----|
| 1. INTRODUCTION   |    |
| 2. GENERAL THEORY AND MATHEMATICAL PROBLEMS   |    |
| 2.1. <i>Some properties of solutions of the Hill-Wheeler equation</i>                                 |    |
| 2.2. <i>Present status</i>  | 4  |
| 2.2.1. A soluble model: Gaussian overlap approximations (GOA)   | 7  |
| 2.2.2. Approaches to anharmonic oscillations  | 10 |
| 2.2.2.1. Small anharmonic corrections   | 10 |
| 2.2.2.2. Strongly anharmonic oscillations   | 15 |
| 2.2.2.3. Other approaches to the boson expansion problem  | 19 |
| 2.2.3. Numerical solution of the Hill-Wheeler equation with discretization                            | 21 |
| 2.2.3.1. The single-parametric GCM  | 21 |
| 2.2.3.2. A numerical procedure for the single-parametric GCM  | 22 |
| 2.3. <i>Current work and open problems</i>  |    |
| 2.3.1. Reduction to families with fewer generator coordinates   | 23 |
| 2.3.2. Some remarks on complex generator coordinates  | 27 |
| 3. BOUND STATES   |    |
| 3.1. <i>Successes and some difficulties of methods commonly used to describe nuclear bound states</i> |    |
| 3.1.1. Projected Hartree-Fock (PHF) and $\alpha$ -particle model calculations in 1d2s-nuclei          | 29 |
| 3.1.2. Angular momentum projected Hartree-Bogoljubov theory   | 33 |

|  |    |
|--|----|
| 3.2. <i>Beyond Hartree-Fock, <math>\alpha</math>-particle model and Hartree-Bogoljubov theory.-The generator coordinate method, Present status</i> |    |
| 3.2.1. Introduction  | 35 |
| 3.2.2. Gaussian overlap approximation  | 36 |
| 3.2.3. Mixing of $\alpha$ -particle configurations in $^{12}\text{C}$  | 38 |
| 3.2.4. Deformed determinants of the 1d2s single particle wave functions as generator functions - small space, no symmetry restriction              | 41 |
| 3.2.5. Pairing vibrations  | 43 |
| 3.3. <i>Work in progress and open problems</i>   |    |
| 3.3.1. "Breathing" and "quadrupole" vibrations   | 46 |
| 3.3.2. A two-parametric generator function for 1d2s nuclei   | 48 |
| 3.3.3. Mixing of different generator coordinate families   | 49 |
| 3.3.4. Coupling of "quadrupole" and "pairing" vibrations   | 50 |
| 3.4. <i>Some difficulties in the association of intuitive picture of nuclear motion with the results of GCM calculations</i>                       | 54 |
| 4. GENERATOR COORDINATE METHOD FOR NUCLEAR REACTIONS   |    |
| 4.1. <i>Description of scattering waves</i>  | 56 |
| 4.2. <i>Solution of Hill-Wheeler equation for scattering boundary conditions</i>   | 61 |
| 4.2.1. Solution in momentum representation   | 62 |
| 4.2.2. Solution in coordinate representation   | 65 |
| 4.2.3. Decomposition in to spherical waves for the scattering of spinless fragments  | 69 |
| 4.2.4. Remarks concerning the calculation of the phase shift for noncharged particles  | 72 |
| 4.2.5. Coulomb scattering  | 73 |

|  |    |
|--|----|
| 4.3. <i>Prospective applications</i>   | 76 |
| 4.3.1. $\alpha$ - $^{12}\text{C}$ scattering - an approximate<br>projection of fragment spin | 77 |
| 4.3.2. Directional channels  | 80 |
| 4.3.3. A model for the "adiabatic" scattering<br>and the decay                               | 82 |